DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA
OF THE UNITED STATES

1914



RC 261 U62 1914 c.1 GERSTEIN Handle with

EXTREME CARE

This volume is

BRITTLE

and cannot be repaired

Photocopy only if necessary
GERSTEIN SCIENCE
INFORMATION CENTRE

WASHINGTON GOVERNMENT PRINTING OFFICE 1916

LIST OF PUBLICATIONS

CENSUS SAM, L. S. DIRECTOR

PERMANENT CENSUS BUREAU

The following circulars of information concerning the Bureau of the Census will be sent upon request:

TENTATIVE PROGRAM,

THE STORY OF THE CENSUS: 1790-1916.

For list of Thirteenth Census publications, see back of cover.

Note.—The following is a complete list of the publications of the permanent Bureau of the Census. A limited number of some of the reports of the Tenth Eleventh, and Twelfth Censuses are available for distribution, lists of which may be had on application. All census bulletins and reports are of quarto size (9) by 11 inches), but a number of the miscellaneous publications are of octave (51 by 9); inches) or irregular sizes. Those publications marked with an asterisk (*) are not available for distribution by the Census Bureau, but generally may be purchased from the Superintendent of Documents, Washington, D. C. Publications available for distribution may be had on application to the Director of the Census, Department of Commerce, Washington, D. C.

REPORTS

Benevolent institutions: 1904 and 1910.
The blind and the ueal: 1900.
Bind population of the United States: 1910.
Cancer in the United States: 1914.
Central electric light and power stations: 1902, *1907, and 1912.
A century of population growth from the First Census of the United States to the Twelfth: 1790-1900.
Dear in the United States: 1910.
Electrical industries: 1902.
Express business in the United States: 1907.
Financial statistics of states: 1915.
Fisheries of the United States: 1916.
Instance and feeble-minded in hose 1904 and 1910.
Manufactures: 1905. (The result census of 1909 are contained is and X of the Thirteenth Census of 1909 are contained in hose 1914.
Part II—By states and terr
*Part III—Selected industribution of the contained in the contai

Note.—The following is a co-found in any other publication such important preliminary sta-These facts and figures are press-prompt presentation thereof.

prompt presentation thereof.

Abstract of financial statistics a population over 30,000, 1918
Abstract of special bulletins, we taxation, 1913 (unmambered). Age statistics, a discussion of: Assessed valuation of property rates officey: 1860-1912 (unmambered). But the second of the United Central electric light and powers and population of the United Central electric light and powers and 1912.

**Child labor in the District of Consus, 1900.

Child labor in the United Statistics, 1900.

Same, crops of 1900 to 1905.

Cotton gened in the United Statistics, 1900.

Cotton production: 1905. (Totton gened in the United Indianal Consus of mannishown in this bulletan).

Same, 1906.

Same, 1907.

guellus:
shown in this bulletin).
Same, 1996.
Same, 1996.
Same, 1998.
Same, 1999.
Same, 1999.
Same, 1999.
Same, 1999.
Same, 1910.
(The statistics of cottouseed products, gathered at the quinquemial census of manufactures, are also shown in this bulletin).
Same, 1911.
Same, 1912.
Same, 1918.
Cotton supply and distribution for the year ending August 31, 1995.
*Same, 1996.

Same 1914.
Cotton production and distribution: 1914-15.
Same 1914
Cotton production and distribution: 1914-15.
Same 1915-16.
County and municipal indistredness, 1890-1913, and sinsing fund assets, 1913 (unnumbered).
County revenues, expenditures, and public properties: 1913 (unnumbered).
Deat and dumb population of the United States: 1910 (unnumbered).
Earnings of wage earners (a study based on census of manufactures; 1905).
Electrical industries of Porto Rico: 1907.
Estimated value of national wealth: 1850-1912 (unnumbered).
Estimates of population: 1904, 1905, 1906.
Same, 1910, 1911, 1912, 1913, 1914, 1915, 1916.
Estimates of population of the larger cities of the United States in 1901, 1902, and 1903.
Executive civil service of the United States, statistics of employees: 1904.

Manufactures: 1905—Part III—continued.
and shoes: leather, ranned, curried, and finished.
leather gloves and mittens: outfer, cheese, and
condensed milk; flour-mill and gristmill products;
starch; canning and preserving; rice, cleaning
and polishing; best sugar; slaughtering and meat
packing; manufactured ice; salt; cottonseed
products; tobacco; lumber and timber products; turpentine and roam; paper and wood
pulp; prinxing and publishing; pens and gencils; glass; clay products.

*Part IV—Selected industries: Including iron and
steel; tin and terming; agricultural implements;
smelting and refining; agricultural implements;

U. 583



Library

Academy of Medicine, Coronto.

10080

4.S.D. O. C. B.C.

National and state revenues and expanding 1913 and 1903, and value of public properties, by states, 1913 (unnumbered).

*Negroes in the United States: 1900...

Same, 1910.

Paupers in almahouses: 1910.

Population of Oklahomia and Indian Tearitory: 1967.

Prisoners and juvenile delinquents: 1910.

Proportion of children in the United States (a study based on reports of the Twelfith and preceding censuses).

Proportion of the sexes in the United States (a study based on reports of the Twelfith and preceding censuses).

Proportion of the sexes in the United States (a study based on reports of the Twelfith and preceding censuses).

Religious bodies: 1906 (2d ed., revised and enlarged).

Statistics of cities having a population of 5,000 to 25,000; 1903.

Statistics of cities having a population of over 35,000; 1904.

Same, 1907 (Abstract).

*Same, 1912.

Same, 1912.

Same, 1912.

Supervisors' districts for the Thirteenth Consus-1910.

Taxation and revenues ystems of state and local governments (a digest of constitutions) and 103 45 20 Taxation and revenue systems of state and local governments (\$\frac{1}{2}\) digest of constitutional and statutory provisions relating to faxation in the different states in 1912) (unnumbered). Teachers, statistics of (\$\frac{1}{2}\) (audy based on reports of the Tweith and preceding consusts). Telegraph systems: 1907.

Telephones and telegraphs: 1902.

Same, 1912.

(List of publications continued on page 3 of cover.)

Mortality statistics: 1900-1904, 1905, 1906, 1907, *1908, 1909, *1910, 1911, 1912, 1913, and 1914.

Negroes in the United States: 1910.

Plantation farming in the United States.

Prisoners and juvenile delinquents in institutions: 1904 and 1910.

Religious bodies: 1906:

Part II—Summary and general tables,
Part II—Su

(The 1913 and 1914 statistics were issued as numeur 126.)
Street and electric railways: 1902, *1907, and 1912. Telephones and telegraphs: 1902. Telephones: 1907 (for Telegraph systems: 1907, see Bulletin 192).
Telephones and telegraphs and municipal electric firealarin and police-patrol signaling systems: 1912. Transportation by water: 1990. United States Life Tables: 1910. Wealth, debt, and taxation: 1913—Volumes I and II. (The various subjects included in these volumes were also issued in a series of 5 bulletins.)
*Women at work, statistics of: 1900.

culletins contain important statistical material not to be speers taken from forthcoming reports of the census, or of numerization of material contained in the reports proper-l bearing on particular subjects, or for the purpose of more

Transportation by water, United States: 1906... Vital statistics of the Twelfth Census: 1900.....

MANUFACTURES, CENSUS OF 1905

(The bulletins presenting the 1909 census of manufac-tures will be found listed on page 3 of the cover.)

SPECIAL INDUSTRIES

(The statistics presented in these bulletips are reproduced in Parts III and IV of the Report on Manufactures: 1905.)

Agricultural implements.
Automobiles and bicycles and tricycles.
Boots and shoes, leather, and leather gloves and mittens.
Butter, cheese, and condensed milk, flour-mill and gristmill products, and starch.
Carring and preserving, rice cleaning and polishing, and the manufacture of beet sugar.
Carriages and wagons, and the steam and street railroad car industry.
Chemicals and allied products.
Copper, lead, and zinc, smelting and refining.
Coke. Copper, lead, and zinc, smelting and refining.
Coke.
Flectrical machinery, appearatus, and supplies.
Glass and clay products.
Iron and steel and tin plate and temeplate.
Lumber and timber products.
Metal-working machinery.
Musical instruments, attachments, and materials.
*Paper and wood pulp.
Pens and peneils, buttons, needles, pins, and hooks and eyes, ollcloth and linoleum, and turpentine and rosin.
Petroleum refining.
Fower employed in manufactures.
Printing and publishing.
Shipbuilding.
*Slaughtering and meat packing, manufactured ice, and sait.
*Textiles.
Tobacco.

STATES AND TERRITORIES

(The statistics presented in these bulletins are reproduced in Part II of the Report on Manufactures: 1905.)
*United States.

Separate bulletins for each state were printed, and copies are still available for distribution.

MANUPACTURES, CENSUS OF 1914

SPECIAL INDUSTRIES

This series will comprise about 60 bulletins, and it is expected to issue all of the saries during 1916. The following have been issued:

Power taundries. 28 p.

Rice cleaning and polishing. 9 p.

DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA
OF THE UNITED STATES

1914



WASHINGTON GOVERNMENT PRINTING OFFICE 1916







CONTENTS.

TEXT.

	Page.
Introduction	7-12
Classification according to location.	7
Proportion of transcripts which contained needed information.	7
Circular letter to physicians	7
Classification as to diagnosis.	8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this	
report, together with inclusions under each title.	9
The registration area.	12, 13
Growth of the registration area: 1880 to 1914.	12
Extent of the registration area in 1914	13
Population of registration states, by age and sex, in 1914.	13
SUMMARY AND ANALYSIS OF THE STATISTICS.	13-18
Color, nativity, parent nativity, age, and sex of decedent.	13
Deaths and crude death rates.	14
High and low rates for states.	14
High and low rates for cities	14
Crude rates for different localities noncomparable	15
Deaths and death rates in seven titles of International Classification: 1900-1914.	15
Deaths, death rates, and per cent distribution, by location of disease: 1914	15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors,	
according to the part of the body affected, for the registration states: 1914	16
Death rates in foreign countries: 1900–1914	18
Death face in Artificial Control of the Control of	
SUMMARY AND RATE TABLES.	
Table I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registra-	
tion area and its subdivisions: 1914	21
Table II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body	
affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914	35
GENERAL TABLES.	
TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the	
registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914.	44
Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement	11
of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there	
were 50 or more such deaths: 1914	88
Table 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex,	00
	182
color, general nativity, and parent nativity of decedent: 1914	102
	184
states, by age, sex, color, general nativity, and parent nativity of decedent: 1914	104
TABLE 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced	
persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of de-	010
cedent: 1914	210
MAPS AND DIAGRAM.	
Growth of the registration area for deaths: 1880–1914 (maps).	11
Percentages which the population and the land area of the registration area formed of the total population and land area of the United	
States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram)	12



LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., August 21, 1916.

SIR:

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfoy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.


This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

Sam. L. Rogers, Director of the Census.

To Hon. WILLIAM C. REDFIELD, Secretary of Commerce.

(5)



MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES; 1914.

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resotion, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63–66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths, classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (a) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (b) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

PROPORTION OF TRANSCRIPTS WHICH CONTAINED NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8.500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

¹ The term "cancer," as used throughout this monograph, includes "other malignant tumors."

DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS,

WASHINGTON.

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malignant tumors

(a) Statistics of deaths in which the diagnoses were based on

clinical findings.

(b) Statistics of deaths in which the diagnoses were confirmed autopsies, or in which surgical operations were performed.

Will you kindly examine the accompanying transcript of a medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on clinical findings or autopsy; also whether there was surgical intervention? In either case the seat of the disease should also be stated. Any further data which you care to give may be written on the reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appre-

ciated, as we are now compiling these returns.

Very respectfully,

SAM. L. ROGERS, Director.

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesy shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants. but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records, nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. The bureau in classifying such a case was therefore confronted with this situation: (a) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (b) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (c) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain

class' regardless of any strength of assertion by the physician that the diagnosis was correct."

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was cancer, than to tabulate under the head of cancer of any given organ deaths which were declared by the society to be uncertain as to cause by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement, would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

- (a) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not speci-
- (b) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified.

(c) All cases in which diagnosis was confirmed by surgical inter-

vention (including exploratory operations).

(d) All cases in which diagnosis was confirmed by microscopic

findings. (e) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsies.

The following cases were compiled under "Diagnosis uncertain":

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no postmortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer,

Under "Diagnosis unknown" were compiled—

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.

39.—CANCER AND OTHER MALIGNANT TUMORS OF THE BUCCAL 41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, INTESTINES, RECTUM-Continued. CAVITY. 41B.—Cancer of the intestines (except rectum)—Continued. 39A. Cancer of the lip: Cancer of intestinal gland. Cancer of lip. Smokers' cancer. intestine. sigmoid flexure. 39B.—Cancer of the tongue: Cancer of tongue. Carcinoma entericum. Carcinoma linguae. Malignant stricture of intestine. ulceration of intestine. Lingual cancer. 41c.—Cancer of the rectum and anus: 39c.—Cancer of the mouth (without further qualification): Cancer of anus. Cancer of mouth. rectum. 39D.—Cancer of the jaw: 41x.—Other cancers of this class: Cancer of jaw. Cancer of abdominal viscera. Cancer of maxilla. Malignant internal stricture. 39x.—Other cancers of this class: Cancer of buccal cavity (without further qualifi-42.—CANCER AND OTHER MALIGNANT TUMORS OF THE FEMALE GENITAL ORGANS. Cancer of cheek. 42A.—Cancer of the ovary and fallopian tube: Cancer of fallopian tube. Cancer of gum. ovary. Cancer of palate. 42B.—Cancer of the uterus: Cancer of soft palate. Cancer of cervix. Cancer of tonsil. nterns 40.—CANCER AND OTHER MALIGNANT TUMORS OF THE STOMACH, womb. Cervical cancer. LIVER 40A.—Cancer of the pharynx: Neoplasm of uterus. Cancer of pharynx. 42c.—Cancer of the vagina and vulva: 40B.—Cancer of the esophagus: Cancer of vagina. vulva. Cancer of esophagus. 42x.-Other cancers of this class: 40c.—Cancer of the stomach: Cancer of broad ligament. Cancer of cardia. female genital organ (unspecified). cardiac orifice of stomach. uterine ligament. pylorus. Chorioepithelioma. stomach Deciduoma malignum. Carcinoma ventriculi. Hydatid mole. Gastric tumor. Hydatidiform mole. Gastrocarcinoma. Syncytioma. Tumor of stomach. 40D.—Cancer of the liver and gall bladder: 43.—CANCER AND OTHER MALIGNANT TUMORS OF THE BREAST. Cancer of bile duct. Cancer of breast. gall bladder. mammary gland. nipple. duct. Cancer en cuirasse. liver. Neoplasm of breast. Hepatic cancer. Melanosis of liver. 44.—CANCER AND OTHER MALIGNANT TUMORS OF THE SKIN. Cancer of auricle (of ear). 41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, chin. INTESTINES, RECTUM. connective tissue. 41A.—Cancer of the mesentery and peritoneum: ear. Cancer of mesentery. face. omentum. head. peritoneum. nose. retroperitoneal gland. scalp. Cancerous peritonitis. skin. Lymphosarcoma of peritoneum. umbilicus. Malignant peritonitis. Cancroid (unqualified). Retroperitoneal cancer. Cervicofacial cancer. 41B.—Cancer of the intestines (except rectum): Columnar epithelioma. Cancer of appendix. Epithelial tumor (location not indicated). cecum. Epithelioma (location not indicated). Noli me tangere. caput coli. colon. Rodent dermatitis. duodenum. [This title does not include Esthiomene (34) or Lupus (34).] ileum.


LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—

```
45,—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS | 45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
        OR OF ORGANS NOT SPECIFIED.
                                                                               OR OF ORGANS NOT SPECIFIED-Continued.
                                                                             45x.—Other cancers of this class—Continued.
      45A. Cancer of the larynx:
                                                                                       Cancer of iliac region.
                Cancer of larynx.
            Cancer of the lung and pleura:
                                                                                                 inguinal gland.
       15B.
                Cancer of anterior mediastinum.
                                                                                                          region.
                          lung.
                          mediastinal gland.
                                                                                                 lacrimal apparatus.
                          mediastinum.
                                                                                                 leg.
                                                                                                 lower extremity.
                          pleura.
                 Pulmonary cancer.
                                                                                                 lymph gland.
      45c.—Cancer of the pancreas:
                                                                                                        node.
                Cancer of pancreas.
                                                                                                 lymphatic gland.
           Cancer of the kidneys and suprarenals:
                                                                                                            vessel.
                 Cancer of adrenal.
                                                                                                 membrane of spinal cord.
                                                                                                 meninges.
                           kidney.
                           suprarenal.
                                                                                                 muscle.
                                                                                                 nates.
                 Renal cancer.
                                                                                                 neck.
                 Rhabdomyosarcoma of kidney.
      45E.—Cancer of the prostate:
                                                                                                 nerve
                 Cancer of prostate.
                                                                                                 orbit.
                                                                                                 parotid gland.
                 Malignant prostatitis.
                                                                                                 pectoral region.
      45F.—Cancer of the bladder:
                Cancer of bladder.
                                                                                                 pelvic viscera.
      45G.—Cancer of the brain:
                                                                                                 pelvis.
                 Cancer of brain.
                                                                                                 penis.
                           membrane of brain.
                                                                                                 pericardium.
      45H.—Cancer of the bones (except jaw):
                                                                                                 perineum.
                                                                                                 posterior nares.
                 Cancer of bone.
                                                                                                 prepuce.
                          joint.
                                                                                                 salivary gland.
                          sacrum.
                                                                                                 scrotum.
                          scapula.
                                                                                                 shoulder.
                          spine.
                                                                                                 spinal cord.
                          sternum.
                                                                                                 spleen.
                          vertebra.
                                                                                                 temporal region.
                          zygoma.
                                                                                                 thorax.
                 Osteosarcoma.
                                                                                                 throat.
      45k. - Cancer of the testes:
                 Cancer of testicle.
                                                                                                 thymus gland.
                 Sarcocele.
                                                                                                 thyroid gland.
                                                                                                 trachea.
      45x.—Other cancers of this class:
                                                                                                 upper extremity.
                 Cancer of abdomen (without further qualification):
                          accessory sinus.
                                                                                                 ureter.
                                                                                                 urethra.
                          antrum.
                                                                                                 viscera.
                          arm.
                          artery.
                                                                                        Cancerous cachexia.
                                                                                                  goiter.
                           axilla.
                                                                                                  humor.
                           back.
                                                                                                  neuritis.
                           body.
                           bronchi.
                                                                                                  toxemia.
                          cervical gland.
                                                                                        Carcinomatous septicemia.
                                                                                       Chimney sweeps' cancer.
                           chest.
                                                                                        Disseminated cancer.
                          choroid.
                                                                                        General carcinomatosis.
                          conjunctiva.
                                                                                                sarcomatosis.
                           cord.
                                                                                        Intra-abdominal cancer.
                           cornea.
                           extremity.
                                                                                        Lobstein's cancer.
                                                                                        Malignant disease (undefined)
                           eve.
                                                                                                  fistula.
                           fauces.
                                                                                        Miliary carcinosis.
                           ganglia.
                                                                                        Multiple cancer.
                           genital organ (male).
                                                                                                 melanosarcomata.
                           gland.
                                                                                        Pelvic cancer.
                           glandular system.
                           groin.
                                                                                        Retropharyngeal cancer.
                           hand.
                                                                                        Sarcomatosis (unqualified).
                                                                                        Sarcomatous phlebitis.
                           heart.
                                                                                        Thyreosarcoma.
```

hip.

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.

Nore.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.



THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.


The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:

	UNITED S	STATES.	REGISTRATI	ON ARE	EA FOR DEA	ATHS.
YEAR.			Populati	on.	Land a	rea.
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total
Calendar year 1914 Calendar year 1913 Calendar year 1912 Calendar year 1911 Calendar year 1910 Calendar year 1909 Calendar year 1909 Calendar year 1906 Calendar year 1901 Calendar year 1903 Calendar year 1900 Calendar year 1900 Calendar year 1900 Census year 1900 Census year 1900	98, 781, 324 97, 163, 330 95, 545, 336 93, 927, 342 92, 309, 348 90, 691, 354 80, 073, 360 87, 455, 366 85, 837, 372 84, 219, 378 82, 601, 384 80, 983, 390 79, 365, 396 77, 747, 402 36, 622, 250	1 2, 973, 890 1 2, 973, 890 1 2, 973, 890 2, 974, 159 2, 974, 159	65, 989, 205 63, 298, 718 60, 427, 247, 59, 275, 977 53, 843, 896 50, 870, 518 43, 016, 990 41, 983, 419 34, 052, 201 33, 345, 163 32, 701, 083 32, 701, 083 32, 701, 083 32, 701, 952 f 30, 765, 618 { 28, 807, 209, 815 19, 659, 440	65. 1 63. 2 63. 1 58. 3 56. 1 52. 5 49. 2 48. 9 40. 4 40. 4 40. 4 40. 3 40. 5 37. 9	1, 228, 644 1, 147, 039 1, 106, 777 1, 106, 734 997, 978 765, 738 725, 117 603, 151 603, 066 212, 744 212, 762 212, 762 212, 762 212, 621 176, 878 90, 695	41. 3 38. 6 37. 4 33. 6 25. 7 24. 2 20. 3 20. 3 7. 4 7. 6 7. 6 7. 6 7. 6 7. 6 7. 6 7. 6 7. 6

¹ Net reduction of 269 square miles as compared with area stated by census of 1900, due to dramage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
² Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

Percentages which the Population and the Land Area of the Registration Area Formed of the Total Population and Land Area of the United States for the Years 1880, 1890, and 1900 to 1914, inclusive.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

Ohio. California. Minnesota. Pennsylvania. Colorado. Missouri. Rhode Island. Connecticut. Montana. Utah. New Hampshire. Indiana. Vermont. New Jersey. Kansas. Kentucky. New York. Virginia. Washington. North Carolina (mu-Maine. nicipalities of 1,000 Wisconsin. Maryland. population and over Massachusetts. Michigan. in 1910).

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Illinois: South Carolina: Alabama Birmingham. Charleston. Aurora Belleville. Tennessee: Mobile Chattanooga. Montgomery. Chicago. Jackson. Delaware: Decatur. Knoxville. Wilmington. Evanston Florida: Jacksonville. Memphis. Jacksonville. Quincy Nashville. Texas: Key West. Springfield. Pensacola. El Paso. Louisiana: Galveston. New Orleans. Georgia: Nebraska: San Antonio. Atlanta. West Virginia: Lincoln. Augusta Wheeling. Savannah. Omaha. Oregon: Portland.

POPULATION OF REGISTRATION STATES, BY AGE AND SEX, IN 1914.

The following table shows the estimated midyear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.		OPULATION OF ATES, 1 JULY 1,	
102.	Both sexes.	Male.	Female.
All ages 2	60, 641, 905	31, 186, 024	29, 455, 8
Under 1 year	1, 341, 242 1, 202, 228 1, 310, 794 1, 295, 311 1, 262, 416	679, 463 608, 543 664, 205 652, 795 639, 508	661,7 593,6 646,5 642,5 622,9
Under 5 years. 1 to 9 years. 2 to 10 years. 2 to 19 years. 2 to 19 years. 2 to 29 years. 3 to 29 years. 3 to 34 years. 4 to 34 years. 5 to 39 years. 6 to 44 years. 5 to 49 years. 6 to 44 years. 6 to 59 years. 7 to 59 years. 7 to 10 to 14 years.	6, 411, 991 5, 873, 325 1 5, 600, 632 1 5, 755, 656 5, 946, 734 5, 521, 323 4, 820, 255 4, 459, 917 3, 781, 174 3, 212, 589 2, 756, 467 1, 984, 772 1, 612, 750	3, 244, 514 2, 963, 133 2, 823, 196 2, 880, 666 3, 028, 437 2, 888, 261 2, 534, 500 2, 343, 591 2, 001, 707 1, 699, 274 1, 466, 599 1, 041, 288 828, 184	3, 167, 4 2, 910, 1 2, 777, 4 2, 874, 9 2, 918, 2 2, 633, 0 2, 285, 7 2, 116, 3 1, 779, 4 1, 513, 3 1, 289, 8 943, 4 784, 5
0 to 04 years. 5 to 69 years. 70 to 74 years. 75 to 79 years. 85 to 89 years. 85 to 89 years. 80 to 94 years. 80 to 94 years. 80 to 94 years.	1, 225, 094 825, 713 495, 855 238, 537 90, 880 22, 946 4, 284 1, 011	621, 895 412, 363 242, 626 112, 773 41, 133 9, 826 1, 697 361	603, 1 413, 3 253, 2 125, 7 49, 7 13, 1 2, 5

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or

96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

Further comparisons of these groups may be made from the table on the following page.

·	-					-
		IS FROM C				ANT
COLOR, NATIVITY, AND PARENT NATIVITY.		Number.			ution pe aggregat	
	Total.	Male.	Female.	Total.	Male.	Fe- male.
Aggregate	52,420	21, 282	31, 138	1,000.0	1,000.0	1,000.0
White	50, 515	20,717	29,798	963.7	973.5	957.0
Native. Both parents native One or both parents	31, 288 17, 648	11,586 6,342	19,702 11,306	596. 9 336 7	544. 4 298. 0	632. 7 363. 1
foreign born	8,509 5,131 18,775	3, 144 2, 100 8, 871	5,365 3 0.31 9,904	162.3 97.9 358.2	147.7 98.7 416.8	172.3 97.3 318.1
Nativity unknown	452	260	192	8.6	12.2	6.2
Colored	1,905	565	1,340	36.3	26.5	43.0
Negro. Chinese. Japanese. Indian	40 17 22	507 37 12 7	1,317 3 5 15	34.8 0.8 0.3 0.4	23.8 1.7 0.6 0.3	42.3 0.1 0.2 0.5
Other colored	2	2		(1)	0.1	

¹ Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

AGE OF DECEDENT.	otal.	Number.		Distribu num	ition per l per at all a	1,000 of					
Т	otal.	Male.	_	Distribution per 1,000 of number at all ages.							
			Female.	Total.	Male.	Female.					
All ages 5:	2,420	21, 282	31,138	1,000.0	1,000.0	1,000.0					
35 to 39 years. 40 to 44 years. 45 to 49 years. 50 to 54 years. 55 to 59 years. 60 to 64 years. 70 to 74 years. 75 to 79 years.	49 42 61 43 42 237 122 92 174 1,064 2,119 6,663 6,699 6,780 6,780 6,780 828 828 828 848 848 848 848 849 849 849 84	21, 20, 33, 32, 77, 17, 118, 70, 70, 70, 70, 70, 70, 70, 70, 70, 70	28 22 28 38 16 25 119 552 38 38 54 147 365 741 1,553 2,358 2,358 2,358 2,358 2,358 2,358 2,130 3,892 3,892 3,992 3,992 4,792 4	0.9 0.8 1.2 2.0.8 0.8 0.8 4.5 2.3 1.8 3.3 5.6 11.2 20.3 40.4 488.4 117.0 127.1 131.8 129.4 112.4 76.9 42.2 15.8 4.3 4.6 6.6 6.6 6.6	1. 0 0. 9 1. 6 6 1. 3 0. 8 5. 6 3. 3 2. 5 4. 0 6. 9 10. 4 15. 2 226. 6 645. 4 70. 6 109. 2 128. 8 144. 3 129. 4 82. 6 4 5. 4 6. 5 6. 6 109. 2 128. 6 149. 6	0.9 0.7 0.9 0.5 0.8 3.8 1.7 1.2 2.2.8 4.7 11.7 23.8 49.9 75.7 100.5 122.3 126.0 123.3 117.1 100.8 73.1 40.1 15.3 40.2					

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates

per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	MALIGN: MORSIN	D OTHER	YEAR.	DEATHS FROM CAN CER AND OTHER MALIGNANT TU MORSIN THE REG ISTRATION AREA				
	Number.	Rate per 100,000 population.		Number.	Rate per 100,000 popula- tion.			
1914 1913 1912 1911 1910 1909 1908 1907	52, 420 49, 928 46, 531 44, 024 41, 039 37, 562 33, 465 30, 514 29, 020	79. 4 78. 9 77. 0 74. 3 76. 2 73. 8 71. 5 70. 9 69. 1	1905 1904 1903 1902 1901 1900 1900 1800 1890 1 1880 1 1880 1	24, 330 23, 395 22, 325 20, 847 20, 171 19, 381 17, 296 9, 657 3, 651	71. 4 70. 2 68. 3 65. 1 64. 3 63. 0 60. 0 47. 9 42. 8			

¹ Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

Crude rates for different localities noncomparable.—
The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less suscepti-

ble to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900–1914.—The following table presents, for the registration area, for each of the years 1900–1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

	REGISTRATION AREA.																	
		Per cent popu-	Deaths	Deaths	from can	cer and c	other ma	lignant t	umors o	of the—	Death rate per 100,000	Dear			0 popula nant tum			and
CALENDAR YEAR.	Estimated population, July 1,	lation of area formed of total popula- tion of the United States.	from cancer and other malig- nant tumors.	Buccal cavity.	Stom- ach, liver.	Perito- neum, intes- tines, rectum.	Female genital organs.		Skin.	Other organs or of organs not specified.	population from cancer and other maligant tumors.	Buccal cavity.	Stom- ach, liver.	Perito- neum, intes- tines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not speci- fied.
1914 1913 1912 1911	65, 989, 295 63, 298, 718 60, 427, 247 59, 275, 977 53, 843, 896	66. 8 65. 1 63. 2 63. 1 58. 3	52, 420 49, 928 46, 531 44, 024 41, 039	2,270 1,966 1,838 1,727 1,576	19, 889 19, 767 18, 517 17, 365 16, 475	6,745 6,625 5,923 5,824 5,258	8, 152 7, 706 7, 089 6, 707 6, 147	5, 423 4, 592 4, 431 4, 264 3, 730	1,957 1,725 1,743 1,619 1,459	7, 984 7, 547 6, 990 6, 518 6, 394	79. 4 78. 9 77. 0 74. 3 76. 2	3.4 3.1 3.0 2.9 2.9	30. 1 31. 2 30. 6 29. 3 30. 6	10. 2 10. 5 9. 8 9. 8 9. 8	12.4 12.2 11.7 11.3 11.4	8. 2 7. 3 7. 3 7. 2 6. 9	3.0 2.7 2.9 2.7 2.7	12.1 11.9 11.6 11.0 11.9
1909	50, 870, 518 46, 789, 913 43, 016, 990 41, 983, 419 34, 052, 201	56. 1 52. 5 49. 2 48. 9 40. 4	37, 562 33, 465 30, 514 29, 020 24, 330	1,427 1,148 968 941 792	14, 915 13, 044 11, 596 10, 946 8, 939	4,676 3,963 3,570 3,273 2,732	5, 714 5, 250 4, 388 4, 000 3, 637	3,585 3,023 2,590 2,421 2,010	1,492 1,282 1,121 984 818	5, 753 5, 755 6, 281 6, 365 5, 402	73.8 71.5 70.9 69.1 71.4	2.8 2.5 2.3 2.2 2.3	29. 3 27. 9 27. 0 26. 1 26. 3	9. 2 8. 5 8. 3 7. 8 8. 0	11. 2 11. 2 10. 2 9. 7 10. 7	7.0 6.5 6.0 5.8 5.9	2.9 2.7 2.6 2.3 2.4	11.3 12.3 14.6 15.2 15.9
1904	33, 345, 163 32, 701, 083 32, 020, 815 31, 370, 952 30, 765, 618	40. 4 40. 4 40. 4 40. 3 40. 5	23, 395 22, 325 20, 847 20, 171 19, 381	737 661 583 612 495	8,744 8,193 7,483 7,095 6,918	2,399 2,134 2,239 2,157 1,760	3,436 3,289 3,033 2,919 2,696	2,030 1,787 1,750 1,647 1,433	758 752 688 683 602	5, 291 5, 509 5, 071 5, 058 5, 477	70. 2 68. 3 65. 1 64. 3 63. 0	2.2 2.0 1.8 2.0 1.6	26. 2 25. 1 23. 4 22. 6 22. 5	7. 2 6. 5 7. 0 6. 9 5. 7	10.3 10.1 9.5 9.3 8.8	6. 1 5. 5 5. 5 5. 3 4. 7	2.3 2.3 2.1 2.2 2.0	15.9 16.8 15.8 16.1 17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

	DEATHS, I	REGISTRATI 1914.	ON AREA:		DEATHS, F	legistrati 1914.	ON AREA:
SEAT OF DISEASE.	Number.	Rate per 100,000 popula- tion.	Per cent.	SEAT OF DISEASE.	Number.	Rate per 100,000 popula- tion.	Per cent.
Cancer and other malignant tumors (aggregate)	52, 420	79.4	100.0	Cancer of the female genital organs (total)	8, 152	12.4	15.6
Cancer of the buccal cavity (total)	2,270	3.4	4.3	Cancer of the— Ovary and fallopian tube	451 7,470	0.7 11.3	0.9
Cancer of the— Lip	614	0.6 0.9 0.3	0.7 1.2 0.4	Uterus Vagina and vulva Others of this class	184 47	0.3	0.4
Jaw Others of this class	851	1.3 0.3	1.6 0.4	Cancer of the breast	5,423 1,957	8. 2 3. 0	10.3 3.7
Cancer of the stomach, liver (total)		30.1	37.9	Cancer of other organs or of organs not specified (total)	7,984	12 1 -	15. 2
Pharynx. Esophagus Stomach Liver and gall bladder.	605 12,768	0. 1 0. 9 19. 3 9. 8	0.1 1.2 24.4 12.3	Cancer of the— Larynx	341 371 686	0 5 0 6 1.0	0.7 0.7 1.3
Cancer of the peritoneum, intestines, rectum (total)	6,745	10.2	12.9	Kidneys and suprarenals Prostate	538 784	0.8	1.0 1.5
Cancer of the— Mesentery and peritoneum Intestines (except rectum). Rectum and anus. Others of this class	4,055 2,171	0.7 6.1 3.3 0.1	0.9 7.7 4.1 0.1	Bladder. Brain. Bones (except jaw).	1,014 141	1. 5 0. 2 0. 8 0. 2 5. 3	1.9 0.3 0.9 0.2 6.7

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given

in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

					500000									
			DEATH	RATE PE	R 100,000	POPULA	TION BY	SEX AND	IN THE	AGE GRO	UP SPECI	FIED.		
SEAT OF DISEASE.	All ages.2	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
		,					вотн ѕ	EXES.	,					
Cancer and other malignant tumors (aggregate)	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	889.6	875.6
Cancer of the buccal cavity (total)	3.4	0.1	0.3	0.9	2.3	3.9	7.0	11.9	16. 9	25.1	36.2	46.0	65.0	66.3
Cancer of the— Lip Tongue Mouth Jaw Others of this class	0.6 0.9 0.4 1.3 0.3	(3) (4) (3) 0.1 (3)	(3) 0.1 (3) 0.1 0.1	0.1 0.4 (3) 0.4 0.1	0.2 0.6 0.2 1.0 0.2	0.3 1.4 0.3 1.5 0.4	0.9 2.2 0.5 2.8 0.6	1.3 3.8 1.3 4.6 0.9	2.7 4.9 1.9 5.7 1.6	3.9 6.6 2.9 9.9 1.8	5.7 8.6 4.2 13.9 3.8	9.7 10.1 5.2 16.7 4.2	23.9 10.1 7.5 18.4 5.0	25.2 10.1 6.7 19.3 5.0
Cancer of the stomach, liver (total)	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	329.3	344.6	239.3
Cancer of the— Pharynx Esophagus. Stomach Liver and gall bladder.	0.1 0.9 19.3 9.8	(³) 0.1 0.2	(3) 2.0 1.1	(3) 0.3 7.2 3.4	0.1 0.6 13.6 7.0	0.1 1.4 25.8 13.6	0.2 2.8 47.7 24.1	0.7 3.8 77.9 40.2	0.3 5.1 110.4 55.3	0.4 6.4 147.8 75.8	0.6 7.6 192.4 95.4	0.8 8.1 214.0 106.5	0.4 8.8 228.1 107.3	0.8 8.4 151.9 78.1
${\bf Cancer\ of\ the\ peritoneum, intestines, rectum\ (total).}\ .$	10.3	0.4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96, 8	108.1	104.4	90.7
Cancer of the— Mesentery and peritoneum, Intestines (except rectum), Rectum and anus Others of this class.	0.7 6.2 3.3	0.1 0.2 0.1	0.3 1.3 0.8 (3)	0.4 3.0 1.4 0.1	0.7 5.3 2.8	0.8 9.4 4.7 0.1	1.8 13.3 7.7 0.1	3.3 23.2 12.6 0.1	3,4 33,5 17,0 0,3	3.5 43.6 22.6 0.4	5. 2 57. 2 34. 2 0. 2	8.5 67.8 31.5 0.4	5.0 68.3 31.0	4.2 53.7 32.7
Cancer of the female genital organs (total)	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the— Ovary and fallopian tube. Uterus. Vagina and vulva. Others of this class	0, 7 10, 9 0, 3 0, 1	0.1 0.1 (+) (+)	0.3 3.3 0.1 (3)	0.8 11.6 0.1 (3)	1.5 20.7 0.2 0.1	1.4 28.5 0.4 0.2	2. 2 36. 6 0. 5 0. 1	2.5 46.7 0.9 0.3	3.3 45.0 1.0 0.4	2.0 46.1 2.0 0.2	1.7 48.6 2.9 0.4	2.0 49.2 3.0 1.0	1.7 49.0 5.4	1.7 43.7 8.4 0.8
Cancer of the breast	3.0	0.1	1.4 0.2	6.7 0.3	12.2	20.1 2.2	24. 4 4. 5	33.2 6.4	34.2 11.1	43.3 18.2	52. 7 33. 3	62. 7 55. 5	86.8 101.9	102.4 194.8
Cancer of other organs or of organs not specified total)	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	109.7	120.8	127.6
Cancer of the Laryny. Lung and plenra. Pamereas Kidney and appratenals. Pro I de Bladder. Brain. Bone (event j.w). Te te Others of this class	0.5 0.5 1.0 0.8 1.2 1.5 0.2 0.7 0.2	(3) 0.1 (-) 0.3 0.1 0.3 0.1 0.8	(3) 0.2 0.2 0.2 (3) 0.2 0.2 0.4 0.2 1.2	0.2 0.4 0.6 0.5 0.1 0.5 0.3 0.3 0.3 2.4	0.4 0.6 1.1 0.7 0.3 1.0 0.3 0.9 0.3 5.1	0.7 1.0 1.6 1.1 0.5 1.6 0.5 0.9 0.4 7.3	1.6 1.6 2.8 1.6 1.0 3.8 0.6 1.7 0.2 12.0	2.2 2.5 4.7 2.8 3.7 5.1 0.7 2.1 0.3 18.3	3.4 2.9 6.0 2.4 6.8 8.7 0.3 2.5	4.2 2.2 6.9 4.0 12.9 11.3 0.7 3.8 0.6 32.0	3.5 2.9 8.2 4.6 18.0 16.3 0.4 4.8 0.8 44 0	4.2 1.8 8.9 5.6 20.8 19.6	3.4 1.3 3.8 5.0 17.6 18.4 1.3 76.7	5.0 1.7 5.0 4.2 12.4 20.1 2.5

³ Less than one-tenth of 1 per 100,000 population.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1 1914—Continued.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole.

Each rate, however, is correct to the nearest tenth.]

	E			r, is corre										
			DEATH	RATE PE	R 100,000) POPULA	TION BY	SEX AND	IN THE .	AGE GRO	UP SPECI	FIED.		
SEAT OF DISEASE.	All ages.2	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	years and over.
							MAL	E.						
Cancer and other malignant tumors (aggregate)	62.4	2.8	8.7	21.5	43.0	78.9	140.9	237.7	339.8	467.0	627.4	684.2	826.4	824.3
Cancer of the buccal cavity (total)	5. 5	0.1	0.5	1.5	3.2	6.4	11.3	20.8	27.5	42.8	59.9	70.9	104.6	109.
Cancer of the— Lip Tongue	1.1	(3) (5)	0.1 0.1	0.2	0.4 0.8	0.6 2.2	1.6 3.8	2.5	5. 2 8. 2	7.6 11.4	10.9 14.8	18.1 15.2	41.7 15.1	45.3 17.0
Mouth. Jaw. Others of this class	0.5 2.0 0.5	0.1 (3)	0.1 0.2 0.1	0. 5 0. 1	0. 2 1. 4 0. 3	0.5 2.2 0.7	0.9 4.2 0.8	2. 1 7. 7 1. 6	3.1 8.6 2.4	4. 7 16. 2 2. 9	6.8 21.8 5.6	7.0 24.7 5.8	11.5 28.4 8.0	9.4 32.1 5.7
Cancer of the stomach, liver (total)	29.6	0.3	2.7	9.9	20.1	39.5	75.8	122.8	175.9	232.0	295.6	307.9	331.6	216.9
Cancer of the— Pharynx	0.1	(3)	0.1	(³) 0, 2	(3) 0.8	0.2	0.4	1.1 6.4	0.6 7.8	0.8 9.3	0.7 11.4	0.4 12.8	0.9 12.4	1.9
Esophagus Stomach Liver and gall bladder.	20.5	0.1 0.2	1.8 0.8	6.9 2.8	14.1 5.1	27. 1 10. 0	53.8 17.3	85.5 29.9	122.7 44.8	162, 1 59, 8	202. 2 81. 2	214.3 80.4	227.9 90.4	139. 6 62. 2
Cancer of the peritoneum, intestines, rectum (total) Cancer of the—	8.6	0.5	2.1	3.4	7.5	11.8	17.9	32.6	48.4	60.3	81.5	90.7	85.1	84.9
Mesentery and peritoneum Intestines (except rectum). Rectum and anus. Others of this class.	0.5 4.9 3.1	0.1 0.3 0.1	0.3 1.1 0.7	0.5 2.2 0.7 0.1	0.5 4.7 2.3	0.6 7.2 4.0	1.5 9.5 6.9	2.2 17.6 12.8	2. 2 27. 9 18. 1 0. 2	1.8 34.9 23.5 0.2	2.7 44.6 33.7 0.5	4.5 54.0 32.1	1.8 49.7 33.7	47. 2 37. 7
Cancer of the breast	0.3	0.1	0.1 0.2	0.1	0.2 0.7	0.4 3.1	0.8 5.7	0.8 9.0	1.4 14.5	2. I 25. 9	2.2 44.6	2.5 69.7	1.8 124.1	3.8 235.8
Cancer of other organs or of organs not specified (total)	14.6	1.9	3.3	6.1	11.2	17.7	29.3	51.7	72.0	103.9	143.6	142.6	179.1	173.5
Cancer of the— Larynx. Lung and pleura	0.8 0.6 1.0	(†) 0.1	0.1 0.3 0.1	0. 2 0. 4 0. 6	0.6 0.6 1.3	1.1 1.2 1.9	2.6 1.6 2.5	3.8 2.7 4.8	5.3 3.3 7.0	7.1 2.1 7.2	6.1 3.2 7.8	7.8 0.8 7.0	6.2	5.7
Panéreus Kidneys and suprarenals Prostate	0.8	0.4	0.2	0.5	0.8	1.1	1 5 1.8	3.0 7.1	2.3	3.1 25.4	4.6	5.8 42.5	1.8 4.4 37.2	5. 7 3. 8 30. 2
Bladder	$\begin{array}{c} 2.1 \\ 0.2 \end{array}$	0.1	$0.1 \\ 0.2$	0.5 0.2	0.9 0.3	1.6 0.6	5.3	7.2	12.7 0.2	16.6 0.8	25. 2	28.0	26.6	28.3
Bones (except jaw) Testes	0,4	0.3 0.1 0.8	0.4 0.4 1.5	0.4	0.8	0.6	1.5	2.3 0.5	0.7	1.1	5.1	2.5 1.6	2.7	1.9
Others of this class	5.7	0.0	1.0	2.6	4.6	7.7	11.5	19.6	24.8	36.0	53.8	46.6	95.8	94.3
							FEMA	LE.			,			
Cancer and other malignant tumors (aggregate)	96.8	2.7	19.6	64 7		184.4	266.5	381.1	449.4	566.6	717.1	845.5	946.2	916.7
Cancer of the buccal cavity (total)	1.2	0.1	0.1	0.4	1.2	1.1	2.1	2.0	5.6	6.8	12.6	22.1	29.4	31.8
Lip Tongue	0.1	(3)	()	0.1	0.4	0.4	0.5	0.3	0.1 1.4	0.2	0.5 2.4	1.6 5.1	8.0 5.6	9.1
Mouth	0. 2 0. 6 0. 1	(*) (a) (a)	(1)	0.2	0.2		0.2 1.1 0.4	0.3	0.6 2.7	3.3	6.0	3.6 9.1	9.5	9.1
Others of this class	30.7	0.3	(°)	12.0	0.1	42.7	73.7	0.1	0.8	0.7 228.8	1.9	2. \ 349. 9	356.2	4.5 257.2
Cancer of the— Pharynx	(')	(3)									0.5	1.2		201.2
E-ophagus Stomach Liver and gall bladder.	0.4 18.1 12.2	0. 1 0. 2	2.2 1.5	0.4 7.6 4.0	0. 4 13. 2 9. 0	0.7 24.3 17.7	1.0 40.7 31.9	1.0 69.5 51.5	2. 2 97. 4 66. 4	3.3 133.1 92.3	3.9 182.7 109.6	3. 6 213. 6 131. 5	5. 6 228. 2 122. 5	4.5 161.9 90.8
Cancer of the peritoneum, intestines, rectum (total)	12.0	0.3	2.7	6.5	10.4	18.6	28.5	46.5	60.4	80.2	112.0	124.8	121.7	95.3
Cancer of the— Mesentery and peritoneum	0.9	0.1	0.2	0.4	1.0	1.1	2.2	4.5	4.7	5.3	7.7	12.2	8.0	7.6
Intestines (except rectum). Rectum and anus. Others of this class	7.6 3.4 0.1	0.2	1.5 1.0 0.1	3.9 2.2 0.1	6.0	12.0 5.5 0.1	17.5 8.7 0.2	29.4 12.5 0.2	39.5 15.8 0.4	52.6 21.7 0.7	69.7 34.6	81.0 30.8 0.8	85. 1 28. 6	59.0 28.7
Cancer of the female genital organs (total)	24.6	0.4	7.7	26. 5	48.0	65.0	84.1	106.0	102.1	102.3	106.9	108.2	106.5	98.3
Cancer of the— Ovary and fallopian tube	1.4	0.1	0.6	1.7	3.3	3.0	4.7	5.3	6.8	4.1	3.4	3.9	3.2	3.0
Uterus Vagina and vulva	22.5	0.2	6.9	24. 4 0. 2	44.1 0.5	60.6	78.1 1.0	98.3 1.9	92.4	93.7	97.0 5.8	96.4 5.9		78. 7 15. 1
Others of this class	0.1	(0)	0.1	0.1	0.2	0.4	0.2	0.5	0.9	0.5	0.7	2.0	10.0	1.5
Cancer of the breast	16.9	0.1	2.9 0.1	14.1 0.2	25. 7 0, 9	42.3	51.2 3.1	69.0 3.6	68.8 7.5	85. 7 10. 3	103.1 22.0	120.4 41.9	163.0 81.9	181.5 161.9
Cancer of other organs or of organs not specified (total)	9.1	1.4	2.3	5.1	9.9	13.6	23.9	31.8	39.0	52.6	63, 9	78. 2	87.5	90.8
Cancer of the—	0.2	()	(~)	0.2	0.2	0.3	0.5	0.3	1.4	1.2	1.0	0.8	0.8	4.5
Larynx Lung and pleura Pancreas	0.5	0.1	0.2	0.5 0.5	0.6	0.8 1.4	1.6 3.1	2.2 4.6	2.5 5.0	2.3	2.7	2.8	0.8 5.6	4.5
K idneys and suprarenals	0.8	0.3	0.3	0.5	0.7 1.0	1.1 1.6	1.6 2.1	2.5 2.8	2.4 4.5	5. 0 6. 0	4.6 7.5	5. 5 11. 5	5. 6 11. 1	4.5 13.6
Bladder. Brain Bones (except jaw Others of this class	0.2 0.7 4.8	0.1 0.3 0.7	0. 2 0. 4 0. 9	0.4 0.3 2.3	0. 2 1. 0 5. 6	0.4 1.2 6.8	0.5 1.9 12.6	0.6 1.8 17.0	0.4 2.7	0.7 3.0	0.7 4.6	4.3	4.0	3.0
	1.0		0.9	2.0	5.0	0.8	12.0	17.0	20. 1	27.9	34.1	42.6	59.6	60.5

¹ Exclusive of North Carolina.

^{2 &}quot;Age unknown" distributed.

³ Less than one-tenth of 1 per 100,000 population.

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines,

and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900-1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table. The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

		DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS.													
COUNTRY.	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900
United States (registration area)	79.4	78.9	77.0	74.3	76.2	73.8	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.0
Australian Commonwealth Austria Belgium. Chile France	74.7 (1) (1) 36.3 (1)	75.0 (1) (1) (33.1 (1)	76.1 81.4 71.0 32.2	74.0 82.3 65.6 29.8 80.2	73.3 77.9 63.3 31.8 79.2	72.3 78.7 64.2 40.9 77.7	69.6 78.0 63.8 43.5 76.5	71.3 77.4 60.1 38.5 74.6	64. 2 77. 9 58. 5 37. 8 69. 5	63.5 76.2 58.7 30.2	60.1 74.9 56.1 38.4	61.5 73.7 58.5 29.2	64.1 74.2 (1) (1) (1)	63.3 72.9 (1) (1) (1)	62.6 70.9 (1) (1) (1)
German Empire ²	(1) (1) (1) (1) (1) (1) 18.1	(1) 3 82.7 (1) 66.7 17.7	90.1 81.5 47.2 64.7 17.4	88. 9 80. 6 46. 4 66. 8 17. 9	87. 9 78. 5 45. 6 65. 6 20. 8	84.5 74.8 44.5 64.2 18.3	83.6 73.6 44.1 64.5 16.1	83.1 73.4 42.7 61.7 15.1	82.0 70.4 40.9 62.0 17.0	(1) 69. 4 40. 8 58. 3 18. 8	(1) 68. 6 40. 9 57. 1 15. 9	(1) 65. 2 39. 4 54. 1 15. 7	(1) 61.9 38.2 53.9 14.0	(1) 61.7 35.9 52.8 15.5	(1) 59.6 36.7 52.2 16.5
Japan Netherlands New Zealand Norway ⁴	(1) 106. 8 82. 9 (1)	(1) 109.5 80.1 97.3	(1) 109.4 78.2 104.8	65. 5 108. 6 79. 7 96. 7	64.2 106.4 74.7 92.9	64.8 102.6 73.2 95.2	61.4 102.8 69.5 97.1	58. 3 101. 8 73. 3 100. 3	57.8 100.7 69.6 97.6	55. 9 101. 2 65. 1 98. 4	55.0 97.9 67.6 95.9	54.7 98.9 71.0 93.2	53.4 95.0 67.2 87.1	48.7 93.7 66.2 95.1	45. 4 92. 1 56. 3 91. 2
Ontario	69.6 (1) 3 55.7 (1)	67.4 (1) 3 55 0 126.7	68.8 (1) ³ 55.7 127.2	63.5 13.5 3 51.4 123.6	70. 9 12. 8 3 51. 7 123. 5	71.5 13.1 * 51.0 126.7	60.5 12.6 3 51.4 128.0	59.9 13.3 47.7 122.5	63.7 10.6 47.6 129.0	55. 4 10. 4 45. 8 129. 5	56.9 10.3 46.6 128.6	52.6 9.1 44.1 129.7	47.5 9.6 43.3 125.8	50.1 9.1 42.4 127.8	45. 4 9. 4 39. 3 129. 9
United Kingdom England and Wales Scotland Ireland	105. 7 106. 9 113. 5 86. 9	105. 1 106. 4 110. 2 89. 1	101. 6 102. 6 109. 6 85. 2	98. 0 99. 2 104. 1 81. 7	96. 0 96. 7 102. 6 83. 5	95.1 96.1 101.5 79.8	92.1 93.3 98.5 75.6	90. 6 91. 5 97. 9 76. 1	91.5 92.2 97.6 79.2	87. 6 88. 9 90. 0 74. 8	86.0 88.2 85.9 69.3	85.1 87.4 83.7 69.0	82. 2 84. 6 82. 3 64. 5	82. 0 84. 3 81. 8 65. 1	80. 0 82. 9 79. 0 60. 8

¹ Figures not available.

¹ Figures not available.
2 The rates for the years shown relate to the deaths for 24 of the 26 states of the Empire, representing 98.9 per cent of the total population in 1912.
3 Figures are provisional.
4 The figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 88 per cent in 1910, and 84 per cent in 1913.
4 The deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES



SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

		DEATH: CANCE	R AND			CANCE	S FROM CR AND MALIG-			DEATHS CANCE OTHER	R AND
AREA AND COLOR.	Estimated popula- tion, July 1, 1914.	Num- ber.		AREA AND COLOR.	Estimated popula- tion, July 1, 1914.		Rate per 100,000 population.	AREA AND COLOR.	Estimated population, July 1, 1914.	Num- ber.	
SUMMARY.				REGISTRATION STATES—				REGISTRATION CITIES—			
The registration area (total)	62,631,566	52,420 50,515 1,905	79. 4 80. 7 56. 7	Minnesota (total)	2.196,341	1,701 1,696 5	76.8 77.2 28.4	Montgomery (total)	41,777 20,597	30 18	71.8
Registration states 1 (total). White Colored	58,408,039	48.259 46.759 1,520	79. 0 80. 0 56. 2	Missouri (total)		2,326 2,233 93	69. 0 69. 5 57. 3	White Colored	21, 180	12	56.7
Cities in registration states 1 (total)	29,029,647	26.795 25,893	88.5 89.2	Montana (total)	432,614 414,814 17,800	223 218 5	51.5 52.6 28.1	Registration cities (total). White	1,546,725 1,478,748 67,977	1,754 1,720 34	113, 4 116, 3 50, 0
Rural part of registra- tion states (total)	30,826,560	902 21,464 20,846	71. 7 69. 6 71. 0	New Hampshire (total) White Colored	438,662 437,983 679	442 440 2	100.8 100.5 294.6	Alameda Bakersfield Berkeley Eureka Fresno	26, 330 15, 538 52, 105 13, 768 29, 809	19 20 46 30 28	72. 2 128. 7 88. 3 217. 9 93. 9
Colored	1,448,168	618	42.7	New Jersey (total)	2,815.663 2,714,371 101,292	2,223 2,163 60	79. 0 79. 7 59. 2	Long Beach Los Angeles (total) White	24, 437 438, 914 419, 813	39 443 436	159.6 100.9 103.9
lina (total)	60,641,905 58,098,403 2,543,502	47,986 46,549 1,437	79.1 80.1 56.5	New York (total)	9,899,761 9,740,332 159,429	8,907 8,791 116	90. 0 90. 3 72. 8	ColoredOaklandPasadena.	19, 101 183, 002 40, 880	170 53	36. 6 92. 9 129. 6
Registration cities in other states (total)	4,223,527	4,161 3,776 385	85. 4 89. 4 59. 1	North Carolina 2 (total) White Colored	472,295 309,636 162,659	273 190 83	57.8 61.4 51.0	Pomona Redlands	12, 202 12, 856 18, 297	10	82.0 62.2 82.0
All registration cities 1 (total)	35,162,735	30,956 29,669	88.0 89.2	Ohio (total)	5,026,898 4,908,559 118,339	4,176 4,080 96	83. 1 83. 1 81. 1	White Colored Sacramento San Bernardino	16, 245 2, 052 62, 717 15, 603	15 65 25	92. 3 103. 6 160. 2
Colored	1,909,561	1,287	67.4	Pennsylvania (total) White Colored	8,245,967 8,033,610 212,357	5,997 5,807 190	72.7 72.3 89.5	San Diego	48,900 448,502	85 576	173, 8 128, 4
California (total)	2,621,161	2,701 2,649 52	97. 9 101. 1 38. 0	Rhode Island (total) White Colored	591,215 580,191 11,024	539 530 9	91.2 91.3 81.6	White	430,324 18,175 37,086	563 13 41	130. 8 71. 5 110. 6
Colorado (total)	909,537 891,769	530 517 13	58. 3 58. 0 73. 2	Utah (total)	414,518 407,004 7,514	190 185 5	45. 8 45. 5 66. 5	Santa Barbara. Santa Cruz. Stockton *. Vallejo.	13, 818 13, 482 25, 702 12, 777	20 22 28 11	144.7 163.2 108.9 86.1
Connecticut (total)	1,185,578	1,040 1,022 18	\$6.5 86.2 105.2	Vermont (total)	361,205 359,523 1,682	397 396 1	109. 9 110. 1 59. 5	COLORADO. Registration cities (total). White	341, 257 330, 537	293 281	85. 9 85. 0
Indiana (total)	2,716,779	2,199 2,162 37	79. 1 79. 6 59. 0	Virginia (total)	2,150,009 1,449,401 700,608	1,051 767 254	48. 9 52. 9 40. 5	Colorado Springs Denver	31,717 245,523	30 222	94. 6 90. 4
Kansas (total)	1,725,156	1,095 1,064 31	61.3 61.7 51.9	Washington (total)	1,407,865 1,367,331 40,534	871 865 6	61.9 63.3 14.8	PuebloTrinidad	51, 218 12, 799	37	72. 2 31. 3
Kentucky (total)	2,081,819	1,081 959 122	46.0 46.1 45.4	Wisconsin White Colored.	2,446,716 2,432,768 13,948	1,985 1,976 9	81.1 81.2 64.5	Registration cities (total). White Colored	825, 290 812, 646 12, 644	717 699 18	86. 9 86. 0 142. 4
Maine (total)	760,346	821 819 2	107.6 107.7 81.9	REGISTRATION CITIES. ALABAMA.3				Ansonia Bridgeport Bristol Danbury town	25, 219	97 11 21	18. 5 84. 1 72. 6 83. 3
Maryland (total) White Colored	1,100,153	1.092 947 145	81. 4 86. 1 60. 2	Registration cities (total). White Colored	263, 504 152, 236 111, 268	159 115 44	60. 3 75. 5 39. 5	Hartford	18, 290 107, 038 14, 935	14 132 12	76, 5 123, 3 80, 3
Massachusetts (total) White Colored	3,561,085	3,649 3,613 36	101.2 101.5 51.0	Birmingham (total) White	166, 154 100, 642 65, 512	77 56 21	46. 3 55. 6 32. 1	Meriden town	33, 501 22, 138 13, 651	35 18 3	104. 5 81. 3 22. 0
Michigan (total)	2,949,633	2,395 2,379 16	80. 5 80. 7 60. 6	Mobile (total)	55,573 30,997 24,576	52 41 11	93, 6 132, 3 44, 8	New Britain	50,612	26 164 21	51. 4 113. 5 102. 2

Includes District of Columbia.
 Includes only municipalities having a population of 1,000 or over in 1910.
 Nonregistration state; cities shown below only those with effective local ordinances.

	Estimated population, July 1, 1914.	CANCE OTHER NANT T	S FROM JR AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	tion, July	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			1	REGISTRATION CITIES— Continued.			
CONNECTICUT—continued,		(INDIANA—continued.				KENTUCKY—continued. Louisville (total)	235, 114	187	79.5
Norwalk Norwich town Orange town Stamford town		29 17 7 23	111. 4 58. 6 53. 5 69. 5	Fort Wayne	72, 423 (2) 24, 481 10, 479	69 8 12 13	95.3 (°) 49.0 124.1	White Colored Newport (total) White Colored	192,551 42,563 31,517 30,925 592	168 19 17 16	87. 2 44. 6 53. 9 51. 7 168. 9
Torrington town. Wallingford town Waterbury. Windham town	12,072	8 9 57 10	42. 8 74. 6 69. 1 73. 2	Indianapolis (total)	235,500 24,320 10,260	265 250 15 7 4	102.0 106.2 61.7 68.2 45.7	Owensboro (total)	17, 212 13, 862 3, 350 24, 170	11 9 2 10	63. 9 64. 9 59. 7 41. 4
DELAWARE.1				Colored	1,516	3	197. 9	White	17,745 6,425	9	50. 7 15. 6
Wilmington (total)	92,057 52,471 9,586	81 75 6	88. 0 90. 9 62. 6	Kokomo Lafayette Laporte Logansport Marion	19,694 20,896 12,533 20,262 19,656	20 29 9 22 18	101. 6 138. 8 71. 8 108. 6 91. 6	LOUISIANA. ¹ New Orleans (total) White	361, 221 265, 692	358 257 101	99. 1 96. 7 105. 7
Washington (total)	252,039	355 271 84	100. 5 107. 5 82. 9	Michigan City Mishawaka Muncie New Albany	20,710 14,579 24,969 20,629	15 9 19 20	86. 9 61. 7 76. 1 97. 0	MAINE. Registration cities (total) White	95, 529 175, 127 174, 404	212 212	121. 0 121. 6
FLORIDA. 1 Registration cities (total).	116,535	72	61.8	reru	12,201 23,932	9	73.8	Colored	723 15,965	23	144.1
White	63,729 52,806	58 14	91. 0 26. 5	Richmond	65,114 63,529 16,759	34 52 16	52. 2 81. 9 95. 5	Auburn Augusta * Bangor * Biddeford	13,860 26,061	16 42 12	115, 4 161, 2 68, 7
Jacksonville (total)	35,720 21,150 15,280	47 38 9 18 16	67. 0 110. 3 25. 2 85. 1 104. 7	KANSAS. Registration cities (total) White	345, 260 312, 516	282 263	81. 7 84. 2	Lewiston Portland Waterville	17, 475 27, 305 62, 161 12, 300	42 65 12	153. 8 104. 6 97. 6
Colored Pensacola (total)	5,870 25,212	7	34. 1 27. 8	Colored	32,744	19	58. 0 108. 2	Registration cities (total)	640,317 547,542	653 567	102.0 103.6
White	13,996	4 3	28. 6 26. 7	Atchison (total)	16,635 13,984 2,651	18 15 3	107. 3 113. 2	White	92,775	86 589	92.7
GEORGIA 1				Coffeyville (total)	15,982	8 8	50. 1 56. 4	White	579, 590 491, 276 88, 314	510 79	103. 8
Registration cities (total) White	296,660 179,573 117,087	186 139 47	62.7 77.4 40.1	Fort Scott (total)	10,522 9,469	11 13	133. 1 137. 3	Cumberland (total)	25,054 23,830 1,224	25 24 1	99. 8 100. 7 81. 7
Atlanta (total) White	179, 292 119, 105	106 82	59. 1 68. 8	Colored	1,053 19,339 13,296	1 15 6	95. 0 77. 6 45. 1	Frederick (total)	10,886 9,349	16 14	147.0 149.7
Colored	60, 187 49, 451	24 37	39.9 74.8	Kansas City (total)	94,271	61	64.7	Colored	1,537 24,787 23,087	4 23 4 19	130.1 4 92.8 4 82.3
White	27, 290 22, 161	24 13	87. 9 58. 7	White	83,582 10,689 13,018	55 6 18	65. 8 56. 1 138. 3	Colored 5,	1,700	4 4	4 235. 3
Savannah (total) White Colored	67,917 33,178 34,739	43 33 10	63, 3 99, 5 28, 8	White	10, 457 2, 561 18,778	16 2 19	153 0 78.1	MASSACHUSETTS. Registration cities (total) White	2,814,238 2,776,966 37,272	2,781 2,749 32	98. 8 99. 0 85. 9
Registration cities (total) White Colored	2,567,385	2,338 2,278 60	89.0 88.7 100.4	White. Colored. Parsons Pittsburg.	2,407 14,500 16,845	17 2 10 11	103. 8 83. 1 69. 0 65. 3	Adams town		7 9 23 31	50. 6 73. 2 125. 7 149. 9
Aurora Belleville Chicago (total)	33,022 21,139	33 16 2,107 2,059 48	99. 9 75. 7 87. 9 87. 7 94. 6	Topeka (total) *	42,198	52 49 3 50	110. 4 116. 1 61. 2 77. 0	Boston (total)	733,802 717,767 16,035 64,043	871 854 17 55 45	118.7 119.0 106.0 85.9 144.5
Decatur	37,525 27,724	38 25 20	101.3 90.2 129.6	Registration cities (total) White	425, 563 351, 273 74, 290	328 291 37	77.1 82.8 49.8	Cambridge	110,357 31,765	111 45 15	100. 6 141. 7 53. 5
Quincy Springfield	36,730	37 62	100. 7 106. 9	Covington (total).	55,896	38	68.0	Clinton town	28,057 12,762 37,381	11 28	86. 2 74. 9
Registration cities (total) White Colored.	901,437 > 6,9 3 41,481	765 739 26	84.9 86.2 58.4	White	3,056 10,882 7,917	35 3 6 4 2	66, 2 98, 2 55, 1 50, 5 67, 5	Fall River. Fitchburg. Framingham town. Gardner town. Gloucester.	40,507 13,648	70 38 17 11 32	55.8 93.8 124.6 67.3 135.2
Ander on	23,528	13	55.3	Henderson (total)	11,953 8,805	18 17	150. 6 193. 1	Greenfield town	11,492	13	113. 1
East Chicago Eikhurt Elwood Evansville	25,658 21,028 10,211 71,284	10 32 3 46		Colored	3,148 38,819 26,628 12,191	1 41 33 8	31. 8 105. 6 123. 9 65. 6	Haverhill. Holyoke Lawrence. Leominster town.	62,852 95,834	42 42 60 19	89. 2 66. 8 62. 6 96. 0

 $^{1\,}$ Nonregistration state; cities shown below only those with effective local ordinances. 2 Incorporated in 1906, population not estimated.

Colored population less than 10 per cent of the total in 1910.
 Probably does not include deaths in territory annexed in April, 1914.

or over in 1910.]											
	Estimated popula-	CANCE	S FROM ER AND MALIG- UMORS.		Estimated popula-	CANCE	IS FROM ER AND MALIG- CUMORS.		Estimated	CANCE OTHER	S FROM R AND MALIG- UMORS.
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popul- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES— Continued.	1		
MASSACHUSETTS -contd.				MISSOURI				NEW JERSEY—continued.			
Lowell. Lynn Malden Marli orough. Mediord	111,004 98,207 48,979 14,991 25,240	98 91 44 18 23	88.3 92.7 89.8 120.1 91.1	Registration cities (total) White Colored Hannibal (total)	1, 144, 160 88, 581 20, 710	1, 171 1, 121 50	95. 0 98. 0 56. 4 72. 4	Irvington Jersey Cîty Kearny Long Branch	14, 719	15 217 10 15 13	102.1 73.8 45.5 101.9 98.1
Melrose	16,887 13,123 13,770 111,230 15,147	20 12 12 93 29	118. 4 91. 4 57. 1 83. 6 191. 5	White Colored. Jefferson City (total). White. Colored.	2,088 13,031	14 1 9 9	75. 2 47. 9 69. 1 82. 5	Montclair (total)	9.1.709	21 19 2 23 22	\$67 ± 176 5 6
Newton North Adams Northampton* Peabody town. Pittsfield.	42, 455 21, 090 19, 766 17, 510 36, 531	41 26 26 7 41	96.6 123.3 131.5 40.0 112.2	Joplin. Kansas City (total). White Colored Moberly	281, 911 255, 007 26, 904 12, 162	33 254 240 14 10	100. 5 90. 1 94. 1 52. 0 82. 2	Newark Orange Passaic Paterson Perth Amboy Phillipsburg	21 066	340 40 29 124	\$7, 4 125, 1 43, 8 92, 3
Plymouth townQuincyRevere townSalem.	13, 227 36, 366 21, 552 46, 994	13 36 6 44	98.3 99.0 27.8 93.6	St. Joseph * St. Louis (total) White Colored Sedalia (total)	734, 667 687, 038 47, 629 18, 925	97 701 671 30 17	117. 3 95. 4 97. 7 63. 0	Plainfield	22,755	19 6 27 98	49. 7 39 8 118 7 91. 7 42. 4
Somerville	13,685 100,490 35,631	71 6 92 46	84.6 43.8 91.6 129.1	White. Colored. Springfield. Webb City.	1, 987 38, 685	15 2 29 6	88. 6 100. 7 75. 0 45. 1	Union West Hoboken West New York West Orange	40, 647 17, 093 12, 722	19 10 6	46 7 5×. 5 47 2
Wakefield town Waltham Watertown town Webster town	12,305 29,688 14,225 12,662	35 12 5	65. 0 117. 9 84. 4 39. 5	Registration cities (total) White Colored	109, 011 106, 608 2, 403	\$2 \$1 1	75. 2 76. 0 41. 6	Registration cities (total). White	7, 520, 670 7, 388, 358 132, 312	6, 621 6, 528 93	\$5. 0 \$5. 4 70. 3
Westfield town Weymouth town Winthrop town Woburn Worcester	17,635 13,564 11,866 15,755 157,732	22 13 9 11 176	124. 8 95. 8 75. 8 69. 8 111. 6	Anaconda Billings Butte Great Falls Helena Missoula	10, 424 13, 020 42, 286 13, 531 13, 258	6 2 19 6	57. 6 61. 4 66. 2 140. 4 45. 3	Albany. Amsterdam Auburn Batavia Binghamton *	102, 961 35, 223 36, 509 12, 614 52, 191	151 20 36 12 46	146 7 56 8 98 6 95 1 88 1
MICHIGAN. Registration cities (total) White. Colored	1, 157, 410	997 955 9	85. 2 85. 4 73. 4	NEBRASKA,2 Registration citics (total) White Colored	16, 492 178, 917 173, 287 5, 630	15 187 185 2	91. 0 104. 5 106. 8 35. 5	Buffalo. Cohoes. Corning. Cortland Dunkirk		435 24 7 11 7	95, 8 95, 8 47, 1 87, 5 35, 7
Adrian. Alpena Ann Arbor Battle Creek. Bay City.	11, 234 13, 089 14, 948 28, 122 47, 047	11 4 38 38 29	97. 9 30. 6 254. 2 135. 1 61. 6	Lincoln. Omaha	45, 643 133, 274	47 140	103. 0 105. 0	Elmira Fulton Geneva Glens Falls Gloversville	37, 816 11, 448 13, 303 16, 362 21, 618	42 6 11 21 19	111 1 52 4 82.7 128 3 87.9
Detroit. Escanaba Flint. Grand Rapids Holland	537,650 14,747 49,546 123,227 11,639	424 9 25 120 11	78. 9 61. 0 50. 5 97. 4 94. 5	Registration cities (total). White. Colored Berlin Concord *	184, 187 183, 849 338 13, 013 22, 291	173 172 1	93. 9 93. 6 295. 9 69. 2	Hornell. Hudson Ithaca. Jamestown	14,341 12,221 15,510 34,878	18 16 19 48	125 5 130.9 122 5 137.6
Ironwood Ishpeming Jackson Kalamazoo* Lansing	14, 147 12, 106 34, 097 45, 842 37, 512	6 7 35 49 20	42. 4 57. 8 102. 6 106. 9 53. 3	Keene	13, 264 10, 451 11, 094 75, 635	29 21 6 7 56	130. 1 158. 3 57. 4 63. 1 74. 0	Johnstown Kingston Lackawanna Little Falls	10, 582 26, 493 19, 012 13, 077	12 45 4 11	113 4 169 9 21 0 84.1
Manistee Marquette Menominee Muskegon Pontiac*	11, 581 12, 117 9, 522 25, 442 16, 560	9 17 4 33 23	77. 7 140. 3 42. 0 129. 7 138. 9	Nashua. Portsmouth. NEW JERSEY. Registration cities (total).	11,538	21 24 1, 426	78. 1 208. 0	Lockport Middletown * Mount Vernon New Rochelle	19, 581 15, 650 35, 047 34, 893	20 27 31 28	102 1 172 5 88 5 80, 2
Port Huron Saginaw Sault Ste. Marie Traverse City *	18, 738 53, 988 13, 199	15 50 6 14	80. 1 92. 6 44. 4 105. 5	White	1,765,930 62,532 12,763 10,322	1,384 42 12 11	55 4 67. 2 94. 0 106. 6	New York (total) Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough	339, 886	4,452 516 1,439 2,124 277	3.5 97.5 73.7 3.5
MINNESOTA.				White Colored. Atlantic City (total).	2, 441 53, 952	39	41. 0 72. 3	Richmond Borough	94,043	96	102.1
Registration cities (total) White. Colored.	732, 326 724, 979 7, 347 89, 331	605 601 1	82. 6 83. 3 13. 6	Colored.	42, 356 11, 596 65, 271 17, 372 14, 335	36 3 28 13 20	85. 0 25. 9 42. 9 74. 8 139. 5	White. Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough.	2, 465, 456 335, 798	4,369 511 1,410 2,079 276	\$3.6 97.6 78.1 \$4.3 \$2.2
Mankato Muneapolis St. Cloud St. Paul	10 265	11 313 13 166	107. 1 91. 1 113. 8 70. 1	Bloomineld Bridgeton Camden East Orange Elizabeth Garheld	102, 465 39, 852 82, 411 13, 071	74 17 76 6	72. 2 42. 7 92. 2 45. 9	Richmond Borough Colored	92, 694 109, 337 5, 440 27, 200	93 83 5 29	75, 9 91, 9 100, 0
Stillwater Virginia Winona	9, 296 13, 671 18, 103	7 4 23	75. 3 29. 3 127. 1	Hackensac Harrison Hoboken	16,011 16,160 74,994	16 12 49	99. 9 74. 3 65. 3	Manhattan Borough. Queens Borough Richmond Borough	71, 260 + 4, 088 1, 349	45 1 3	6 · 1 24.5 222.4

Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
 Nonregistration state, cities shown below only those with effective local ordinances.

		R AND MALIG-		Estimated popula-	CANCE OTHER	S FROM ER AND MALIG- UMORS.		Estimated popula-	DEATHS CANCE OTHER NANT TO	R AND MALIG-	
AREA AND COLOR.		Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				RE ASTRATION CITIES - Continued.				REGISTRATION CITIES— Continued.			
NEW YORK—continued.				OHIO—continued.				PENNSYLVANIA—contd.			
Newburgh. Niagara Falls. North Tonawanda. Ogdensburg*	29,023 35,127 13,151 16,464 16,018	37 26 9 17	127. 5 74. 0 68. 3 103. 3	East Liverpool Elyria Findlay Hamilton	21,877 17,396 13,684 38,814	13 19 19 31 14	59. 4 109. 2 138. 8 79. 9 102. 3	Johnstown Lancaster Lebanon McKees Rocks	19, 926 18, 258	36 55 20 3	55, 7 110, 7 100, 4 16, 4
Olean Ossming Oswego. Peekskill. Plattsburg.	10,018 12,987 23,805 17,327 12,289	15 30 13 8	115. 5 125. 7 75. 0 65. 1	Ironton. Lakewood. Lain aster. Lima. Lorain.	13, 690 20, 219 14, 840 33, 904 34, 360	11 11 40 20	54. 4 74. 1 118. 0 58. 2	McKeesport Mahanoy City Mead ville Monessen	16, 971 13, 472 18, 752	26 5 19 1	56.6 29.5 141.0 5.3
Port Chester	15, 095 29, 598 11, 027 245, 077	11 31 13 261	72.9 104.7 117.9 106.5	Mansfield	22,100 14,742 22,032 14,912	15 15 22 7 5	67. 9 101. 8 99. 9 46. 9	Mount Carmel Nanticoke New Castle Norristown * North Braddock	21, 756	6 25 26	20. 6 27. 8 63. 2 85. 9
Rome. Saratoga Springs. Schenectady. Syracuse. Troy.	22, 693 12, 813 91, 012 149, 353 77, 560	25 18 36 126 136	110. 2 140. 5 39. 6 84. 4 175. 3	Middletown Newark Norwood Piqua Portsmouth	14,827 28,271 20,320 13,906 27,511	5 17 16 16 17	33. 7 60. 1 78. 7 115. 1 61. 8	Oil CityOld ForgePhiladelphia (total)	18,645 13,748 1,657,810	2 • 11 • 4 1,541	59. 0 29. 1 93. 0
Utica *	82,060 28,874 15,394 19,379 93,383	82 33 17 19 65	99. 9 114. 3 110. 4 98. 0 69. 6	Sandusky Springfield (total) White Colored.	20, 127 50, 058 44, 782 5, 276	23 37 33 4	114.3 73.9 73.7 75.8	White Colored Phoenixville Pittsburgh (total)	91, 652 11, 400 564, 878	1,455 86 8 481	92. 9 93. 8 70. 2 85. 2
NORTH CAROLINA. Registration cities (total) White	176,010 109,604	124 76	70, 5	Steubenville	25,817 12,278 184,126 12,074	19 10 184 10	73. 6 81. 4 99. 9 82. 8	White Colored Pittston	537, 479 27, 399 17, 847	460 21 11	85, 6 76, 6 61, 6 48, 9
Colored	20, 157	48	72. 3 54. 6 62. 5	YoungstownZanesville	100, 593 29, 949	66 39	65. 6 130, 2	Pottstown Pottsville Reading	16, 408 21, 684 103, 361	15 18 86	91. 4 83. 0 83. 2
White Colored Charlotte (total). White Colored	14, 397 5, 760 37, 951 24, 835 13, 116	9 2 30 19	34. 7 79. 0 76. 5 83. 9	Portland (total) White Colored ²	260, 601 250, 210 10, 391	229 222 7	87. 9 88. 7 67. 4	Scranton. Shamokin. Sharon Shenandoah.	20, 841 17, 538 28, 097	85 14 10 6	60. 1 67. 2 57. 0 21. 4
Durham (total)	22, 863 14, 253 8, 610 18, 391	14 6 8 15	61. 2 42. 1 92. 9 81. 6	PENNSYLVANIA. Registration cities (total) White	3,957,679 3,800,812 156,867	3, 245 3, 104 141	82. 0 81. 7 89. 9	South Bethlehem	22, 840 15, 126 15, 458 19, 140	9 7 14 18	39. 4 46. 3 90. 6 94. 0
White Colored Raleigh (total)* White	11, 783 6, 608 19, 833 12, 225	9 6 21 10	76. 4 90. 8 105. 9 81. 8	Allentown	60, 297 56, 553 13, 100	59 44 11	97. 8 77. 8 84. 0	Warren	14, 045 20, 702 12, 722	12 12	85. 4 58. 0 117. 9
Colored	7, 608 27, 781 14, 703	11 19 12	144. 6 68. 4 81. 6	Bradford		8 6 9	58. 3 28. 7 60. 7	White	10, 691 2, 031	15 13 2	121. 6 98. 5
Winston-Salem (total) White Colored	13,078 29,034 17,408 11,626	7 14 11 3	53. 5 48. 2 63. 2 25. 8	Butler. Carbondale Carlisle (total). White. Colored.	18, 532 10, 589 9, 436	21 13 10 8 2	82. 2 70. 1 94. 4 84. 8 173. 5	Wilkes-Barre Wilkinsburg Williamsport York	73, 660 21, 701 33, 181 49, 430	46 22 50 47	62, 4 101, 4 150, 7 95, 1
OHIO, Registration cities (total) White Colored	2, 410, 207 2, 335, 493 74, 714	2,104 2,041 63	87.3 87.4 84.3	Carnegie Chambersburg Chester (total) White Colored	11, 150 12, 192 40, 474 35, 419 5, 055	2 16 25 22 3	17. 9 131. 2 61. 8 62. 1 59. 3	RHODE ISLAND. Registration cities (total). White	479, 487 470, 169 9, 318	426 419 7	88. 8 89. 1 75. 1
Akron Alliance Ashtabula Bellaire Cambridge	80, 291 17, 718 20, 478 13, 896 12, 844	62 15 10 7 9	77. 2 84. 7 48. 8 50. 4 70. 1	Coatesville (total). White Colored. Columbia Connells ville	13, 369 11, 533 1, 836 11, 055 14, 613	5 5 17 15	37, 4 43, 4 153, 8 102, 6	Central Falls. Cranston 4. Cumberland town East Providence town. Newport.	24, 707 24, 415 10, 608 17, 369 29, 154	11 34 10 23 25	44. 5 139. 3 94. 3 132. 4 85. 8
Canton	57, 426 15, 160 402, 175 380, 415 21, 760	35 15 419 400 19	60. 9 98. 9 104. 2 105. 1 87. 3	Dubois Dunmore. Duquesne Easton Erie	14, 007 19, 757 18, 576 29, 882 72, 401	9 6 8 25 55	64. 3 30. 4 43. 1 83. 7 76. 0	Pawtucket Providence Warwick town ⁵ Woonsocket	56, 901 245, 090 28, 893 42, 350	44 227 31 21	77. 3 92. 6 107. 3 49. 6
Cleveland Columbus (total)	639, 431 204, 567 190, 139 14, 428 123, 794	483 220 208 12 133	75. 5 107. 5 109. 4 83. 2	Farrell Greensburg Harrisburg Hazleton Homestead	(3) 14,687 69,493 27,511	1 7 57 27 10	(3) 47. 7 82. 0 98. 1 47. 0	SOUTH CAROLINA. ¹ Charleston (total)	60, 121 28, 372 31, 749	35 23 12	58, 2 81, 1 37, 8

¹ Nonregistration state; cities shown below only those with effective local ordinances.
2 Colored population less than 10 per cent of the total in 1910.
8 Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
4 Includes state institutions.
5 Includes West Warwick town, organized Nov. 1, 1913.

or over in 1910.]								41			
	Estimated	DEATHS CANCE OTHER NANT T	R AND MALIG-		Estimated	CANCE	S FROM CR AND MALIG- UMORS.		Estimated popula-	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				RURAL PART OF REGISTRATION STATES 3—Con.			
TENNESSEE.1	070 000	0/11	=0 A	VIRGINIA—continued.	97 550	10	47.9	Clara County	8, 033	.1	49, 8
Registration cities (total). White	132,701	289 209 80 40	78. 0 87. 8 60. 3 70. 1	Portsmouth (total)	37, 569 24, 405 13, 164 134, 917 85, 498	18 11 7 127 59	45. 1 53. 2 94. 1 104. 1	Glenn County Humboldt County Imperial County Inyo County Kern County	22, 967 16, 683	13 5 2	56, 6 30, 0 24, 7 12, 8
Colored Colored	34, 115	32	93.8	Colored	49, 419	38	76.9	Kings County	18,940	12	63, 4
Colored	17, 531 11, 170	8	45. 6 35. 8	Roanoke (total)	40,574 31,349	20 15	49.3 47.8	Lassen County	5, 320 4, 925	5	94. 0 81. 2
Colored		4	62.9	Staunton (total)*	9, 225 11, 316	5 6	54. 2 53. 0 57. 7	Los Angeles County Madera County	129, 965 9, 222	161	123.9 54.2
Knoxville (total)	29, 952	29 19 10	76. 5 63. 4 125. 4	White Colored	8,667 2,649	5 1	37.8	Marin County	29, 126 3, 633	14	48.1 27.5
Colored	85,859	114 86 28	79.6 100.2 48.8	WASHINGTON. Registration cities (total). White	674, 321 655, 896	499 497	74.0 75.8	Mendocino County*. Merced County. Modoc County.	25, 405 17, 676 6, 667	10 11 2	39. 4 62. 2 30. 0
Colored	114, 899 76, 865	98 68	85. 3 88. 5	Colored	18, 425	2	10.9	Mono County	1,992		
Colored	38,034	30	78.9	Aberdeen	18, 220 29, 937 32, 048	10 21 19	54.9 70.1 59.3	Monterey County Napa County * Nevada County	26, 176 21, 228 13, 748	16 32 14	61. 1 150. 7 101. S
Registration cities (total).	204,857	181	88, 4	North Yakima	18,737	20	106. 7	Orange County	40,710	39	95, 8
WhiteColored	181, 036 23, 821	170 11	93. 9 46. 2	Seattle	313, 029 135, 657	221 102	70.6	Placer County Plumas County	5, 516	13 1 7	67. 4 15. 1 29. 7
Fl Paso (total)		48 48	97. 0 101. 3	Tacoma	103, 418 23, 275	84 22	81. 2 94. 5	Riverside County	23, 557 14, 416 5, 639	5 9	34.7 104.2
Colored 2	2,134 40,289	52	129.1	WEST VIRGINIA.1 Wheeling (total)	42,817	46	107.4	San Bernardino County *	40, 510	34	83.9
Colored	8,809	45	142. 9 79. 5	White	41,575 1,242	45 1	108. 2 80. 5	San Diego County San Joaquin County San Luis Obispo County	26, 789 31, 539 20, 553	24 32 14	89.6 101.5 68.1
San Antonio (total)		81 77 4	70. 4 75. 4 31. 1	WISCONSIN. Registration cities (total).	833, 974	712	85.4	San Mateo County	32, 759	23	70.2
UTAH.				White	831, 317 2, 657	710 2		Santa Barbara County	56, 391	5 78 9	28.3 135.3 61.5
Registration cities (total). White	139, 264 136, 968	93 88	66. 8 64. 2	Appleton	17, 492 10, 964	21 10	120. 1 91. 2	Santa Cruz County Shasta County Sierra County		13 2	66.3 48.4
Colored	2, 296	5	217.8	Beloit	17, 122 18, 647	15 25	87. 6 134. 1	Siskiyou County	19, 584	8	40.8
Ogden Salt Lake City	29, 528 109, 736	22 71	74. 5 64. 7	Fond du Lac	20, 367 28, 026	26 36	127. 7 128. 5	Solano County Sonoma County Stanislaus County	16, 238 52, 618 28, 048	9 63 19	55. 4 119. 7 67. 7
VERMONT. Registration cities (total).	47,370	73	154.1	Janesville Kenosha	14,195 29,062	20 16	140.9 55.1	Sutter County	6, 515	5	76.7
WhiteColored	47, 221 149	72 1	152. 5 671. 1	La Crosse Madison	31, 367 29, 469	36 29	114.8 98.4	Tehama County Trinity County Tulare County	11,574 2,842 42,712	10 2 23	86. 4 70. 4 53. 8
Barre Burlington	11,706 21,247	5 35	42. 7 164. 7	Manitowoc	13, 553 13, 937	17 11	125. 4 78. 9	Tuolumne County	9, 474	5	52.8
Rutland	14, 417	33	228.9	Milwaukee Oshkosh	419, 589 35, 097	291 38	69. 4 108. 3	Yolo County Yuba County	20, 043 14, 057 10, 648	14 12 10	69. 8 85. 4 93. 9
Registration cities (total). White	423, 671 277, 249	304 216	71.8 77.9	RacineSheboygan	44,528 27,863	44 35	98. 8 125. 6	COLORADO.	10,000		
Colored	146, 422	88	60.1	Superior Wausau	44,344 18,352	26 16	58.6 87.2	Total	568, 280 561, 232	237 236	41.7 42.1
Alexandria (total)	15,670 11,380 4,290	16 14 2	102.1 123.0 46.6	RURAL PART OF REGISTRATION STATES.3				Colored	7,048	1	14.2
Danville (total) White	19, 697 13, 267	19 14	96, 5 105, 5	CALIFORNIA.				Adams County	10, 652 12, 295	3 4	28. 2 32. 5
Colored Lynchburg (total)	6, 430 31, 830	5 27	77.8	Total	1,211,170 1,142,413 68,757	947 929 18	78, 2 81, 3 26, 2	Archuleta County	3, 266	2	33.9
White	21, 609 10, 221	20 7 5	92. 6 68. 5	Alameda County	34, 101	39	114.4	Boulder County	34,073	25 6	73.4 76.4
Newport News (total) White Colored	20, 446 13, 089 7, 357	5 4 1	24. 5 30. 6 13. 6	Alpine County Amador County Butte County	226 8, 224 31, 641	7 23	85. 1 72. 7	Chaffee County Cheyenne County Clear Creek County	5, 044 4, 117	1 1 3	19.8
Norfolk (total)	86, 540	46	53. 2	Calaveras County	8, 309	2	24.1	Conejos County 4	18, 213		16, 5
White	54, 338 32, 202 25, 112	33 13 20	60, 7 40, 4 79, 6	Colusa County Contra Costa County Del Norte County	7, 889 37, 483 2, 421 6, 857	18 2		Custer County Delta County Dolores County	1, 527 17, 182 435	1 4	65. 5 23. 3
White	13,617	11 9	80.6	Eldorado County	6, 857 61, 954	10 40	145.8	Douglas County Eagle County	3,223	3	93, 1 33, 6

Nonregistration state; cities shown below only those with effective local ordinances.

2 Colored population less than 10 per cent of the total in 1910.

8 Exclusive of municipalities having a population of 10,000 or over in 1910.

4 Includes Alamosa and Costilla Counties; separate estimated populations not available.

or over in 1910.]											
	Estimated popula-	OTHER NANT T	RAND		Estimated popula-	DEATH: CANCE OTHER NANT T	R AND MALIG-		Estimated popula-	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation,
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
COLORADO—continued.	1			INDIANA—continued.				INDIANA—continued.			
El Paso County Elbert County Free.ont County Garheld County Gilpín County	6, 281 19, 266 11, 980	5 1 7 4	30. 1 15. 9 36. 3 33. 4 32. 9	Clay County Clinton County Crawford County Daviess County. Dearborn County.	31,790 26,026 11,455 26,825 21,057	24 32 3 17 18	75, 5 123, 0 26, 2 63, 4 85, 5	Union County Vanderburg County* Vermilion County Vigo County Wabash County	6,054 8,570 20,404 35,435 26,370	8 10 15 19	132. 1 116. 7 73. 5 53. 6
Gran l County. Gunnison County Hinsdale County Huerfano County	6, 138 (-) 15, 418	2 5	(²) 32. 4	Decatur County. Dekalb County. Delaware County Dubois County Elkhart County.	24,776 27,206 19,624	18 23 19 6 42	97. 4 92. 8 69. 8 22. 1 141. 6	Warren County Warrick County Washington County Wayne County*	10, 699 21, 734 16, 610 21, 804	11 5	37. 4 50. 6 48. 2
Jackson County. Jefferson County. Kinwa County. Kit Carson County. La Plata County.	16, 329 3, 834 9, 998	7 2 6	42. 9 20. 0 48. 3	Fayette County Floyd County Fountain County Franklin County	14,805 9,738 20,010 14,888	19 9 16 10	128. 3 92. 4 80. 0 67. 2	Wells County. White County. Whitey County. KANSAS.	21, 980 16, 950 16, 707	9 16 11	40. 9 94. 4 65. 8
Lake County. Larimer County. Las Animas County. Lincoln County. Logan County.	27,574	18 10	58, 0 38, 6 	Gibson County Gibson County Greene County Hamilton County	16,635 30,151 30,379 40,427 25,797	13 16 35 16 19	53. 1 115. 2 39. 6 73. 7	Total White Colored.		813 801 12	56. 5 56. 7 44. 4
Mesa County	27,706 953 5,867 12,742 12,265	14 2 3 5 6	50, 5 209, 9 52, 8 39, 2 48, 9	Hancock County Harrison County Hendricks County Henry County	18,963 19,606 20,649 31,747	18 15 10 14	94.9 76.5 45.4 44.1	Allen County. Anderson County. Atchison County Barber County. Barton County.	13 784	19 9 2 5	61. 1 65. 3 17. 8 44. 1 56. 0
Morgan County Otero County Ouray County Park County Phillips County	23,899 2,996 2,277 3,857	11 1 1	33, 4 43, 9 51, 9	Howard County Huntington County Jackson County Jasper County	23, 915 12, 514	10 11 13 15	64.8 59.3 54.4 119.9	Bourbon County Brown County Butler County Chase County Chautauqua County	20, 867 22, 932 7, 223	10 10 18 3	75. 8 47. 9 78. 5 41. 5
Pitkin County Prowers County	3,522 11,970	2 3 7	85. 2 58, 5	Jay County Jefferson County * Jennings County.	19,448	18 31 12	74.5 159.4 88.6	Cherokee County	11, 271 36, 232	18	53. 2 49. 7
Pueblo County *	8,580 2,606 7,619 9,222 4,290	13 2 1	21. 7 23. 3	Johnson County Knox County Kosciusko County Lagrange County	20,465 25,165 27,437 15,092	14 9 25 11	68, 4 35, 8 91, 1 72, 9	Clay County. Clay County. Cloud County.	4, 933 5, 112 15, 005 18, 524	2 2 9 13	40. 5 39. 1 60. 0 70. 2
San Juan County	3,370 4,412 3,950 1,687	3 2 1	68, 0 50, 6 59, 3	Laporte County Lawrence County Madison County	35,087 15,709 32,709 29,250 29,250	25 13 15 20	71.3 82.8 45.9 68.4	Coffey County Comanche County Cowley County Crawford County Decatur County	14,595 3,989 32,485 39,603 8,868	5 25 20 3	34. 3 25. 1 77. 0 50. 5 33. 8
Teller County	8,109 7,190 48,709 10,180	8 1 19 5	98. 7 13. 9 39. 0 49. 1	Madison County Marion County Marshall County Martin County Miami County Monroe County	32, 150 23, 775 12, 201 17, 576 24, 511	26 25 4 14 22	80, 9 105, 2 32, 8 79, 7 89, 8	Dickinson County Doniphan County Douglas County Edwards County	25, 446 14, 145 11, 550 8, 461	12 9 7 5	47. 2 63. 6 60. 6 59. 1
Total	377,398	323	85. 6	Montgomery County Morgan County	29, 258 21, 488	27 11	92. 3 51. 2	Elk County	9,569	10	104.5
White Colored Fairfield County Hartford County	372, 932 4, 466 53, 443 85, 763 54, 359	323 	80. 5 80. 5 85. 6	Newton County	10,524 24,210 4,161 17,334	12 18	114.0 74.3	Ellis County. Ellsworth County. Finney County. Ford County. Franklin County.	13,681 10,792 8,374 13,906 20,687	9 7 1 8 14	65, 8 64, 9 11, 9 57, 5 67, 7
Litchfield County. Middlesex County New Haven County New London County* Tolland County	25, 150 50, 768 45, 284 27, 285	41 21 48 46 19	75. 4 83. 5 94. 5 101. 6 69. 6	Owen County Parke County Perry County Pike County Porter County	13,586 21,881 17,780 19,343 21,120	11 14 8 12 23	81. 0 64. 0 45. 0 62. 0 105. 9	Geary County Gove County Graham County Grant County Gray County	13,507 7,5%0 10,203 1,370 3,913	9 1 3	66. 6 13. 2 29. 4
Windham County	35,346	29	82.0	Posey County	13,005	5 14	23. 4	Greeley County.	1,694		
Total	1,878,030 1,859,826 18,204	1,434 1,423 11	76, 1 76, 5 60, 4	Putnam County Randolph County Ripley County Rush County	20, 112 29, 164 19, 271 19, 009	24 23 21 15	119.3 78.9 109.0 78.9	Greenwood County		12 1 8 18	75. 0 23. 9 48. 1 90. 5
Adams County Aden County Bartholomew County Benton County Blackfor I County	21,675 27,×30 24,905 12,503 15,227	17 21 25 5 15	75. 4 75. 5 100. 4 40. 0 98. 5	St. Joseph County	15, 455 8, 328 26, 933 19, 939 10, 624	18 12 18 15 12	116. 5 144. 1 66. 8 75. 2 113. 0	Haskell County. Hodgeman County Juckson County. Jefferson County. Jewell County.	1,221 3,314 16,754 15,100 17,608	14 12 13	83. 6 79. 5 73. 8
Boone County. Brown County. Carroll County. Cass County*	23, 971 7, 230 17, 126 16, 879 19, 331	11 3 12 9 14	45. 9 41. 5 70. 1 53. 3 72. 4	Steuben County Sullivan County Switzerland County. Tippecanoe County. Tipton County.	13,874 35,179 9,093 19,765 16,754	14 19 12 21 12	100. 9 54. 0 132. 0 106. 2 71. 6	Johnson County. Kearny County. Kingman County. Kiowa County. Labette County.	18, 365 4, 099 14, 546 7, 796 18, 642	17 1 7 1 13	92. 6 24. 4 48. 1 12. 8 69. 7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Population not estimated, decrease since 1900.
5 Includes Crowles County; separate estimated populations not available.
4 Includes Mottal County; separate estimated populations not available.
6 Includes National Military Home.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.	:	Estimated	OTHER	E FROM E AND MALIG-		Estimated	CANCE	S FROM CR AND MALIG- UMORS.
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOB.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation,
RURAL PART OF REGISTRATION STATES Con.	1			RURAL PART OF REGISTRATION STATES Con.				RURAL PART OF REGISTRATION STATES —Con.			
Kansas—continued.	3,046	ì	32.8	Barren County (total)	26,186	Q.	34.4	KENTUCKY—continued.			
Leavenworth County	22,544 10,251	16 2	71.0 19.5	White Colored	22,442 3,744	9	40.1	Cumberland County (total)	10,222 9,151	1 1	9.8 10.9
Linn County Logan County	13, 903 5, 208	23	165. 4 58. 4	Bath County (total) White Colored 2	13.673	1 1	29.3 32.4	White	1,071 24,811 22,824	4 4	16.1 17.5
Lyon County	24,865 21,563	21 1 ×	\$4.5 \$3.5	Bell County (total)	33 878	6	17.7	Colored	1,987		
Marion County	23,156 23,678	10 10	43. 2 42. 2	White Colored	30,376 3,502	5	16.5 28.6	Edmonson County (total)	10,634 10,185		18. S 19. 6
Meade County	6,534	2	30.6	White	8,676 8,233	5 5	57.6 60.7	Colored 2. Elliott County (total)	9,571		20.9
Miand County	19,344	12	62. 0 57. 7	010104	443			White Colored 2	9,566		20.9
Montgomery County Morris County	28,903 12,578	13	45. 0 23. 9	Bourbon County (total) White	17,206 11,606	15 9	87. 2 77. 5	Estill County (total)	12,531	2	16.0
Morton County Nemaha County	1,771	7	56. 5 37. 8	Boyd County (total)	5,600 25,408	10 10	107. 1 39. 4	White	12,422	2	16 1 35.4
Neosho County Ness County	18,516 25,669 6,455	18	70. 1 15. 5	White Colored?	24, 496 912		40.8	White	11,300 7,822 3,478	4	51.1
Norton County Osage County	11,736 18,306	8 13	68. 2 71. 0	Boyle County (total)	15,031 10,744	7	46.6 37.2	Fleming County (total)	15,637	11	70.3
Osborne County		12	90.6	Bracken County (total)	4,287 9 530	3 7 7	70.0 73.5	White. Colored 2	14,630 1,007	îî	75.2
Pawnee County	12,077 10,467	7 6	58. 0 57. 3	White Colored 2	9,215 315	7	76.0	Floyd County (total) White Colored 2	19, 932 19, 776	2 2	10.0 10.1
Phillips County	14,028 17,118	9	14.3 52.6	Breathitt County (total)	18,912	1	5.3		156		
Pratt County	12,890	1	7.3	White Colored	18,629 283	1	5. 4	Franklin County (total)	10,372 9,564	6 5	57.8 52.3
Rawlins County	6, 864 22, 274 17, 106	3 11 16	43.7 49.4 93.5	Breckinridge County (to-	21,246	11	51.8	Colored Fulton County (total) White	15,208 11,566	1 5	123.8 39.5 51.9
Republic County		5	32.8	Colored 2	19,636 1,610	5 5	45.8 124.2	Colored	3,642		01.9
Riley County	16,616 12,696	12 5	72 2 39. 4	Bullitt County (total)	9,442 8,761			Gallatin County (total) White	4,499	2	44.5 47.2
Rush County Russell County	8, 546 11, 785	10	23.4 84.9	White Colored 2 Butler County (total)	681	7	44.4	Colored 2	264 11,831	5	42.3
Saline County	21,727	11	50.6	White. Colored 2	15,204 564	7	46.0	White	9, 543 2, 288	4	41.9 43.7
Scott County	3,876 20,504	1 5	25. 8 24. 4	CaldwellCounty(total)	13,875	2	14 +	Grant County (total)	9,419		21.2
Seward County Shawnee County Sheridan County	5,484 18,244 6,430	12	65.8	White Colored Callor County (total)	11,371 2,504	1	39.9	Colored 2	9, 186 263 33, 682		32.7
Sherman County	5.062	3	31. 1 59. 3	White	20,819 19,691 1,128	9	43. 2 45. 7	White Colored 2	30, 748	10	32. 5 34. 1
Smith County	14,931 13,651	7	46. 9 29. 3	Campbell County (total)	30 046	94	79.9	Grayson County (total)	19,992	8	40.0
Stanton County Stevens County	1,555			White	29,867 179	21	80.4	White	19, 656 336	8	40.7
Sumner County	32,793	17	51.8	White	8,561 8,186	1	11.7 12.2	White	11,708 10,373	6 5	51.2 48.2
Thomas County	6,027 6,538	1	16.6	Colored 2	375			Colored	1,335	1	74.9
Wabaunsee County Wallace County	12,683 3,432	9 3	71.0 87.4	Carroll County (total)	7,383 6,897	7 6	94.8 87.0	Greenup County (total) Whire	19,771 19,483	9	45.5 46.2
Washington County	19,492 2,351	` \	41.0	Colored 2. Carter County (total) White	486 22,708 22,593	1 4 4	205. 8 17. 6 17. 7	Colored 2	8,343	2	24.0 25.7
Wilson County	21,594 9,206	16	74. 1 43. 4	Colored -	115	4		Colored 2	7, 7 4 559		
Wyandotte County	17,235	16	92.8	Casey County (total)	15,623 15,340	4 1	25.6 26.1	Hardin County (total). White	22, 595 20, 764	9 6	39.8 28.9
Total	1,925,168	753	39.1	White	39,221	26	66.3	Harlan County (total)	1,831 10,874	3	163.8
White Colored	1,730,546	668 55	38. 6 43. 7	White Colored	22, 993 16, 228	17 9	73.9 55.5	White	10, 290		19.4
Adair County (total)	17, 190 15, 643	1 1	23.3 25.6	Clark County (total)	19,538	16	86.3	Harrison County (total)	16, 151 14, 463	113	61.9 62.2
White Colored	1,547 14,978		20.0	Colored Clay County (total)	4,635	14	100.7 43.1	White. Colored. Hart County (total)	1,688 18,080	1	59. 2 16. 6
White	14,055 923	6	12 7 108. 3	White. Colored 2	18, 521 18, 294 527	7	33 189.8	W) 10 Colored	16,055	9	18.7
Anderson County (total).	10, 185	1	9.8	Clinton County (total).	8,272			Henderson County (total)	15,884	9	56.7
White	9,443	1	10.6	White Colored ² Crittenden County (total)	8, 176			White.	12,542 3,342	7 2	55.8 59.8
Ballard County (total) White Colored	13,512 11,812 1,700	2	14. 8 16. 9	White	12,490 11,934	2 2	16.0 16.8	Henry County (total) White Colored	13,333	10	75.0 60.5
1 Freducino of mu				t orored "	556			Colored	1,755	3	170.9

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

	or over in 1910.]											
			CANCE	R AND MALIG-			CANCE	R AND MALIG-			CANCE OTHER	R AND MALIG-
RENTRUCE Control (Incl.)	AREA AND COLOR.	tion, July		per 100,000 popu-	AREA AND COLOR.	tion, July		per 100,000 popu-	AREA AND COLOR.	tion, July		per 100,000 popu-
Hickman Caunty (total)												
White 1,000 1,00	KENTUCKY—continued.				KENTUCKY—continued.				Rockcastle County (total)		5	32.6
Harpitas County (total)	White	9,971	5	50.1	White	14,063	12	85.3	Colored 2	134		
Jacksent County (total)	Hopkins County (total) White	35, 694 25, 802	20 13	56.0 45.1	White	16,655 16,511	2 2	12.0	White Colored 2	9, 869 62	2	20.3
Colored 10, 200 10,	Jackson County (total) White		3 3		Martin County (total) White				White	11, 140 218	4	35. 2 35. 9
Colored	Colored 2	40,747	11		Mason County (total)	17,829	9	50.5	White	12,522	7	48, 5 55, 9 25, 3
White	Colored	5,543			Colored	2,769	1	36. 1	Shelby County (total)	17,915	8	41.7
Colored 1, 17, 182 10 57, 7 White 17, 242 10 58, 8 Colored 17, 242 10 58, 8 Colored 1, 243 1, 445 1, 245 Colored 1, 245 1, 245 Colored 1, 245	White	9, 551		81.2 65.5	White	8,824 639	6	68.0	Colored	3, 992 11, 393	5	43.9
Rench County (total)	White	19, 080 19, 029 51		26.3	White	5,833	1		Colored	2, 168	• • • • • • •	
Colored 32	Kenton County (total)	17,342			Mercer County (total) White		6		White	6, 863		52. 4 58. 3
Now County (total)	Colored 2. Knott County (total) White	321 11,679 11,506	2 2	17. 1 17. 4	Metcalfe County (total) White	2, 163 10, 651 9, 836	1 7 5	65. 7 50. 8	White	10, 853		40. 5 46. 1
Colored 1,171	Knox County (total)	24, 136	9	37. 3	Monroe County (total)	13,922	4	28.7	White	10,854	8	74.5 73.7
White 9,887 6 60.7 Colored 3,20 3 93.2 Colored 3,391	Colored 2	1,171 10,676	6	56.2	Montgomery County (total)	744 12,881	9	69. 9	Trigg County (total) White	11,346	6	40. 7 52. 9
Laurel County (total) 20,843 5 24,0 Worgan County (total) 17,736 6 33.8 White (6,053) Colored 2 136 Colored 2 136 Colored 3 Colored 4 13,0 Colored 4 Colored 5 Colored 4 Colored 5 Colored 6 Colored 4 Colored 6 Colored 4 Colored 6 Colored 7 Colored 9	White	9, 887 789			White		6 3					
Lawrence County (total) 20, 261 5 24, 7 White 20, 985 5 24, 9 White 22, 868 11 33, 4 Colored 2, 357 2 84, 9 Colored 3, 276 2 61, 1	White	20, 144	4	19.9	White	17,699			White Colored ²	6, 053 136	a	46.7
Lee County (total)	Lawrence County (total)	20, 261	5 5	24. 7 24. 9	Muhlenberg County (total) White	31,944 28,668	11	38.4	White. Colored	16, 917 2, 357	7 2	41. 4 84. 9
Colored county (total) 9,923 1 10,1 10,1 10,02 White 9,776 1 10,2 White 11,241 1 8,9 White 11,223 1 8,9 White 26,490 11 41,5 Colored 2 2,709 White 18,638 6 32,2 Colored 2 1,304 White 16,331 8 49,0 Colored 2 1,304 White 16,331 8 49,0 Colored 2 1,304 White 16,331 8 49,0 Colored 3 1,007 Colored 4 1,007 Colored 4 1,007 Colored 5 Colored 6 1,007 Colored 6 1,007 Colored 6 1,007 Colored 6 1,007 Colored 7 1,004 Colored 8 1,007 Colored 9 1,007 Colored 1 1,007 Colored 1 1,007 Colored 1 1,007 Colored 2 1,007 Colored 2 1,007 Colored 2 1,007 Colored 3 1,007 Colored 4 1,007 Colored 2 1,007 Colored 4 1,007 Colored 2 1,007 Colored 2 1,007 Colored 3 1,007 Colored 4 1,007 Colored 5 Colored 6 Colored 6 Colored 6 Colored 6 Colored 7 Colored 8 Colored 9 Colored 9 Colored 9 Colored 1 Colored 2 Colored 2 Colored 3 Colored 4 Colored 4 Colored 1 Colored 1 Colored 1 Colored 1 Colored 2 Colored 2 Colored 2 Colored 3 Colored 4 Colored	White	9,936			White	13, 957			White	24, 627	18 2	73. 1 32. 2
Letcher County (total)	Leslie County (total)	9, 923	1	10.2	Nicholas County (total) White	10,026 9,173	7	69.8	Washington County (total) White	12,060	4	36, 1 33, 2 56, 2
Colored 2	Letcher County (total)	11, 241	1	8, 9	Ohio County (total)	27,794			White	18, 638		28. 1 32. 2
Colored 2 139	Lewis County (total) White	16,470	8	48, 6	Colored 2Oldham County (total)	1,304 7,320	2	27.3	Wolfe County (total) White	10, 331 10, 272	1	9. 7 9. 7
Colored Colo	Lincoln County (total)	139 18, 253	9	49.3	Owen County (total)	1,097 12,841	6	46.7	Woodford County (total) White	12, 331 8, 652	3	48. 7 34. 7
Logan County (total)	Colored	3,036 10,319	1 3	32, 9 29, 1	Colored 2 Owsley County (total)	856 8,448	3	35.5	MAINE.			
White 19,245 11 57,2 White 10,487 6 57,2 Androscoggin County 18,931 24 126,8 Colored 5,299 3 56,6 Colored ² 235 Aroostook County 80,595 46 57,1 Lyon County (total) 9,465 2 21,1 Perry County (total) 12,523 1 8.0 Cumberland County 54,679 60 109,7 White 1,821 1 51,9 Colored ² 220 1 Franklin County 19,406 20 103,1 McCracken County (total) 13,592 5 36,8 Pike County (total) 35,510 3 8,4 Kennelsee County 38,298 55 134,6 White 11,454 5 43,7 Colored ² 375 Lincoln County 28,526 32 112,2 Colored 2,138 2 14,7 Powell County (total) 6,194 Lincoln County 28,526 32 112,2 White		656			Colored 2	80			White	585, 942	607	103. 6 103. 6 116. 4
White 12,803 1 13.1 White 12,283 1 8.1 Franklin County 19,406 20 103.1	White	19 245	11	57. 2 56, 6	White	10, 487 235	6	57.2	Aroostook County	80, 595	46	126. 8 57. 1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	W DITE	7,644		13.1	White Colored 2	12, 523 12, 283 240	1	8.0	Franklin County	19, 406	20	103.1
McLean County (total) 13,578 2 14.7 Powell County (total) 6,194 Oxford County 37,968 29 76.4 White 12,803 2 15.6 White 5,859 Oxford County 37,968 29 76.4 Colored 2 335 Penobscot County 63,075 54 85.0	White	11 454	5	43.7	Pike County (total) White	35, 135	3	8.5	Kennebec County 4 Knox County	38, 298 28, 526	55 32	143.6 112.2
Direct out County County	McLean County (total) White Colored 2	13,578 12,803 775		14. 7 15. 6	Powell County (total)	6, 194 5, 859			Oxford County	37, 968 63, 075	29 54	76, 4 55, 6
Marison County (101a) 27 523 13 47 9 Puloski County 3 (101a) DI 570 23 27 1 Seconda hoo County 17 827 10 106 6	Madison County (total)	97 523	13		Pulaski County 3 (total)	91,570	34	37.1	Piscataquis County	21, 137	17	80, 4 106, 6
Colored. 5, 846 1 17.0 Colored 3, 290 1 30, 4 Somerset County. 37,345 44 117.8 Magoffin County (total). 14,356 2 13.9 Robertson County (total). 3,791 1 26.4 Waldo County 23,042 18 78.1 White 3,727 1 26.8 Washington County 41,915 54 128.8	Colored	5, 866 14, 356 14, 201 155	1 2	17. 0 13. 9	Robertson County (total)	3, 2 0	1	30, 4 26, 4 26, 8	Waldo County Washington County	23, 042 41, 915	18 54	117.8 78.1 128.8 114.1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Colored population less than 10 per cent of the total in 1910.
7 Includes Warne, Whitley, and McCreary Counties; separate estimated populations not available.
7 Includes National Military Home.

	Estimated	NANTT	R AND MALIG-		Estimated	CANCE	S FROM R AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1 - Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
MARYLAND.				MARYLAND—continued.				MICHIGAN—continued.			
Total	700, 758 552, 611 148, 147	439 380 59	62. 6 68. 8 39. 8	Worcester County (total) White	22, 257 14, 979 7, 278	22 15 7	98. 8 100. 1 96. 2	Lenawee County Livingston County Luce County * Mackinac County	9,906	39 21 5 2	107. 0 124. 2 112. 7 20. 2
Allegany County (total) White	41, 071 40, 681	23 23	56. 0 56. 5	MASSACHUSETTS,				Macomb County	· ·	34	105.1
Anne Arundel County (total)	390 39, 527 25, 149	34 29	86. 0 115. 3	Total White Colored	791,284 784,119 7,165	864 4	109. 7 110. 2 55. 8	Manistee County Marquette County Mason County Mecosta County Menominee County	23, 086 18, 944	9 8 12 25 6	61. 6 32. 2 52. 0 132. 0
Colored	14, 378 135, 813	5 111	34. 8 81. 7	Barnstable County Berkshire County Bristol County	37, 895	37 42	134. 9 110. 8 99. 4	Midland County	1	7	38. 6 50. 6
White Colored. Calvert County (total) White	121, 581 14, 232 10, 368 5, 218	104 7 2	85. 5 49. 2 19. 3 19. 2	Dukes County. Essex County *. Franklin County	92,103 33,127	56 9 105	200. 8 114. 0	Missaukee County Monroe County Montcalm County Montmorency County	11 157	7 28 35 2	62. 7 84. 9 110. 1 50. 3
Colored	5, 150	Î	19. 4	Hampden County	46, 101 45, 481	35 33	75. 9 72. 6	Muskegon County	16,642	15	90.1
Caroline County (total) White	20, 480 15, 293	8 6	39. 1 39. 2	Hampshire County	125,247	173	138.1	Newaygo County Oakland County Oceana County	35, 053	9 25 11	45. 3 71. 3
Carroll County (total) White	5, 187 33, 965 31, 917	2 20 19	38. 6 58. 9 59. 5	Nantucket County Norfolk County * Plymouth County *	2,946 105,294 80,000	9 99 99	305. 5 94. 0 123. 8	Ogemaw County	9,392	9	57. 5 95. 8
Colored	2,048	I	48.8	Worcester County *	134, 853	138	102.3	Ontonagon County Osceola County Oscoda County	9, 694 17, 902	5 12	51. 6 67. 0
Cecil County (total) White	23,377 20,044	18 14	77. 0 69. 8	MICHIGAN,				Otsego County Ottawa County	6, 712	2 3 22	88. 4 44. 7 61. 0
Colored. Charles County (total) White	3,333 15,843 7,419 8,424	4 4 2 2	120. 0 25. 2 27. 0 23. 7	Total	14, 139	1,398 1,391 7	77. 4 77. 6 49. 5	Presque Isle County	12, 283 2, 4×0 38, 740	5 1 21	40. 7 40. 3
Dorchester County (total)	28, 968	16	55. 2	Alger County		1 2	17. 5 23. 6	St. Clair County St. Joseph County	32, 374 26, 185	30 25	54. 2 92. 7 95. 5
White	19,292 9,676 42,107	12 4 24	62. 2 41. 3 57. 0	Allegan County Alpena County Antrim County	40, 249 7, 605 15, 322	30 9 13	74. 5 118. 3 84. 8	Sanilac County Schoolcraft County	33, 451	29 9	86.7 99.8
WhiteColored	38, 147 3, 960	20	52. 4 101. 0	Arenac County Baraga County		4	41.8	Shiawassee County Tuscola County	32,983	32 29	97. 0 84. 1
Garrett County (total)	21,128	10	47.3	Darry County	6, 898 22, 685 23, 688	3 24	43. 5 105. 8	Van Buren County Washtenaw County	33, 147 25, 470	43 24	129.7
White	21,015 113 27,837	10	46. 7	Bay County. Benzie County	11, 043	14 8	59. 1 72. 4	Wayne County	71, 842 22, 440	63 15	84, 3 87, 7 66, 8
White Colored	22,661 5,176	13	57.4	Berrien County	55, 521 24, 667	58 23	104. 5 93. 2	MINNESOTA.			
Howard County (total)	15,848 12,074	8 7	50. 5 58. 0	Calhoun County Cass County Charlevoix County	31, 636 20, 520 21, 373	35 29 13	110.6 141.3 60.8	Total White Colored	1, 481, 593 1, 471, 362 10, 231	1,096 1,092	74. 0 74. 2 39. 1
Colored Kent County (total) White	3,774 16,178 10,203	1 8	26. 5 49. 4	Cheboygan County Chippewa County	18,875 12,308	10	53. 0 56. 9	Aitkin County	11, 917	7	58.7
Colored	5,975	4	39. 2 66. 9	Clare County	9, 616 22, 276	3 18	31. 2 80. 8	Anoka County * Becker County	12, 995 20, 097	8	61. 6 49. 8
Montgomery County (total)	32,786 23,188	11 10	33. 6 43. 1	Crawford County Delta County	4, 356	5	11 1: 8	Beltrami County	11,045	9 6	37. 5 51. 3
Colored	9,598	18	10. 4	Eaton County	18, 013 21, 647 30, 003	14 25	22. 2 64. 7 83. 3	Big Stone County	9,637 17,824	8 17	83.0 95.4
White. Colored	26, 256 12, 553	16 2	60. 9 15. 9	Emmet County Genesee County	19, 681 24, 705	15 24	76. 2 97. 1	Blue Earth County	20, 282 20, 773 17, 418	20 10 10	98.6 48.1 57.4
Queen Annes County (to-				Gladwin County Gogebic County	9, 201 11, 996	3 2	32. 6 16. 7	Cass County	13, 258	13	98.1
White	16, 191 10, 508 5, 683	9 8	55. 6 76. 1 17. 6	Grand Traverse County	11,924 28,366	21	33. 5 74. 0	Chippewa County	13, 867 13, 660 20, 365	15 14 11	108. 2 102. 5 54. 0
White	16,967 9,571	1 5 5	29. 5 52. 2	Hillsdale County	29, 594 97, 488	28 45	94. 6 46. 2	Clearwater County	8, 531	2	23.4
Colored	26, 681	26	97.4	Huron County Ingham County Ionia County * Iosco County	35, 011 21, 547 33, 220	28 31 14	80. 0 143. 9 42. 1	Cook County	1,560 12,899 17,972 26,636	1 8 17 14	64. 1 62. 0 94. 6 52. 6
Talbot County (total)	16,967 9,714 19,313	19 7 17	112. 0 72. 1	Iron County	9, 544 17, 794	7 3	73.3	Dakota County *	11, 564	15	129.7
White Colored	12, 531 6, 782	12 5	88. 0 95. 8 73. 7	Jackson County	23, 132 21, 547	3 7 25	30. 3 116. 0	Douglas County Faribault County Fillmore County	17, 544 19, 053 24, 590	23 8 25	131.1 42.0 101.7
Washington County (total)	26,741	22	82.3	Kalamazoo County	21, 453 8, 506	17 9	79. 2 105. 8	Freeborn County	22, 471	28 31	101.7 124.6 97.3
White	26, 231 510 28, 503	22	83. 9	Kent County	48, 459 8, 834	50 3	103. 2	Grant County	9, 190 34, 820	9 20	97. 9 57. 4
White: Colored	21, 686 6, 817	10	35. 1 41. 5	Lake County Lapeer County Leelanau County	4, 933 25, 349	18	20. 3 71. 0	Houston County	13, 829 11, 216	13	94.0 17.8

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

[VII death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

	CANO	CANCE	S FROM IR AND MALIG- UMORS,		Estimated popula-	CANCE OTHIR	S FROM R AND MALIG- UMORS.		Estimated popula-	DEATHS CANCEL OTHER NANT TU	R AND MALIG-
AREA AND COLOR.	tion, July	Num- ber.	Rate per 100,000 popul- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popul- lation.
Rural Part of Registration States1-Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES Con.			
MINNESOTA—continued.	00 101	9	38.9	MISSOURI -continued.	10 100		31.0	MISSOURI—continued.	10 155	2	15.0
Itasca County Jackson County Kanabee County Kandiyohi County Kittson County	23, 121 14, 365 7, 248 19, 205 10, 427	10 3 14 8	69. 6 41. 4 72. 9 76. 7	Barton County Bates County Benton County Bollinger County Boone County	16, 106 24, 050 14, 168 14, 545 31, 336	5 13 8 3 15	54. 1 56. 5 20. 6 47. 9	Morgan County. New Madrid County. Newton County. Nodaway County. Oregon County.	13, 155 22, 985 27, 192 27, 085 15, 009	4 7 18 8	15. 2 17. 4 25. 7 66. 5 53. 3
Koochiching County Lac qui Parle County Lake County. Le Sueur County. Lincoln County.	8, 641 15, 923 9, 442 17, 919 10, 260	1 9 4 8 5	46. 3 56. 5 42. 4 44. 6 48. 7	Buchanan County Butler County. Caldwell County Callaway County * Camden County	2 15, 160 22, 264 13, 732 23, 726 10, 929	8 7 20 10 6	52. 8 31. 4 145. 6 42. 1 54. 9	Osage County Ozark County Pemiscot County Perry County Pettis County	14, 363 11, 833 22, 730 14, 798 15, 615	8 2 2 10 9	55.7 16.9 8.8 67.6 57.6
Lyon County	16, 202 18, 308 3, 249 16, 610 17, 765	14 14 3 13 14	86. 4 76. 5 92. 3 78. 3 78. 8	Cape Girardeau County Carroll County Carter County. Cass County Cedar County	29,028 21,666 4,993 22,690 15,721	10 17 2 9 15	34. 4 78. 5 40. 1 39. 7 95. 4	Phelps County Pike County Platte County Polk County Polk County Pulaski County	16,478 21,199 13,679 20,841 11,881	6 12 6 11 6	36. 4 56. 6 43. 9 52. 8 50. 5
Meeker County	16,711 11,829 24,547 22,768 11,690	18 8 19 6	107. 7 67. 6 77. 4 26. 4 85. 5	Chariton County Christian County Clark County Clay County Clay County.	22,088 15,360 11,716 20,897 14,417	11 6 11 16 12	49. 8 39. 1 93. 9 76. 6 83. 2	Putnam County Ralls County Randolph County Ray County Reynolds County	13, 294 13, 178 14, 761 20, 024 10, 202	3 13 11 1	22. 6 22. 8 88. 1 54. 9 9. 8
Nicollet County * Nobles County Norman County Olmsted County * Otter Tail County *	13, 849 15, 328 13, 446 22, 232 46, 318	20 6 10 99 43	144. 4 39. 1 74. 4 445. 3 92. 8	Cole County Cooper County. Crawford County Dade County. Dallas County.	9,512 19,365 13,837 14,544 12,874	9 20 7 10 3	94. 6 103. 3 50. 6 68. 8 23. 3	Ripley County St. Charles County St. Clair County St. Francois County St. Louis County	13,063 24,788 15,776 40,717	20 8 15 49	80. 7 50. 7 36. 8
Pennington County. Pine County. Pipestone County. Polk County. Pope County.	10,314 17,722 9,675 36,245 12,818	6 9 6 24 4	58. 2 50. 8 62. 0 66. 2 31. 2	Daviess County Dekalb County Pent County Douglas County	16,022 11,727 13,354 16,606	14 10 2 6	87. 4 85. 3 15. 0 36. 1	Ste. Genevieve County Saline County Schuyler County Scotland County Scott County	10,712 27,635 8,304 11,288 26,325	3 22 8 6 6	28. 0 79. 6 96. 3 53. 2 22. 8
Ramsey County Red Lake County Redwood County Renville County Rice County	9,546 7,221 18,920 22,882 25,839	6 1 5 14 28	62. 9 13. 8 26. 4 42. 6 108. 4	Punklin County Franklin County Gasconade County Gentry County Gieene County	34,002 29,510 13,079 15,229 29,883	22 3 8 14	23. 5 74. 6 22. 9 52. 5 46. 8	Shannon County Shelby County Stoddard County Stone County Sullivan County	11, 525 14, 308 29, 143 12, 268 17, 882	1 10 11 1 17	8.7 69.9 37.7 8.2 95.1
Rock County	10, 458 13, 189 94, 510 14, 779 7, 521	11 4 32 8 7	105. 2 30. 3 33. 9 55. 3 93. 1	Harrison County Henry County Hickory County Holt County	16, 281 18, 791 26, 897 8, 211 13, 457	12 12 5 12	36. 9 63. 9 44. 6 60. 9 89. 2	Taney County Texas County Vernon County * Warren County Washington County	8,713 21,147 27,639 8,786 13,003	6 25 3 12	28. 4 90. 5 34. 1 92. 3
Sibley County Stearns County Steele County Stevens County	14,977 39,973 15,986 8,112	12 17 10 5	80. 1 42. 5 62. 6 61. 6	Holt County Howard County Howell County Iron County Jackson County	20,738 8,500 39,251	15 9 7 24	103. 4 43. 4 82. 4 61. 1	Wayne County	15, 126 17, 689 7, 230 18, 652	9 9 4 4	59. 5 50. 9 55. 3 21. 4
Swift County	12,713 23,914 8,251 18,398	6 8 1 25	47. 2 33. 5 12. 1 135. 9	Jasper County	45, 933 28, 800 25, 640 11, 944	15 11 27 8	32. 7 38. 2 105. 3 67. 0	MONTANA. TotalWhite	323, 603 308, 206	141 137	43. 6 44. 5
Wadena County Waseca County Washington County Watonwan County	8,963 12,915 15,953 11,336	8 11 8 6	89.3 85.2 50.1 52.9	Knox County Laclede County Lafayette County Lawrence County	17,721 29,506 24,420	8 4 34 11	22. 6 115. 2 45. 0	Colored Beaverhead County Broadwater County Cascade County	6,801 3,854 16,603	2 3 9	29.4 77.8 54.2
Wilkin County Winon's County Wright County Yellow Medicine County	9,480 14,322 27,625 15,747	3 15 28 10	31. 6 104. 7 101. 4 63. 5	Lewis County. Lincoln County. Linn County Livingston County. McDonald County.	15,000 16,473 25,148 18,241 13,526	10 12 17 3	38. 9 60. 7 47. 7 93. 2 22. 2	Chouteau County * Custer County * Deer Lodge County *	31, 291 34, 557 3, 004	17 1 23 1	51 3 66, 6 33, 3
MISSOURI.	,,			Macon County	29,954		73.4	Fergus County 5 Flathead County Gallatin County	74,505 23,443 16,007	17 14:	22 8 59, 7 25 0
Total White Colored	2,140,145 2,066,497 73,648	1, 155 1, 112 43	54. 0 53 % 58. 4	Maries County	11, 824 10, 288 11, 667 11, 325	22 4 5 12 6	33. 8 77. 8 102. 9 53. 0	Granite County Jefferson County Lewis and Clark County Lincoin County	2,354 5,716 9,737 4,541	1 3	42 5 30 8 22.0
Adair County Andrew County. Atchison County. Audrain County. Larry County.	23, 112 14, 410 12, 370 21, 909 23, 161	13 17 21 21	56 2 118.0 16.2 95.9 34.5	Miller County Mississippi County Moniteau County Monner County Montgomery County	17, 368 15, 714 13, 714 17, 702 15, 193	5 3 8 14 17	28. 8 19. 1 58. 3 79. 1 111. 9	Medison County. Missoula County 6 Fak County Powell County.	7,032 12,018 12,176 6,104	2 4 8 4	28 4 33 3 65, 7 65, 5

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Exclusive of municipalities having a population of 10,000 or over in 1910.
3 Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not available.

^{**} Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.

**Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

**Includes Dawson, Fallon, Richland, and Richland

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

or over in 1910. j											
	Estimated	CANCI OTHER	IS FROM ER AND MALIG- TUMORS,		Estimated	CANCE	S FROM ER AND MALIG- TUMORS.		Estimated popula-	DEATH: CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 population.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
Rural Part of Registration States 1 -Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
MONTANA—continued.	!			NEW YORK continued.				OHIO—continued.			
Ravalli County	4,486 18,488	9 1 13 5	67. 6 22. 3 70. 3 28. 4	Herkimer County Jefferson County Lewis County Livingston County Madison County	45, 540 53,058 23, 752 38, 455 38, 755	43 42 22 32 48	94. 4 79. 2 92. 6 83. 2 123. 9	Fulton County Gallia County Geauga County Greene County Guernsey County	24, 819 14, 640 28, 933	25 14 8 22 25	102.5 56.4 54.6 76.0 74.8
Total	254, 134	269 268 1	105. 7 105. 5 293. 3	Monroe County. Montgomery County. Nassau County Niagara County Oneida County.	65,987 26,638 96,063 31,421 58,506	50 27 75 30 74	75, 8 101, 4 81, 2 95, 5 126, 5	Hamilton County	30, 075 18, 476	54 16 27 18 15	89, 9 71, 4 89, 8 97, 4 62, 0
Belknap County Carroll County Cheshire County Coos County Grafton County	16,072 19,927	14 24 23 19 43	127. 6 149. 3 115. 4 103. 9 102. 4	Onondaga County Ontario County Orange County Orleans County Oswego County	64,396 40,125 76,501 32,784 36,684	62 56 55 31 39	96. 3 139. 6 71. 9 94. 6 106. 3	Highland County. Hocking County. Holmes County. Huron County. Jackson County.	23, 333 17, 227 35, 006	25 14 9 34 30	90. 1 60. 0 52. 2 97. 1 102. 3
Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	29, 260 31, 429 41, 105 25, 523 19, 901	26 30 51 19 20	88. 9 95. 5 124. 1 74. 4 100. 5	Otsego County Putnam County Rensselaer County Rockland County	46, 484 15, 039 33, 934 50, 526	49 11 25 51	105. 4 73. 1 73. 7 100. 9	Jefferson County	48, 582 31, 208 23, 457 25, 780	31 25 28 14 19	63. 8 80. 1 119. 4 54. 3 61. 4
NEW JERSEY.				St. Lawrence County	72,508	50	69.0	Logan County	29, 941	29	96. 9
Total. White Colored.	987, 201 948, 441 38, 760	797 779 18	80. 7 82. 1 46. 4	Saratoga County Schenectady County Schoharie County Schuyler County Seneca County *	49,546 14,856 22,579 13,234 26,487	39 10 34 21 33	78. 9 67. 3 150. 6 158. 7 124. 6	Lorain County Lucas County Madison County Mahoning County	25, 292 19, 610 35, 169	31 15 16 24	93. 1 59. 3 81. 6 68. 2
Atlantic County Bergen County Burlington County Camden County Cape May County	28,806 134,303 70,114 54,218 22,532	21 101 60 33 20	72. 9 75. 2 85. 6 60. 9 88. 8	Steuben County	54,383 104,045 34,448 24,634	69 92 26 28	126. 9 88. 4 75. 5 113. 7	Marion County Medina County Meigs County Mercer County Miami County	14, 195 24, 297 24, 306 27, 330 31, 967	11 24 19 14 26	77. 5 98. 8 78. 2 51. 2 81. 3
Cumberland County. Essex County. Gloucester County. Hudson County.	29, 261 47, 945 39, 696 48, 018	34 36 38 36	116. 2 75. 1 95. 7 75. 0	Tompkins County. Uster County Warren County. Washington County.	18,061 66,702 16,832 48,695	21 45 19 35	116.3 67.5 112.9 71.9	Monroe County	23, 057 54, 294 15, 327 16, 363 29, 371	16 45 11 20 30	69. 4 82. 9 71. 8 122. 2 102. 1
Hunterdon County Mercer County Middlesex County Monmouth County	33,170 31,734 66,106 72,654	37 17 38 86	111, 5 53, 6 57, 5 118, 4	Wayne County Westchester County Wyoming County Yates County.	50,825 97,047 32,503 17,930	59 106 37 22	116. 1 109. 2 113. 8 122. 7	Noble County Ottawa County. Paulding County Perry County. Pickaway County.	18, 235 22, 422 20, 686	11 16 15 19 13	60. 3 71. 4 72. 5 51. 5 50. 4
Morris County *	65,739 21,988 41,190 27,625	50 14 21 31	76. 1 63. 7 51. 0 112. 2	Total	296, 285 200, 032 96, 253	149 114 35	50. 3 57. 0 36. 4	Pike County	14, 679 30, 757 23, 885 28, 886	7 36 25 16	47. 7 117. 0 104. 7 55. 4
Somerset County Sussex County Union County Warren County	41, 321 27, 910 52, 438 30, 433	37 16 48 23	89, 5 57, 3 91, 5 75, 6	OHIO. Total		2,072 2,039 33	79. 2 79. 2 75. 6	Richland County Ross County Sandusky County Scioto County Seneca County	27, 006 24, 539 35, 537 24, 139 30, 678	32 19 29 15 22	77. 4 81. 6 62. 1 71. 7
NEW YORK. Total	2,379,091 2,351,974 27,117	2,286 2,263 23	96. 1 96. 2 84. 8	Adams County Allen County Ashland County Ashtabula County Athens County *	24,087 26,343 23,738 42,521 51,662	6 13 26 39 32	24. 9 49. 3 109. 5 91. 7 61. 9	Shelly County Stark County ' Summit County Trumbull County	24, 678 14, 964 43, 533 43, 322	25 38 36 30	101. 3 84. 5 82. 7 69. 2
Albany County Allegany County Broome County Cattaraugus County. Cayuga County	33,711 41,375 30,735 50,020 30,968	28 42 34 53 38	83, 1 101, 5 110, 6 106, 0 122, 7	Auglaize County Belmont County Brown County Butler County	31, 268 69, 770 23, 383 22, 342	26 48 19 18	83, 2 68, 8 81, 3 80, 6	Tuscarawas County Union County Van Wert County Vinton County Waren County	58, 432 21, 673 28, 576 12, 145 24, 034	56 12 20 2 18 17	95. 8 55. 4 70. 0 16. 5 74. 9
Chautauqua County Cheming County Chemango County Clinton County* Columbia County	57,805 17,100 35,155 36,283 31,627	58 23 24 17 23	100, 3 134, 5 68, 3 10, 9 72, 7	Carroll County	15,316 26,230 19,572 28,677 23,459 58,163	21 16 30 29 46	91. 4 80. 1 81. 7 104. 6 123. 6 79. 1	Washington County	29, 478 38, 138 25, 301	33 29 33 14	57. 7 86. 5 114. 6 74. 8 67. 9
Cortland County Delaware County* Dutchess County * Eric County * Essex County	17,396 45,220 60,615 96,473 31,629	18 60 63 71 39	103, 5 132, 7 103, 9 73, 6 112, 6	Coshocton County. Crawford County. Cuyahoga County. Darae County. Defiance County.	30, 454 34, 087 62, 283 43, 101 23, 694	23 31 49 45 14	75. 5 90. 9 78. 7 104. 4 59. 1	PPNNSYLVANIA Total	4, 288, 288 4, 232, 798 55, 490	2, 752 2, 703 49	64. 2 63. 9 8×. 3
Franklin County Fulton County Genesee County Greene County Hamilton County	46,938 13,055 26,302 29,676 1,130	49 14 32 27 2	104. 4 107. 2 121. 7 91. 0 48. 4	Delaware County Erie County Pairfield County Fayette County Franklin County	27, 514 18, 486 26, 465 21, 751 41, 337	$ \begin{array}{r} 20 \\ 23 \\ 9 \\ 17 \\ 36 \end{array} $	72. 7 124. 4 34. 0 78. 2 87. 1	Adams County Allegheny County Armstrong County. Beaver County. Bedford County.	3.1, 215 385, 396 74, 412 74, 595 38, 632	36 223 38 45 21	105. 1 57. 9 51. 1 60. 3 54. 4

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes Sheridan County; separate estimated populations not available.
 Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.
 Includes National Military Home.

or over in 1910.]											
	Estimated popula-	DEATH: CANCE OTHER NANT T	R AND MALIG-		Estimated popula-	CANCE OTHER	S FROM IR AND MALIG- UMORS.		Estimated popula-	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
PENNSYLVANIA—contd.				UTAH.	075 054	077	07.0	VIRGINIA—continued.			
Berks County* Blair County Bradford County	89, 920 62, 431 52, 449 78, 805	66 44 68 76	73, 4 70, 5 129, 6 96, 4	Total	275, 254 270, 036 5, 218	97 97	35. 2 35. 9	Appomattox County(total) White Colored	8, 583 5, 579 3, 004 33, 178	3 3 17	35. 0 53. 8 51. 2
Bucks County Butler County		33	61.3	Beaver County	5,187 15,549	3 5	57. 8 32. 2	Augusta County (total) White Colored.	28, 503 4, 675	16	56. 1 21. 4
Cambria County Cameron County Carbon County	56, 399	46 4 38	36, 0 50, 6 67, 4	Cache County Carbon County Davis County	25, 159 10, 165 11, 126	10 6 4	39. 7 59. 0 36. 0	Bath County (total)	6, 939	4 4	57. 6 70. 4
Center County	77, 484	31 65 24	71. 0 83. 9 63. 8	Emery County Garfield County Grand County	7,642 3,770 1,785	1		White Colored Bedford County (total) White Colored	1, 259 29, 208 20, 779 8, 429	11 7 4	37. 7 33. 7 47. 5
Clearfield County	85, 368 32, 545	50 40	58. 6 122. 9	Juan County	4,098 10,966			Bland County (total)	5,011	1	20.0
Columbia County Crawford County	52, 121 47, 210	30 48	57. 6 101. 7	Kane County	1,586 6,304	1 4	63. 1 63. 5	White Colored 2 Botetourt County (total)	4, 881 130	1	20. 5
Cumberland County Dauphin County * Delaware County	45,651 60,784 87,294	33 39 74	72.3 64.2 84.8	Morgan County Piute County Rich County	2,646 1,642 1,859			White	17, 968 14, 395 3, 573	6 5 1	33. 4 34. 7 28. 0
Elk County	37, 135 50, 381	21 67	56.6 133.0	Salt Lake County San Juan County Sanpete County	44,576 2,955 16,869	22	49. 4	Bristol (city) (total)	6,958 5,684 1,274	5 3 2	71. 9 52.8 157.0
Forest County	158,002 8,754	67	42. 4 80. 0	Sevier County	10,340 7,675	5	48, 4 13. 0	White	7, 958	11 4 7	55 9 50, 3 59, 7
Franklin CountyFulton CountyGreene County		31 7 15	62. 4 72. 8 61. 8	Tooele County. Uinta County. Utah County*	8 165	4 19	54. 8 47. 2	Colored	11,725 13,459 13,455	,	
Huntingdon County Indiana County Jefferson County	76, 290	30 31 51	75.3 40.6 78.7	Wasatch County Washington County	10,701 5,339	1 2	9. 3 37. 5	Buckingham County(total)	15, 180	5	32 9 26 5
Juniata County Lackawanna County	14,572	5 33	34.3 35.0	Wayne County	1,682 9,885	4	40, 5	White Colored	7,557 7,623	3	59.4
Lancaster County Lawrence County	109,605 35,997	90 21	82. 1 58. 3	VERMONT.				Buena Vista (city) (total) White	3,609 3,146		
Lebanon County Lehigh County Luzerne County	42,084	15 45 99	35.6 70.0 44.9	Total White Colored	313,835 312,302 1,533	324 324	103. 2 103. 7	Colored. Campbell County (total) White. Colored.	463 25, 135 15, 232 9, 903	5 5	19 9 32 8
Lycoming County McKean County	31,551	35 19	70. 2 60. 2	Addison County	19, 201 21, 239	19	99. 0 84. 7	Caroline County (total)	16, 551	6 2	36 3 25 8
Mercer County	29,755	47 15 20	80, 4 50, 4 84, 4	Caledonia County Chittenden County	26, 734 22, 412	25 22	93, 5 95, 2	White Colored Carroll County (total)	7,750 S, 801 21,887	6	45 4 27. 4
Montgomery County	135,954	95	69. 9	Essex County Franklin County	29, 727	5 32	70. 4 107. 6	White Colored 2	21, 602 285	6	27.8
Montour County* Northampton County Northumberland County	78,047	17 54 35	116.5 69.2 54.3	Grand Isle County Lamoille County	3,462 12,711	17	28. 9 133. 7	Charles City County (total) White	5,343 1,365	1	18. 7 73. 3
Perry County	23, 231	17	73. 2	Orange County	18, 444 23, 897	32 33	173, 5 138, 1	Colored Charlotte County (total)	3, 978 15, 973	5	31 3
Pike County Potter County Schuylkill County	7,722 29,350 156,044	5 20 89	64. 8 68. 1 57. 0	Rutland County Washington County*	32, 168	26 33	73, 5	White	7, 467 8, 506	2 3	26. 8 35. 3
Snyder County	16, 585 75, 495	16	96.5	Windham County Windsor County	27, 046 34, 300	25 36	92. 4 105. 0	Charlottesville (city)(total) White	6, 900 4, 321	5 5	72 5 115. 7
Sullivan County Susquehanna County	10, 935 36, 770	32 7 23	64. 0 62. 6	VIRGINIA. Total	1,726,338	747	43.3	Colored. Chesterfield County (total). White	2,579 22,361 14,390	12 12	53. 7 83. 4
Tioga County	40, 165	39 17	97. 1 108. 4	White	1, 172, 152	551 196	47. 0 35. 4	Colored	7, 971		
Union County Venango County Warren County* Washington County	40,572 25,793 144,924	34 19 75	83. 8 73. 7 51. 8	Accomac County (total) White	38,389 24,366	22 13	57. 3 53. 4	Clarke County (total) White Colored	1,807	6 3 3	82. 5 55. 5 160. 7
Wayne County	28, 839	23	79.8	Colored		9 19 13	64. 2 62. 4 63. 4	Clifton Forge (city) (total). White	6,670 5,401	1	15. 0 18. 5
Westmoreland County Wyoming County York County	228, 177 14, 810 95, 493	110 15 64	48. 2 101. 3 67. 0	Colored	9, 951 11, 852	6	60. 3 50. 6	Colored	1, 269 4, 889 4, 672	2 2	40, 9 42, 8
RHODE ISLAND,				White	8, 762 3, 090 14, 780	69	68. 5	Culpeper County (total)	13, 196	10	75. 8
Total	111,728 110,022 1,706	113 111 2	101, 1 100, 9 117, 2	White Colored	11, 681 3, 099	9 8 1	68, 5 32, 3	White Colored	7, 998 5, 198	7 3 2	87. 5 57. 7 21. 6
Bristol County	10.213	26 12	133. 3 117. 5	Amelia County (total) White Colored	3, 134	7 4 3	81, 5 127, 6 55, 0	Cumberland County (total) White	3, 119 6, 161	1 1	32. 1 16. 2
Providence County	13,052 43,684	30	61. 3 68. 7	Amherst County (total) White	19,388 11,670	4	20. 6 8. 6	Dickenson County (total) White	9, 819 9, 812	1 1	10. 2 10. 2
Washington County	25, 278	37	146.4	('olored	7,718	3	38. 9	Colored 2	1 / h = 4 = 4 = 1 des 1	010	

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

 $^{^{2}}$ Colored population less than 10 per cent of the total in 1910.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

or over in 1910.]											
	Estimated	DEATHS CANCE OTHER NANT T	R AND		Estimated popula-		R AND MALIG-		Estimated popula-	DEATH: CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES —Con.			
VIRGINIA—continued.				VIRGINIA—continued.				VIRGINIA—continued.			
Dinwiddie County (total)*. White Colored Elizabeth City County 2	15, 470 6, 004 9, 466	4 3 1	25. 9 50. 0 10. 6	King and Queen County (total)	9,708 4,214 5,494	5 3 2	51. 5 71. 2 30. 4	Patrick County (total) White	17, 957 16, 253 1, 704	1	5.6
(total)	21, 976 13, 624 8, 352	24 20 4	109. 2 146. 8 47. 9	King George County (total) White Colored	6,151 3,318	3	48.8 30.1	Pittsylvania County (total) White	52,721 31,571 21,150	13 6 7	24.7 19.0 33.1
Essex County (total) White	8,853 3,641	1	11.3	King William County (total)	2,833 8,619	2	70. 6 34. 8	Powhatan County (total) White Colored	5, 792 2, 312 3, 480	1 1	17.3
Colored. Fairfax County (total) White. Colored.	5, 212 21, 370 16, 264	1 9 7 2	19. 2 42. 1 43. 0 39. 2	White Colored Lancaster County (total)	3,498 5,121 10,094	3 2	58, 6	Prince Edward County (total)	13, 936 5, 603	4 1	28.7 17.8
Fauquier County (total)	22, 166	13	58. 6	White Colored Lee County (total)	4,729 5,365	2	42.3	Colored. Prince George County (total)	8,333 7,887	3	36, 0 38, 0
White	14,734 7,432 13,542 12,731	8 5 9	54. 3 67. 3 66. 5 70. 7	White	25,536 24,439 1,097	6	24.6	White Colored.	3, 274 4, 613	1 2	30. 5 43. 4
White	811	7	87.3	White	20,835 15,652 5,183	14 9 5	67. 2 57. 5 96. 5	Prince William County (total)	12, 413 9, 471	12 10	96. 7 105. 6
White Colored Franklin County (total)	4,738	6 1 12	126. 6 30. 5 44. 9	Colored. Louisa County (total) White Colored.	16,603 8,640 7,963	13 9 4	78.3 104.2 50.2	Colored	2, 942 11, 667	2 5	68.0
White Colored	21, 176 5, 528	10 2	47. 2 36. 2	Lunenburg County (total).	13, 237 6, 121	7 6	52, 9 98, 0	WhiteColored	5, 727 5, 940	5	84, 2
Frederick County (total) White	11,907	6 6	47. 6 50. 4	White Colored Madison County (total)	7,116 9,988	1 12	14.1 120.1	Pulaski County (total) White Colored	18, 370 15, 222 3, 148	3	16.3 19.7
Colored ³ . Fredericksburg (city) (total) White	6,215 4,646	4 4	64. 4 86. 1	WhiteColored	6,718 3,270 9,212	10 2 6	148. 9 61. 2 65. 1	Radford (city) (total) White Colored.	4,567 3,843 724	3 3	65. 7 78. 1
Colored	1,509	8	66, 8	White Colored. Mecklenburg County	6,595 2,617	6	91.0	Rappahannock County (total)	7,704	4	51.9
Giles County (total)	185	8 7 1 3	62. 5 127. 4 24. 3	(total). White Colored.	29,979 12,860 17,119	14 6 8	46.7 46.7 46.7	White	5, 629 2, 075 7, 554	2 2 2	35, 5 96, 4 26, 5
White		1 2	15.5 34.0	Middlesex County (total) White	9, 121 4, 303	5 2	54.8 46.5	White	4,398 3,156 21,235	10	22.7 31.7 47.1
Goochland County (total). White Colored Grayson County (total)	9,120 3,912 5,208	5 2 3	54. 8 51. 1 57. 6	Colored. Montgomery County (total)	4,818 17,870	3	62, 3	White	17, 386 3, 849 20, 906	7 3 13	40.3 77.9 62.2
Grayson County (total) White Colored	21, 136 20, 127 1, 009	8 8	37. 9 39. 7	White Colored.	15, 445 2, 425	777	45.3	White Colored	17, 391 3, 515	13	74.8
Greene County (total)	7,245	1	13.8 17.1	Nansemond County (total) White Colored	28,507 11,892 16,615	11 7 4	38. 6 58. 9 24. 1	Rockingham County (total)	35, 488 33, 093	34 31	95. 8 93. 7
White Colored. Greensville County (total). White	12,799	1	7.8	Colored Nelson County (total) White Colored	17, 137 11, 729 5, 408	7 5 2	40. 8 42. 6 37. 0	Colored *	2,395 25,793 24,656 1,137	3 6 6	
Colored Halifax County (total) White	41,257 20,461	23 10	55. 7 48. 9	New Kent County (total) White Colored	4,606 1,726 2,880	3 1 2	65. 1 57. 9 69. 4	Scott County (total)	24, 200 23, 773	8 8	32. 9 33. 7
Colored. Hanover County (total) White Colored.	20,796 17,024 9,996	13 6 1	62. 5 35. 2 10. 0	Norfolk County (total) White Colored.	45,706 17,885 27,821	10 6 4	21. 9 33. 5 14. 4	Colored 3	017	10 10	
Henrico County (total)	7,028 27,331 19,290	5 11 9	71. 1 40. 2 46. 7	Northampton County (total)	17, 908 7, 815	8 7	11.7 89.6	Smyth County (total) * White	21,690 20,634 1,056	9	41.5 38.8 94.7
Colored. Henry County (total) White. Colored.	8,041 18,119 10,731 7,388	9 2 9 7 2	24. 9 49. 7 65. 2 27. 1	Northumberland County (total)	10,093 11,173 6,711	1 9 9	9, 9 80, 6 134, 1	Southampton County total White	27,773 10,635	5	18.0 9.4 23.3
Highland County (total) White Colored	5,179 4,924	2 2	38. 6 40. 6	White	4, 462 13, 929 6, 262	 8 5	57. 4 79. 8	Spotsylvania County	17,138		
Isle of Wight County (total) White Colored.	255 15,709 7,735 7,974	2 2	12.7 25.9	Colored Orange County (total) White	7,667 13,873 8,138	3 7 2 5	39.1 50.5 21.1	White	6, 498 3, 732 8, 059 6, 326	. 5 4	63.2
Colored. James City County (total)* White. Colored.	6,596	-4	60.6 117.4	Page County (total) White. Colored	5, 735 14, 296 13, 108	5 7 7	87. 2 49. 0 53. 4	Surry County (total)	1,733 10,245 3,858	3 3	
Colored	3, 188			Colored	1,188			Colored	6,387	010	

 $^{^1}$ Exclusive of municipalities having a population of 10,000 or over in 1910. 2 Includes National Military Home.

35030°--16----3

Colored population less than 10 per centof the total in 1910.
 Includes Norfolk City Almshouse.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM (NCFR AND OTHER MALIG- NANT TUMORS.			Estimated	DEATHS FROM CANCER AND OTHER MALIG- NANT TUMORS.			Estimated popula-	DEATHS FROM CANCER AND OTHER MALIG- NANT TUMORS.	
		Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
VIRGINIA—continued.				WASHINGTON—continued.				wisconsin—continued.			
Sussex County (total) White Colored	14,337 4,853 9,484	2 2	13.9 41.2	Jefferson County King County Kitsap County	9, 455 46, 009 22, 283 22, 336	2 27 17 10	21. 2 58. 7 76. 3 44. 8	Green County	21, 183 15, 362 22, 237	28 24 16	132. 2 156. 2 72. 0
Tazewell County (total) White	22, 691 2, 920	6 5 1	23. 4 22. 0 34. 2	Kittitas County Klickitat County Lewis County	13, 078 39, 358	7 17	53. 5	Iron County	9, 027 16, 912 34, 101	13 46	44. 3 76. 9 134. 9
Warren County (total) White Colored	8, 484 7, 356 1, 128	4	47.1 54.4	Lincoln County	19, 914 5, 729 16, 381	8 2 2 10	40. 2 34. 9 12. 2	Juneau County Kenosha County Kewaunee County	19, 120 8, 649 16, 604	24 7 21	125. 5 80. 9 126. 5
Warwick County (total) White Colored	6,531 1,805 4,726	2 1 1	30. 6 55. 4 21. 2	Pacific County	15, 323 45, 221 3, 890	30	65. 3 66. 3 51. 4	La Crosse County Lafayette County Langlade County	13, 055 19, 701 18, 982	14 10 13	107. 2 50. 8 68. 5
Washington County (total) White Colored 2	34, 463 32, 006 2, 457	14 12 2	40. 6 37. 5 81. 4	Skagit County Skamania County Snohomish County	35, 620 3, 397 42, 186	32 1 20	89. 8 29. 4 47. 4	Lincoln County Manitowoc County Marathon County	20, 256 32, 582 41, 728	15 17 30	74.1 52.2 71.9
Westmoreland County (total) White	9,342 4,619 4,723	3 2 1	32. 1 43. 3 21. 2	Spokane County* Stevens County3 Thurston County	38,633 31,585 20,843	29 10 12	75. 1 31. 7 57. 6	Marinette County	21, 148 10, 838 57, 563	8 6 59	37. 8 55. 4 102. 5
Colored	6, 163 5, 072 1, 091	5 5	81. 1 98. 6	Wahkiakum County Walla Walla County Whatcom County	3, 484 14, 303 30, 395	6 19	41. 9 62. 5	Monroe County Oconto County Oneida County	29, 211 27, 694 12, 523 32, 826	21 22 5	71. 9 79. 4 39. 9
Wise County (total) White	40,344 36,936 3,408	13 11 2	32. 2 29. 8 58. 7	Whitman County Yakima County WISCONSIN.	36,656 34,844	14 12	38. 2 34. 4	Outagamie County Ozaukee County Pepin County	7, 438 21, 286	20 14 6	60. 9 80. 2 80. 7
Wythe County (total) White	20, 347	10 7 3	49. 1 38. 6 136. 1	Total	1,612,742 1,601,451 11,291	1,273 1,266 7	78. 9 79. 1 62. 0,	Pepin County Pierce County Polk County Portage County Price County	21, 286 22, 886 31, 568 15, 792	13 16 21 11	61. 1 69. 9 66. 5 69. 7
York County (total) White Colored	7, 873 4, 020 3, 853	3 2 1	38. 1 49. 8 26. 0	Adams County Ashland County Barron County	8,378 11,764 31,430	10 2 22	119. 4 17. 0 70. 0	Racine County Richland County Rock County	17, 916 18, 523 26, 068	19 15 18	106. 1 81. 0 69. 1
WASHINGTON. Total	733, 544 711, 435	372 368	50. 7 51. 7	Bayfield County Brown County Buffalo County	16, 666 29, 369 15, 684	6 11 12	36. 0 37. 5 76. 5	Rusk County	12, 284 25, 519	6 16	48. 8 62. 7
White Colored Adams County	13, 511	3	18. 1 22. 2 72. 7	Rurnett County Calumet County Chippewa Countý	9,685 16,542 35,336	5 11 25 24	51. 6 66. 5 70. 7	Sauk County Sawyer County Shawano County Sheboygan County	32, 811 7, 349 33, 761 28, 961	28 4 20 21	85. 3 54. 4 59. 2 72. 5
Asotin County Benton County Chehalis County Chelan County	6, 881 10, 198 26, 092 19, 866	5 4 13 7	39. 2 49. 8 35. 2	Columbia County Crawford County	31, 875 31, 132 15, 864 51, 276	33 13 42	75. 3 106. 0 81. 9	Taylor County Trempealeau County Vernon County	14,655 22,850 28,017	11 15 10	75. 1 65. 6 35. 7
Clallam County	31, 526 7, 007	3 17 6	41. 4 53. 9 85. 6	Dane County * Dodge County Door County	51, 376 47, 778 19, 192	45 9	81. 8 94. 2 46. 9	Walworth County	29,766	35	15. 4 117. 6
Cowlitz County Pouglas County Ferry County	14, 557 12, 079 4, 902	6 2 3	41. 2 16. 6	Douglas County Dunn County Eau Claire County Florence County	7, 802 25, 354 14, 513 3, 458	5 18 10 2	64. 1 71. 0 68. 9 57. 8	Washburn County Washington County Waukesha County	9, 334 23, 866 37, 895	8 17 34	85. 7 71. 2 89. 7
Franklin County Garfield County Grant County Island County	7,140 4,318 11,386	1 3 5 5	14. 0 69. 5 43. 9 84. 6	Forest County Forest County Grant County	32, 957 9, 077 39, 060	44 4 32	133. 5 44. 1 81. 9	Waupaca County	33, 279 20, 127 28, 677 32, 592	36 10 30 30	108. 2 49. 7 104. 6 92. 0

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Colored population less than 10 per cent of the total in 1910.
 Includes Pend Oreille County; separate estimated populations not available.
 Includes National Military Home.

	p. 88. M	mor area	s contain	ung sta	Le misane	asylum	s are de	esignate		terisks (*	·)-]					
		Death rate per 100,000	DEA	TH RAT	E PER 1	0),03) P	PULATI	ON FRO	M CAN	ER AND	OTHER	MALIGN	ANT TU	MORS (F THE-	
AREA AND COLOR.	Estimated population July 1, 1914	population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus,	Breast	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
SUMMARY. The registration area (total) White. Colored.	65, 989, 295 62, 631, 566 3, 357, 729	79. 4 80. 7 50. 7	0.9 1.0 0.4	1.3 1.3 0.9	0.9 0.9 0.5	19.3 19.7 11.9	9.8 10.0 5.4	6. 1 6. 3 2. 7	3. 3 3. 4 1. 8	11.2 11.0 17.4	8. 2 8. 3 6. 0	3.0 3.1 1.0	1.0 1.1 0.8	1. 2 1. 2 0. 6	1.5 1.6 0.6	11.5 11.7 6.9
Registration states (total). White Colored	61, 114, 200 58, 408, 039	79. 0 80. 0 56. 2	0.9 0.9 0.4	1.3 1.3 0.8	0.9 0.9 0.6	19.3 19.6 12.2	9. 8 10. 0 5. 6	6. 2 6. 3 2. 8	3.3 3.3 1.7	11. 0 10. 7 16. 5	8.3 8.4 6.0	3.0 3.1 0.8	1.0 1.0 0.7	1. 2 1. 2 0. 6	1. 5 1. 5 0. 7	11. 3 11. 5 6. 9
Cities in registration states ¹ (total). White Colored.	30, 287, 640 29, 029, 647 1, 257, 993	88. 5 89. 2 71. 7	1. 2 1. 2 0. 7	1.3 1.3 0.9	1.3 1.3 1.1	20. 4 20. 6 15. 7	10.3 10.5 6.6	7. 6 7. 8 3. 5	3.9 3.9 2.3	13.3 12.9 21.5	9.3 9.4 7.2	2. 2 2. 3 1. 0	1.3 1.3 1.1	1.4 1.4 0.9	2.0 2.0 0.8	13. 0 13. 2 8. 4
Rural part of registration states (total) White Colored	30, 826, 560 29, 378, 392 1, 448, 168	69. 6 71. 0 42. 7	0. 6 0. 6 0. 1	1.3 1.3 0.8	0.5 0.5 0.1	18. 2 18. 6 9. 2	9.3 9.5 4.7	4.8 4.9 2.1	2.7 2.8 1.1	8.7 8.5 12.2	7.3 7.4 4.9	3.8 4.0 0.8	0.7 0.7 0.3	1.0 1.0 0.3	1.0 1.1 0.6	9.7 9.9 5.6
Registration states,¹ exclusive of North Carolina (total). White. Colored.	60, 641, 905 58, 098, 403 2, 543, 502	79. 1 80. 1 56. 5	0. 9 0. 9 0. 4	1.3 1.3 0.9	0.9 0.9 0.6	19. 3 19. 7 12. 4	9.8 10.0 5.7	6. 2 6. 4 2. 9	3.3 3.4 1.7	10. 9 10. 7 16. 1	8. 3 8. 4 6. 1	3.0 3.1 0.9	1.0 1.0 0.7	1.2 1.2 0.6	1.5 1.5 0.7	11. 4 11. 6 6. 8
Registration cities in other states (total). White Colored	4, 875, 095 4, 223, 527 651, 568	85. 4 89. 4 59. 1	1.4 1.5 0.3	1.3 1.4 0.9	1. 4 1. 6 0. 2	20. 2 21. 7 10. 9	9.3 10.1 4.5	5. 6 6. 1 2. 5	3. 5 3. 6 2. 5	15. 6 14. 8 20. 9	7. 1 7. 3 5. 8	2. 2 2. 3 1. 4	1.4 1.4 1.2	1.4 1.5 0.8	1.9 2.2 0.3	12.9 13.9 7.1
All registration cities 1 (total)	35, 162, 735 33, 253, 174 1, 909, 561	88. 0 89. 2 67. 4	1. 2 1. 3 0. 6	1.3 1.3 0.9	1.3 1.4 0.8	20. 4 20. 7 14. 0	10. 2 10. 5 5. 9	7.3 7.6 3.1	3.8 3.9 2.4	13. 6 13. 2 21. 3	9. 0 9. 2 6. 8	2. 2 2. 3 1. 1	1.3 1.4 1.2	1.4 1.4 0.8	2. 0 2. 0 0. 6	13. 0 13. 3 8. 0
REGISTRATION STATES. California (total) White Colored	2,757,895 2,621,161 136,734	97. 9 101. 1 38. 0	1.5 1.6	2. 0 2. 1 0. 7	1.3 1.3 1.5	25. 3 26. 0 11. 7	11. 1 11. 3 8. 0	7.1 7.4 1.5	4.6	12. 1 12. 5 4. 4	10.8 11.3 2.9	3. 6 3. 8	1.5 1.5 0.7	1. 6 1. 7	1.6 1.7	13.7 14.1 6.6
Colorado. Connecticut Indiana Kansas	909, 537 1, 202, 688 2, 779, 467 1, 784, 897	58.3 86.5 79.1 61.3	0.5 1.4 0.6 0.4	1.3 1.5 1.4 1.1	0.4 0.7 0.4 0.3	18. 0 17. 8 18. 5 15. 4	8. 2 9. 1 12. 2 9. 1	3. 2 9. 3 5. 0 4. 6	2. 7 3. 2 2. 6 1. 4	8. 1 12. 1 11. 9 7. 2	5. 8 10. 1 8. 2 6. 2	1.5 2.7 5.0 2.6	0.5 1.3 1.4 0.8	0.7 1.9 0.7 1.1	0.3 2.7 1.5 0.8	6.7 12.7 9.8 10.5
Kentucky (total). White. Colored.	2,350,731 2,081,819 268,912	46. 0 46. 1 45. 4	0. 5 0. 5 0. 4	0.5 0.5 0.4	(2) (2)	8. 9 9. 0 7. 8	6. 6 6. 7 6. 3	2.7 2.8 2.2	1.4 1.5 0.7	8. 3 7. 5 14. 9	4.9 5.1 3.7	2.5 2.6 1.5	0.5 0.5	0.3 0.3 0.4	0.6 0.6	8. 2 8. 3 7. 1
Maine Maryland (total). White Colored	762,787 1,341,075 1,100,153 240,922	107. 6 81° 4 86. 1 60. 2	0.9 1.1 1.2 0.8	1.4 1.0 1.1 0.8	0, 7 0, 7 0, 6 1, 2	23. 6 16. 8 18. 2 10. 4	14. 9 11. 4 12. 3 7. 5	11.3 5.7 6.3 3.3	4.9 3.2 3.8 0.4	18. 1 12. 8 11. 3 19. 5	12. 2 9. 8 10. 3 7. 9	3.7 2.6 3.0 0.8	1.0 1.3 1.3 1.2	0.8 0.9 1.1	1.7 1.9 2.3 0.4	12. 5 12. 1 13. 5 5. 8
Massachusetts Michigan Minnesota	3,605,522 2,976,030 2,213,919	101. 2 80. 5 76. 8	1. 4 0. 7 0. 6	1.3 1.7 1.4	1.4 0.6 0.9	20. 0 21. 4 27. 6	10.4 10.6 . 7.8	12. 8 5. 5 5. 7	4.8 2.7 3.3	14. 4 11. 5 7. 9	12. 1 7. 2 5. 4	2. 6 3. 8 2. 6	1.0 1.1 0.8	1.9 1.3 1.1	1.9 1.2 1.3	15. 3 11. 0 10. 4
Missouri (total). White Colored. Montana.	3,372,886 3,210,657 162,229 432,614	69. 0 69. 5 57. 3 51. 5	0.9 1.0	1. 1 1. 1 1. 2 1. 6	0.8 0.8 0.6 0.7	16. 6 16. 9 11. 7 15. 0	8. 6 8. 8 4. 3 5. 8	3. 8 3. 8 3. 7 3. 7	2. 5 2. 5 1. 2 2. 1	10. 3 10. 0 17. 3 6. 0	6. 6 6. 6 6. 2 4. 2	4.6 4.8 1.2 1.6	0.7 0.8	0.9 1.0 0.6 0.9	1.3 1.3 1.2 0.2	10. 1 10. 2 8. 0 7. 6
New Hampshire. New Jersey (total). White. Colored.	438, 662 2, 815, 663 2, 714, 371 101, 292	100. 8 79. 0 79. 7 59. 2	0.9 1.1 1.1	1.6 0.8 0.8	0. 2 0. 7 0. 7	15.3 19.5 19.8 11.8	14. 6 9. 8 10. 1 3. 9	14. 4 7. 1 7. 2 4. 9	4.8 3.8 3.8 4.9	18.0 10.3 9.9 18.8	12.3 8.2 8.4 4.9	3.9 2.3 2.4	1.1 0.8 0.8	1.4 1.2 1.3	2.1 1.5 1.5 2.0	10.3 11.7 11.9 7.9
New York (total) White Colored	9, 899, 761 9, 740, 332 159, 429	90. 0 90. 3 72. 8	1.3 1.3 0.6	1.1 1.1 1.3	1.6 1.6 1.3	20.7 20.8 15.7	10. 3 10. 4 6. 3	7.7 7.8 6.3	4.3 4.3 2.5	11.3 11.2 18.2	10. 5 10. 5 10. 0	2. 5 2. 5	1. 1 1. 1 0. 6	1.3 1.3 1.3	2.3 2.3 1.3	14. 1 14. 2 7. 5
North Carolina 3 (total). White. Colored.	472, 295 300, 636 162, 659	57.8 61.4 51.0	0.2	0.4	0.4	10. 2 11. 0 8. 6	7.4 9.0 4.3	3. 0 4. 5	1.9 2.3 1.2	17. 2 13. 9 23. 4	4.9 5.2 4.3	2.5 3.6 0.6		0. 2 0. 3	0.8 1.0 0.6	8.7 9.0 8.0
Ohio (total). White Colored.	5,026,898 4,908,559 118,339	83. 1 83. 1 81. 1	0.8	1.5 1.5 0.8	0.9 0.9 0. 8	19. 9 19. 8 2 0. 3	11.7 11.8 7.6	5. 3 5. 4 1. 7	3. 6 3. 6 2. 5	11.6 11.3 24.5	8.6 8.6 8.5	4.0 4.1	1. 1 1. 1 0. 8	1.3 1.3 0.8	1.4	11.5 11.5 12.7
Pennsylvania (total)	8, 245, 967 8, 033, 610 212, 357	72. 7 72. 3 89. 5	0.7 0.7 0.9	1.5 1.5 1.9	0.7 0.7 1.4	17. 8 17. 7 22. 6	9. 8 9. 9 8. 0	5. 0 5. 0 5. 2	2.8 2.8 4.2	10.7 10.4 21.7	7. 9 7. 8 10. 4	2.7 2.7 0.9	1.0 1.0 0.5	1.0 1.0 1.4	1.3 1.3 2.4	9. 7 9. 8 8. 0
Rhode Island. Utah. Vermont	591, 215 414, 518 361, 205	91. 2 45. 8 109. 9	0.8 0.2 0.8	1. 9 0. 5 0. 6	$\begin{bmatrix} 0.7 \\ 0.5 \\ 0.3 \end{bmatrix}$	17. 9 19. 5 24. 4	8.6 4.3 11.6	9. 5 1. 7 8. 0	4.4 1.4 7.2	14.7 6.0 17.4	12. 2 3. 1 8. 3	2. 5 1. 2 4. 1	1.5 0.7 2.5	1.4 0.7 2.8	2. 0 0. 2 1. 4	13. 0 5. 5 20. 2
Virginia (total)	1, 449, 401 700, 608 1, 107, 865 2, 446, 716	18 9 52. 9 40. 5 61. 9 81. 1	0. 4 0. 6 0. 6 0. 7	0 S 1.0 0 6 0.6 1.4	0.2 0.3 0.4 1.3	10. 0 10. 8 8. 3 20. \$ 27. 7	5 0 6.3 2.4 6.3 10.7	2.3 2.5 1.9 1.3 6.0	1.3 1.7 0.4 2.3 3.1	11.1 9.0 15.4 7.1 7.6	4. 9 5. 2 4. 1 5. 2 6 6	3.9 1.1 1.9 2.9	0.7 0.8 0.7 0.9 0.7	0.7 0.9 0.3 1.3 1.4	0.9 1.0 0.7 1.3 1.1	7.5 9.0 4.6 8.9 9.7

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000 population.

³ Includes only municipalities having a population of 1,000 or over in 1910.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2,

		Death rate per	DEA	TH RAT	E PER 1	.00,000 Ре	OPULATI	ON FRO	M CANO	CER AND	OTHER	MALIGN	ANT TU	MORS C	F THE-	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 popu- lation from	Tongue.	Jaw.	Esophagus.	Stom-ach,	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Othe organ or of organ not specified.
REGISTRATION CITIES,																
ALABAMA.1																
Registration cities	263, 504	60.3	0.8		0.4	9.1	4.2	4.6	1.5	18.6	3.4	3.8	1.9	0.8	0.8	10.
Birmingham Mobile Montgomery ²	166, 154 55, 573 41, 777	46.3 93.6 71.8	0.6			7. 2 16. 2 7. 2	3.6 3.6 7.2	3.0 10 % 2.4	1.8 1.8	16. 2 25. 2 19. 1	1.8 3.6 9.6	1. 2 3. 6 14. 4	0.6 1.8 7.2	0. 6 1. 8	0.6 1.8	8. 21. 4.
CALIFORNIA. Registration cities	1, 546, 725	113.4	2.0	1.7	17	27.3	13.6	8.2	5.5	14.7	12.9	3.3	1.9	1.9	2.0	16.
Los Angeles Oakland Pasadena Sacramento.	438, 914 183, 002 40, 880 62, 717	100 9 92 9 129. 6 103. 6	1.4 0.5	2 5 1.6 2 4 1.6	1.1 0.5 2.4 1.6	21. 4 23. 0 41. 6 31. 9	12.5 11.5 4.9 11.2	8. 2 7. 1 9. 8 3. 2	4.1 4.9 7.3 4.8	14.1 11.5 12.2 19.1	12. 1 13. 1 17. 1 8. 0	1.8 6.0 7.3 1.6	1.8 0.5	1.4 1.1 7.3 1.6	0.9 0.5 2.4 1.6	17. 10. 14. 15.
San Diego San Francisco. Other cities.	48, 900 448, 502 323, 810	173 8 128 4 111.8	6 1 3.6 1.2	1 3 1.5	2 0 2 9 1. 2	40.9 30.5 28.4	18. 4 13. 2 17. 6	10 2 8.2 9.3	10. 2 6. 9 4. 9	10. 2 16. 1 15. 4	30. 7 13. 6 10. 8	6.1 2.9 3.7	2.0 3.3 1.2	4.1 1.6 2.5	2. 0 2. 7 3. 4	30. 21. 10.
COLORADO, Registration cities	341, 257	85. 9	1.2	2.9	1.2	24.0	8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.
Denver Other cities CONNECTICUT,	245, 523 95, 734	90. 4 74. 2	1.6	3.7 1.0	0.8 2.1	27.3 15.7	7.7 11.5	4.9	3. 7 5. 2	13 8 13.6	11. 4 6. 3	2. 4 2. 1	0.8	0.4	1.2	10. 11.
Registration cities	825, 290	86.9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13. 2	8.8	2.5	1.6	1.9	2.9	12.
Bridgeport Hartford New Haven Waterbury Other cities.	115, 289 107, 038 144, 505 82, 517 375, 941	84 1 123. 3 113 5 69. 1 71. 0	1.7 2.8 2.1	1 7 2 8 0.7 1.2 0.5	2 6 0 9 0.7	15 6 28 0 24.2 13.3 15.7	8.7 7.5 12.5 9.7 7.7	13. 9 13. 1 6. 2 12. 1 6. 9	1.7 4.7 3.5 2.4 3.7	6 9 20.6 18.0 15.8 10.6	6 9 7.5 13.1 2.4 9.6	2.6 3.7 4.2	1.7 1.9 2.1 1.2 1.3	0.9 2.8 5.5 2.4 0.5	3.5 1.9 4.8 1.2 2.7	15. 25. 15. 7. 8.
DELAWARE,1									-							
Wilmington DISTRICT OF COLUMBIA.	92,057	88.0	1.1	2.2	1.1	20.6	9.8	9.8	5.4	17.4	7.6	3.3	* * * * * * * *		3.3	6.
Washington (total). White Colored.	353, 378 252, 039 101, 339	100. 5 107. 5 82. 9	1.7 2.4	2.0 1 2 3.9	0.8	17.8 17.1 19.7	13. 0 13. 1 12. 8	8.5 10.7 3.0	3.7 3.2 4.9	14.7 12.7 19.7	10. 2 11. 5 6. 9	2. 5 3. 6	2.3 2.8 1.0	3. 4 3. 6 3. 0	3.7 5.2	16. 19. 7.
FLORIDA.4 Registration cities	116, 535	61.8	1.7	0.9		9.4	3.4	1.7	1.7	17.2	10.3	1.7	1.7		2.6	9.
Registration cities	296, 660	62.7	1.0	1.0	0.3	8.4	6.4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.
Atlanta Other cities 4 ILLINOIS.1	179, 292 117, 368	59. 1 68. 2	1.1 0.9	2.6	0.9	8.9 7.7	5 6 7.7	5. 0 2. 6	1.1 3.4	17.3 15.3	6. 1 3. 4	2.8 2.6	0.6 1.7	1.1 0.9	0.6 1.7	8. 17.
Registration cities (total) White Colored	2, 627, 143 2, 567, 385 59, 758	89.0 88.7 100 4	1.6 1.6 1.7	1.3	2.2	25. 0 24. 9 30. 1	10.1 10.2 6.7	5.7 5.8 5.0	3.6 3.6 5.0	12. 7 12. 4 26. 8	7.3 7.3 8.4	1.7	1 1 1 1 1 1	1.5	2. 4 2. 4 1. 7	12. 12. 15.
Chicago Springfield Other cities	2,397,600 57,972 171,571	87. 9 106. 9 98. 5	0.6	1.2 3.4 2.3	2.4	25 0 29.3 22.7	9.9 12.1 11.7	5. 4 8. 6 9. 3	3. 6 5. 2 3. 5	12. 2 19. 0 18. 1	7. 2 6. 9 9. 3	1.5 5.2 2.9	1.7	1.5 1.7 0.6	2.4 1.7 2.3	12. 13. 12.
Registration cities	901, 437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	3.0	15. 6	9.3	2.9	2.4	1.0	1.7	10.
Fort Wayne	72, 423 259, 820 63, 529 505, 665	95. 3 102. 0 81. 9 75. 0	1.2	1. 9 0. 8	0 S 1.6 0.8	22. 1 18. 1 26. 8 16. 2	11.0 11.5 4.7 11.9	8.3 9.6 4.7 4.9	8.3 1.2 1.6 3.4	11. 0 20. 4 17. 3 13. 6	4.1 12.3 14.2 7.9	2.8 3.8 2.8	1. 4 3. 5 1. 6 2. 2	4. 1 0. 4 1. 6 0. 8	2 7	20. 15. 7. 6.
KANSAS. Registration cities	345, 260	81.7	0.6	0.9	0.3	17.7	12.2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11.
Kansas City	94, 271 47, 102 64, 972 138, 915	64. 7 110. 4 77. 0 85. 7	1.1 2.1	2. 2	0.7	19. 1 23. 4 13. 9 16. 6	S. 5 8. 5 10. 8 16. 6	4. 2 10. 6 6. 2 9. 4	4. 2 2. 1 1. 5 2. 2	7.4 23.4 13.9 11.5	3. 2 8. 5 6. 2 10. 1	1.1 4.2 4.6 2.9	4. 2 2. 1 1. 5 2. 2	2.1 2.1 4.6 0.7	3.1	9, 23, 10, 10,
KENTUCKY. Registration cities	·	77.1	1.4	0.7	0. 2	13. 4	14.3	4.9	2.1	15.7	8.0	2.8	0.9	0.5	1.4	10.

Nome (1) trition (1.4), etter shown below only the e with effective local ordinances. The other registration and tless transcribed shown expect were reported. Nome (1) shows take the real tration cities are Jacksonville, key West, and Pensacola.

¹ Includes Augusta and Savannah 5 Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

		Death rate per	DEAT	TH RATI	E PER 1	00,000 Pc	PULAT	ON FRO	M CAN	ER AND	OTHER	MALIGN	ANT TU	MORS C	F THE-	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 popul- lation from	Tongue	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan-	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.	1															
LOUISLANA. ¹ New Orleans (total). White Colored.	361, 221 265, 692 95, 529	99.1 96.7 105.7	2.5 3.0 1.0	1.9 2.3 1.0	1.1 1.1 1.0	18.0 17.7 18.8	11. 4 10. 5 13. 6	5.8 6.8 3.1	3.3 3.4 ·3.1	21.0 15.8 35.6	8.0 7.9 8.4	3.3 4.1 1.0	2.5 2.3 3.1	2.5 2.3 3.1	1.7 1.9 1.0	16.1 17.7 11.5
MAINE. Registration cities	175, 127	121.1	0.6	1.7	1.1	26.3	15.4	11.4	6.3	26.8	14.3	2.3	1.1	0.6	1.7	11.4
Portland	62, 161 112, 966	104. 6 130. 1	1.6	2.7	1.6	14. 5 32. 8	12.9 16.8	8.0 13.3	8.0 5.3	22.5 24.2	22. 5 9. 7	1.6	1.6	0.9	1.6 1.8	8. 0 13. 3
MARYLAND. Registration cities total, White Colored	547,742	102.0 103.6 92.7	1.7 1.8 1.1	0.6 0.5 1.1	1.4 1.1 3.2	20.8 21.4 17.2	14.8 15.9 8.6	6.9 6.9 6.5	4.2 4.7 1.1	16. 4 14. 2 29. 1	11. 2 11. 1 11. 9	1.7 1.6 2.2	2.3 2.2 3.2	1.4 1.6	3.3 3.7 1.1	15. 1 16. 6 6. 5
Baltimore (total	579,590 491,276 88,314	101.6 103.8 89.5 105.4	1.6	0.3 0.4 3.3	1.6	20. 9 21. 4 18. 1 19. 8	14.1 15.1 9.1 21.4	7.4 7.5 6.8 1.6	4.5 5.3 1.6	15. 9 13. 4 29. 4 21. 4	11. 2 11. 2 11. 3 11. 5	1. 7 1. 6 2. 3 1. 6	2.6 2.4 3.4	1.6	3.5 3.9 1.1 1.6	14.8 16.7 4.5 18.1
MASSACHUSETTS. Registration cities	2, 814, 238	98.8	1.3	1.5	1.4	19.0	10.1	12.9	4.6	14.2	11.7	2.1	1.2	2.0	1.8	15.0
Boston. Brockton. Cambridge		118.7 85.9 100.6 55.8	1.4	1.6	2.0 1.6 1.8	20.3 20.3 22.7 8.0	12.3 7.8 6.3 4.8	16. 4 9. 4 9. 2 8. 0	5.7 9.4 4.5 3.2	17.3 4.7 9.1 8.0	14.7 12.5 17.2 5.6	1.9 3.6 0.8	1.6 1.6 0.9 1.6	2.6 3.1 1.8	2. 0 3. 1 0. 9 3. 2	18.8 12.5 19.0 12.8
Fall River. Lawrence. Lowell Lynn New Bedford	95,834 111,004	62. 6 88. 3 92. 7 83. 6	2.1 0.9	2.1 2.0 1.8	2.1 1.8 2.0	17. 7 20. 7 20. 4 17. 1	8.3 16.2 7.1 9.0	7.3 5.4 9.2 13.5	4. 2 4. 5 1. 0 1. 8	9.4 9.9 18.3 12.6	4. 2 11. 7 9. 2 9. 9	3.6 2.0 2.7	1.0	0.9 1.0 0.9	0. 9 2. 0 0. 9	5. 2 11. 7 17. 3 11. 7
Somerville Springfield Worcester Other cities	83,881 100,490 157,732	84.6 91.6 111.6 97.1	2.0 1.9 1.5	1. 2 1. 0 1. 9 1. 5	1.0 0.6 1.3	21.5 18.9 26.0 17.8	3. 6 12. 9 8. 9 10. 0	13. 1 16. 9 13. 9 12. 8	4.8 2.0 5.1 4.5	9.5 7.0 14.6 15.8	10. 7 6. 0 12. 7 11. 2	1.0 2.5 2.6	2.0 1.9 1.3	1.2 4 4 2.3	2. 4 2. 0 2. 5 1. 6	16.7 18.9 14.6 13.2
MICHIGAN. Registration cities	1, 169, 668	85. 2	0.9	1.4	1.0	21.6	11.5	7.1	2.7	13.7	7.2	2.6	1.5	1.6	1.0	11.3
Detroit. Grand Rapids Saginaw. Other cities.	537, 650 123, 227 53, 988	78.9 97.4 92.6 88.6	1.5 0.8	0.9 0.8 5.6 1.5	1.1 0.8 1.9 0.9	21.6 28.4 20.4 20.0	10.6 .14.6 16.7 11.2	6.1 8.1 9.3 7.7	3.0 4.1 2.4	13. 9 12. 2 14. 8 13. 6	5. 6 11. 4 3. 7 8. 4	1.1 4.1 3.7 3.7	0.7 0.8 1.9 2.6	1.5 0.8 3.7 1.8	0.9 1.9 1.3	10. 2 10. 5 9. 3 13. 0
MINNESOTA. Registration cities		82.6	1.2	2.0	1.1	24. 4	8.6	6.1	3.6	11.2	7. 2	2.0	1.4	1.2	1.6	10.8
Duluth	89, 331 343, 466		1.2	2. 2 2. 0 1. 3 4. 8	0 9 2.1	30. 2 25. 6 21. 5 20. 7	12.3 7.3 8.0 12.7	4.5 8.7 3.0 6.4	3.4 3.5 4.3 1.6	6.7 13.1 10.1 11.2	4, 5 9, 0 4, 2 12, 7	3.4 1.7 2.1 1.6	1.5 1.7 1.6	1.5 1.3 1.6	2. 2 2. 6 0. 4	6. 7 12. 5 8. 0 17. 5
MISSOURI. Registration cities (total) White Colored	1, 232, 741 1, 144, 160 88, 581	95.0 98.0 56.4	2.0 2.2	1.5 1.5 1.1	1.7 1.7 1.1	21. 4 21. 9 14. 7	9. 2 9. 9 1. 1	5. 4 5. 5 4. 5	4.4	17.8 17.5 21.4	8.8 9.3 3.4	3.7 3.9	1.4 1.5	1.2 1.2 1.1	2.5	14.0 14.4 7.9
Kansas City St. Joseph * St. Louis Other cities.	281,911	90.1 117.3 95.4 89.2	3.2 1.2 1.9 0.7	1.1 1.2 1.6 1.5	0.7 2.5 0.7	18.1 27.8 22.9 11.5	6. 7 10. 9 9. 9 9. 7	5.7 8.5 5.4 3.0	5.0 6.0 4.5 1.5	17. 0 23. 0 16. 3 24. 0	10.3 19.3 7.4 7.5	6.0 2.4 3.1 2.2	0.7 1.2 1.9	1 2 1.6 1.5	2.1 2.4 2.7 2.2	13.5 12.1 13.6 18.0
MONTANA. Registration cities	109,011	75.2	2.8	1.8	0.9	22.9	5. 5	4.6	2.8	11.0	4.6	0.9	2.8	0.9	0.9	12.8
Registration cities	178,917	104.5	0.6	0.6		24.6	12.3	8.9	2.2	19.0	10.1	2.8	1.1	0.6	2.8	19.0
OmahaLincoln 4	133,274 45,643	105. 0 103. 0	2.2	2.2		24. 0 26. 3	10.5 17.5	5. 3 19. 7	3.0	21.8 11.0	9.8	3.8	1.5	0.8	3.0 2.2	
NEW HAMP HIRE. Registration cities	184, 187	93.9		1.1	0.5	15.7	9.8	14.7	6.0	17.4	14.1	2.7	0.5	1.6	1.1	8.7
Winchester	75 635 108, 552	74.0 107.8		2.6		13.2 17.5	2.6 14.7	13. 2 15. 7	4.0 7.4	17.2 17.5	10.6 16.6			2.8	1.8	6, 6 10, 1

Nonregistration state; cities shown below only those with effective local ordinances.

Elements of an education of centures of 1800 and 1700, as returns of 1900 were defective.

The only other registration unit; less than 50 deaths from cancer were reported.

		Death rate per	DEAT	H RATE	PER 1	00,000 PC	PULATI	ON FRO	M CANC	ER AND	OTHER	MALIGN	ANT TU	MORS O	F THE-	_
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
NEW JFRSEY.																
Registration cities		78.0	1.1	0.8	1.0	19.3	9.6	7.0	3.8	10.8	7.4	4.9	1.0	2.0	3.9	7.
Camden Elizabeth Jersey City Newark	82,411	72. 2 92. 2 73. 8 87. 4	2.4 0.7 1.5	1. 2 0. 7 1. 0	1.2 0.3 2.1	25. 5 21. 4 21. 8	13. 3 11. 2 10. 3	4.9 6.5 7.5	7. 8 2. 4 2. 0 5. 1	8.5 8.5 11.8	6. 1 6. 1 8. 0	1. 2 1. 7 2. 3	1.2 0.7 1.0	0.7	2. 4 0. 7 1. 8	21. 12. 13.
Paterson. Trenton *. Other cities.	134,305 106,831 719,423	92.3 91.7 69.1	2. 8 1. 1	0.7 2.8 0.4	0.7 0.9 0.1	28.3 18.7 14.7	8. 2 13. 1 8. 6	11.9 7.5 6.8	1.5 4.7 3.8	14.9 8.4 10.8	8.9 10.3 7.5	1.9	1.5 1.9 0.8	1.5 1.9 1.3	1.3	11. 16. 10.
NEW YORK. Registration cities (total) White	7,388,358	88. 0 55. 1 70. 3	1.3 1.3 0.8	1. 1 1. 1	1.8 1.9 1.5	20. 4 20. 5 11. 3	9.7 9.7 7.6	8.2 8.2 4.5	4.2 4.2 3.0	11.3 11.2 20.4	9. 6 9. 6 10. 6	1. 6 1. 6	1.1 1.2 0.8	1.2 1.2 1.5	2.4 2.5 0.8	14. 14. 7.
Albany. Buffalo New York (total). White. Colored.	102,961 454,112 5,333,539 5,224,202 109,337	146.7 95.8 83.5 83.6 75.9	1.9 1.1 1.3 1.3 0.9	1 8 1.0 1.0	1.0 2.0 2.2 2.2 0.9	31.1 23.3 20.6 20.8 10.1	10.7 10.3 9.5 9.5 9.1	11.7 7.0 7.8 7.8 4.6	3.9 4.0 4.1 4.2 3.7	26.2 12.3 9.7 9.4 23.8	19. 4 10. 1 8. 4 8. 3 11. 9	1.9 1.8 1.3 1.3	1.1 1.0 1.0 0.9	6.8 3.5 0.8 0.7 1.8	5.8 2.6 2.3 2.4 0.9	26. 14. 13. 13. 7.
Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough Richmond Borough	529, 198 1,833,696 2,536,716	97. 5 78. 5	1.7 1.3 1.3 0.9	0.4 1.0 0.9 1.2 3.2	1.9 1.6 2.6 2.6 2.1	23.4 19.9 20.5 20.3 25.5	9.8 9.4 9.2 9.4 16.0	11.9 7.4 7.5 5.6 6.4	6.0 3.7 4.0 5.3 2.1	10.8 9.7 9.5 8.5 13.8	10.4 8.4 8.0 9.4 5.3	1.5 1.6 1.0 1.2	0.8 0.8 1.3 0.6 2.1	1.5 0.4 0.9 0.3 1.1	2.6 2.0 2.3 3.5 3.2	14. 11. 14. 12. 21.
Rochester Syracuse Troy Utica * Yonkers Other cities	77, 560 82, 060 93, 383	106. 5 84. 4 175. 3 99. 9 69. 6 92. 9	2.0 3.9 2.1 1.0	0.8 1.3 3.9	1.2 0.7 1.3	18.0 11.4 34.8 24.4 18.2 17.2	13. 1 9. 4 15. 5 12. 2 8. 6 9. 2	11. 4 4. 0 11. 6 9. 7 8. 6 9. 8	6. 1 3. 3 7. 7 11. 0 2. 1 3. 9	14.7 15.4 27.1 15.8 6.4 15.5	12.2 13.4 28.4 13.4 12.9 11.7	2. 4 2. 7 3. 9	1. 2 2. 7 2. 6 1. 2 1. 1 1. 5	2.4 2.7 2.6	2.9 2.7 7.7 1.2 1.1 2.2	18. 14. 24. 11. 8. 14.
NORTH CAROLINA. Registration cities.	176,010	70. 5	0.6		0.6	10.8	9.7	2.3	1.7	21.0	5.7	4.0		0.6	0.6	13.
OHIO, Registration cities (total) White Colored	2,410,207 2,335,493 74,714	87.3 87.4 84.3	0.8	1. 5 1. 5	1.4 1.4 1.3	19.8 19.9 18.7	11.9 12.0 9.4	5. 9 6. 0 1. 3	4. 0 4. 1 2. 7	14.4 14.0 26.8	8, 5 8, 6 8, 0	2.7 2.8	1. 1 1. 1 1. 3	1.2 1.2 1.3	1. 5 1. 6	12. 12. 13.
Akron Cincinnati Cleveland Columbus	80,291 402,175 639,431 204,567	77.2 104.2 75.5 107.5	1.2 0.6 1.0	1.5 1.3 2.0	1.7 1.9 1.0	18.7 22.6 21.7 18.6	11. 2 16. 7 8. 8 15. 6	6. 2 3. 5 5. 8 6. 4	2.5 5.0 3.8 2.4	12. 5 17. 9 9. 4 26. 4	12.5 9.0 6.6 11.7	1.2 3.7 1.6 3.9	1 0 0.5 1.5	1.2 2.2 0 8 1.5	2.5 2.5 0.6 1.0	8. 15. 12. 14.
Davton Toledo Youngstown Othercities	123,794 184,126 100,593	65.6	1.6 0.5	0.8 2.7 1.0 1.5	2.4 2.7 1.0 0.6	18.6 28.2 11.9 16.0	13.7 10.3 9.9 11.4	6. 5 5. 4 5. 0 7. 3	7.3 4.9 4.0 3.6	24. 2 13. 6 8. 9 12. 9	11.3 8.1 4.0 9.0	5.7 4.3 3.0 2.1	3.2 1.6 1.0 1.2	2.4 2.2 0.6	2.4 2.2 1.0 1.6	7. 13. 14. 11.
OUTGON. Portland	260,601	87.9	1.2	1.9	0.8	21.5	10.0	7.7	6.5	11.9	6.5	1. 5	1.9	1.2	2.3	13.
Registrati neities ()(tal) While Colored	3,800,812	82.0 81.7 89.9	1.0 0.9 1.3	1.6 1.7 1.3	1.1 1.1 1.9	19.4 19.2 24.2	9. 9 10. 0 7. 0	5. 8 5. 8 5. 7	3.2 3.1 3.8	13.3 13.0 21.0	9.3 9.4 8.3	2.0 2.1 1.3	1. 4 1. 5 0. 6	1.2 1.2 1.3	1.8 1.8 2.5	
Allentown Frie. Hanti beart Lanewster.	60, 297 72, 401 69, 13 49, 685	97.8 76.0 \$2.0 110.7	1.4	1.4 2.9 4.0	1.7	18. 2 19. 3 7. 2 24. 2	3.3 8.3 10.1 14.1	11.6 5.5 11.5 4.0	1.7 2.8 2.9 10.1	21.6 8.3 18.7 10.1	18. 2 9. 7 11. 5 16. 1	5.0 2.8 5.8 2.0	6.0	3.3 1.4 1.4 2.0	2. S 1. 4 4. 0	. 13. 12. 8. 12.
Philadelph. (*10%) White Colored Put bareh	1,657,810 1,566,158 91,652 564,878	93. 0 92. 9 93. 8 85. 2	1.5 1.5 1.1 1.1	1.8 1.9 1.1 1.6	1.5 1.4 3.3 1.1	21.1 20.8 26.2 22.8	10.3 10.5 6.5 11.0	6. 3 6. 4 5. 5 4. 4	3.0 2.9 1.1 3.5	14.9 14.5 21.8 14.5	11.2 11.4 8.7 7.3	2.0 2.1	2.2 2.3 1.1 1.4	1.2 1.3	2.4 2.4 3.3 1.8	13. 13. 10. 12.
Readure Ser n'ea Will triped . Other cities	103,361 141,351 33,181 1,205,222	83. 2 60. 1 159. 7	1.9	1.0 1.4	2.0	15. 5 16. 3 54. 2 15. 8	10.6 3.5 18.1 9.5	6.8 9.9 9.0 4.6	3.9 0.7 18.1 2.9	12.6 8.5 15.1 10.9	9. 7 9. 2 12. 1 6. 7	1.0 0.7 3.0 2.1		1.0 1.4 3.0 1.0	1.4 3.0 1.2	15. 7. 15. 6.
Ruota (1.48b) Regur (ion cities, .	479, 487	44 4	1.0	1.7	0.6	16.7	8.8	9.2	3.8	15. 2	11.3	2.5	1.0	1.7	2.1	13.
Providence, Other ciae	245,090		0.4	0.8	1.2	16.3 17.1	9.8	11.4	3.7	14.3 16.2	10.6 11.9	2 0 3.0	0.8	2.9	3.3	15. 11.

¹ Nonregistration state; cities shown below only those with effective local ordinances.

		Death rate per	DEA	TH RATI	E PER 1	00,000 P	OPULATI	ON FRO	OM CANO	ER AND	OTHER	MALIG?	NANT T	UMORS	OF THE	
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 popu- lation from	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intes- tines.	Rec-	Uterus.	Breast.	Skin.	Pan-creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.															1	
SOUTH CAROLINA.					ř						10.0		1	0.0	1	0.5
Charleston	60, 121	58.2		1	 	5.0	5.0		3.3	20.0	13.3	1.7	· · · · · · ·	3.3		6.7
Registration cities (total)	370, 662 237, 961	78.0 87.8	0.3 0.4	1.3			7.6 10.1	4.0	3.5	25. 4 21. 5	5.7	2.7 3.4 1.5	2.7 2.8 0.8	0.8		11.3 15.1 4.5
Memphis	132,701	79.6		2.8		9.8	9.1	4.2	3.5	26.4	5.6	1.4	2.1			9.8
NashvilleOther cities	114, 899 112, 532	85.3	0.0	0.9			7. 8 5. 3	6. I 1. S	3.5	22.6 28.4	7. 0 4. 4	5. 2 1. 8	2.6 3.6	0.9 0.9		18.3 6.2
Registration cities	204, 857	88.4	0.5	2.0	0.5	14.2	10.7	4.4	4.4	18.1	6.3	2.9	2.0	2.0	2.0	18.5
Galveston	40, 289	129.1		2.5	2.5	12.4	22.3		7.4	14.9	12.4	7.4	2.5	5.0	2.5	37.2
El Paso	115,063 49,505	70. 4 97. 0	2.0	2.6		13.9 16.2	6.1	3.5	3.5	14.8 28.3	4.3 6.1	1.7	2.6	0. 9 2. 0	1.7 2.0	14.8 12.1
UTAH.																
Registration cities,	139, 264	66.8		1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7		0.7	9.1
Salt Lake City Ogden 5	109, 736 29, 528	64.7			3.4	44.0	4.0	3.0	2.7	6.8	3.4	3.4	3.4			6. 5
VERMONT.						40.0	100	10 5	1 10 8	10.0	14.0	0.1	4.0	0.1	0.1	07.4
Registration cities	47,370	154.1	,	' 		48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
Registration cities (total)	423,671	71.8	0.5	0.5	0.5	11.1	6.8	5.0	1.9	20.3	6.6	2.1	1.9	1.7	1.4	11.6
White	277, 249 146, 422	77. 9 60. 1	0.7	0.7	0.7	12.6 8.2	8.7 3.4	6.1	2.5	15. 9 28. 7	7. 2 5. 5	2.2	1.8	2.2	1.4	15.1
Richmond Other cities (total) White Colored	191, 751	94.1 61.3 66.2 51.5	0.7 0.3 0.5	0.7 0.3 0.5	0.7 1.0	16.3 8.7 9.9 6.2	9.6 5.5 7.3 2.1	6.7 4.2 5.7 1.0	3.0 1.4 1.6 1.0	18.5 21.1 17.7 27.8	10.4 4.8 4.2 6.2	3.7 1.4 1.6 1.0	2.2 1.7 2.1 1.0	3.7 0.7 1.0	1.5 1.4 1.6 1.0	17.0 9.0 11.5 4.1
WASHINGTON.						1			1							I
Registration cities		74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.4
Seattle Spokane Tacoma Other cities	103,418	70.6 75.2 81.2 75.3	1.3		0.6 1.5 0.8	21. 4 24. 3 30. 0 25. 4	6.7 6.6 5 × 7.4	4.8 5.2 9.7 5.7	3.2 1.5 3.9 3.3	8.3 11.8 2.9 11.5	6.7 6.6 7.7 3.3	1.3 1.5 1.0 3.3	1.3 0.7 1.0	0.6 3.7 1.9 0.8	2.6 2.9 1.6	10.5 8.1 17.4 12.3
WEST VIRGINIA.1															1	
Wheeling	42,817	107.4		2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4. 7		14.0
WISCONSIN.	000 074	0 = 4	1 1 1	1.0	, ,	04.2	10.4	7 9	2.4	10.0	7.2	1.8	0.7	1.3	1.9	10.9
Registration cities	833,974 419,589	85. 4 69. 4	1.1	0.7	1.4	19. 1	12. 4	7.3	3.4	6, 9	7.1	1.0	0.7	0.7	1.9	8.6
Other cities	414, 385	101.6	1.0	1.9	1.7	30. 4	12.5	9.7	3.4	13.0	7.2	2.7	1.0	1.9	1.9	13.3
RURAL PART OF REGISTRATION STATES,6 CALIFORNIA.		Po c				00.0			0.6	0.0		1.0	0.0	1.0	1 1	0.0
Los Angeles County	1,211,170	78. 2	0.9	5. 4	2.3	22. S 31. 5	8.0	5.6	3.5	8.8	8. 2	3.1	0.9	3.5	2.3	9.9
Santa Clara County *. Sonoma County Other rural districts	56, 391 52, 618 972, 196	138. 3 119. 7 66. 3	3.5	5.3 1.9 1.9	5.3	30. 1 39. 9 20. 3	16. 0 13. 3 5. 9	12. 4 9. 5 4. 6	3. 5 1. 9 3. 4	16. 0 17. 1 7. 1	12. 4 22. 8 6. 4	1.8 1.9 4.4	3.5	3.5	0.9	23. 1 11. 4 8. 6
Total	568, 280	41.7	0.2	0.4		14. 4	7.9	2.3	1.9	4.8	3.3	1.1	0.5	0.7		4. 2
Total	377,398	85. 6	1.6	2.4	0.5	16. 2	9. 5	9.8	2.9	9. 5	12.7	3. 2	0.8	1.9	2. 1	12. 5
Hartford County	85,763 291,635	88. 6 84. 7	1.2	4.7	1.2	16. 3 16. 1	12. 5	10. 5 9. 6	2.3	5. 8 10. 6	15. 2 12. 0	4.7	1, 2	1.2	1.2	10.5 13.0
Total	1,878,030			1.7	0. 2	18.7	12.6	4. 2	2.4	10. 0	7. 7	6.0		0.6	1. 4	9, 5
a Otale	1,070,000	10.1	71 0.4	L. 1	U.Z	1 10.1	12.0	4.2	2.4	10.1	(. (0.0	0.8	0.0	1. 2	0.0

Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported
 Nonregistration state; ettes shown below only those with effective local ordinances.
 Includes, Chattanooga, Jackson, and Knoxville.
 The only other registration unit; less than 50 deaths from cancer were reported.
 The only other city of 10,000 inhabitants or over in 1910, less than 50 deaths from cancer were reported.
 Exclusive of municipalities having a population of 10,000 or over in 1910.

		Death rate per	DEA	TH RAT	E PER 1	00,000 P	OPULATI	ON FRO	M CANO	CER AND	OTHER	MALIGN	ANT TU	MORS C	F THE-	-
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 popu- lation	Tongue	Jaw.	Esoph- agus.	Stom- aclı.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organ or of organ not speci- fied,
RURAL PART OF REGISTRATION STATES 1—Continued.																
KANSAS.																
Total	1,439,637	56, 5	0.3	1.1	0.3	14.9	8, 3	3.9	1.1	6.0	5.9	2. 5	0.3	0.8	0.8	10.
Total	1,925,168	39. 1	0.3	0.5		7.9	4.9	2, 2	1.3	6. 7	4.3	2. 4	0.4	0.3	0.4	7.
WhiteColored	1,730,546 194,622	38. 6 43. 7	0.3	0.5		8. 0 6. 7	4. 7 6. 7	2. 1 3. 1	1.3 1.0	5.9 13.9	4. 4 3. 1	2. 5 1. 0	0.4	0.3	0.4	7.
MAINE.	587, 660	103.6	1.0	1.4	0.5	22. 8	14.8	11.2	4. 4	15.5	11.6	4.1	1.0	0.9	1.7	12.
TotalCumberland County	54,679	109.7		5.5	1.8	25.6	12.8	7.3	3.7	14. 6	14.6	5.5	1.8	1.8		9.
Kennebec County 2	38, 298 63, 075	143. 6 85. 6		2.6	2.6	13. 1 17. 4	18, 3 19, 0	18.3	7.5	15. 7 12. 7	7. 8 12. 7	15.7 1.6		5.2	1.6	36.
York County	41,915 52,602 337,091	125, 8 114, 1 96, 7	4.8 1.9 0.9	1, 2	0.3	33, 4 26, 6 22, 5	21. 5 11. 4 13. 6	7. 2 13. 3 11. 9	4.8 7.6 3.6	31. 0 7. 6 15. 4	7. 2 28. 5 9. 2	1.9 3.3	3, 8	0.6	2.4	11. 11.
Other rural districts	301,031	0011				2210				100.1			0.0	0.0	2.0	
TotalWhite	700,758 552,611	62. 6 68. 8	0.6 0.5	1. 4 1. 6	0.1 0.2	13. 1 15. 0	8. 3 8. 7	4.7 5.6	2.3 2.9	9. 4 8. 3	8. 6 9. 4	3. 4 4. 3	0.3 0.4	0.4	0.7	9.1
Colored	148, 147	39.8	0.7	0.7	0.7	6.1	6.8	1.4		13.5	5.4				0.7	5.
Baltimore County * Other rural districts (total) White Colored.	135, 813 564, 945 431, 030 133, 915	81.7 58.1 64.0 38.5	0. 7 0. 5 0. 5 0. 7	2. 2 1. 2 1. 4 0. 7	0.7	13. 3 13. 1 15. 3 6. 0	7. 4 7. 4 7. 5	7. 4 4. 1 5. 1 0. 7	2. 9 2. 1 2. 8	11. 0 9. 0 7. 9 12. 7	15. 5 6. 9 7. 7 4. 5	2.9 3.5 4.6	1.5	0.5 0.7	0.7 0.7 0.9	11. (8. 9. 9. 6. (
MASSACHUSETTS.																
Total	791, 284 56, 332	99.4	2.0	0.9	1.4	23. 5	11.6	12.1	5. 4 8. 9	14.8	13. 6	1.8	0.1	1.4	2.3	16.
Essex County * Middlesex County * Norfolk County *	92, 103 125, 247 105, 294	114. 0 138, 1 94. 0	1. 1 6. 4 1. 9	2.4	2. 2 3. 2 1. 9	29. 3 32. 7 20. 9	11. 9 12. 8 10. 4	15. 2 9. 6 18. 0	7. 6 4. 0 3. 8	13. 0 23. 2 10. 4	8. 7 15. 2 9. 5	2. 2 4. 8 1. 9	1.1	2, 2 3. 2 1. 9	5. 4 1. 9	14. 20. 10.
Plymouth County *. Worcester County *. Other rural districts.	80,000 134,853 197,455	123. 8 102. 3 100. 3	1.3 0.7 1.5	1.3 0.7 0.5	2. 5 0. 7	25. 0 19. 3 18. 7	15. 0 9. 6 11. 1	8.8 14.1 10.1	6, 3 3, 0 6, 6	10. 0 12. 6 16. 2	21. 3 15. 6 13. 7	6. 3 4. 4 6. 1		1.3 . 0.7 0.5	2. 5 3. 0 2. 5	22. 17. 12.
MICHIGAN. Total	1,806,362	77. 4	0. 6	1.9	0.4	21. 3	10.0	4.5	2.7	10.0	7. 2	4.7	0.9	1, 1	1.3	10.
Berrien County	55, 521	104.5	1.8	1.3	0. 4	28.8	19.8	5. 4	5. 4	18. 0	9.0	9.0	(). 5	1.8	3.6	10.
Kent County. Wayne County Other rural districts.	48,459 71,842 1,630,540	103. 2 87. 7 75. 3	0.6	4, 1 2, 8 1, 9	1. 4 0. 4	20. 6 22. 3 21. 0	12. 4 11. 1 9. 6	6. 2 7. 0 4. 4	2.1 2.8 2.6	20. 6 12. 5 9. 3	6. 2 8. 4 7. 1	14. 4 8. 4 4. 0	2. 1 1. 4 0. 9	1.1	2. 8 1. 2	14. 7. 11.
Total	1, 481, 593	74. 0	0.3	1.1	0.8	29. 2	7. 4	5. 5	3. 2	6. 2	4.5	2.8	0.5	1.1	1.1	10.
Olmsted County *	22, 232 1, 459, 361	445. 3 68. 3	0, 3	i, i	4.5	152. 9 27. 3	22. 5 7. 2	72. 0 4. 5	36. 0 2. 7	18. 0 6. 0	4. 5 4. 5	18. 0 2. 6	18. 0 0. 3	9. 0 1. 0	27. 0 0. 8	63.
MISSOURI.																
MONTANA.	,,	54.0	0.3	0.9	0.3	13. 9	8.3	2.9	1.4	6.0	5. 2	5. 2	0.4	0.8	0.6	7. !
Total NEW HAMPSHIRE.	323, 603	43.6		1.5	0.6	12. 4	5. 9	3.4	1.9	4.3	4.0	1.9	0.9	0. 9		5. !
Total		105.7	1.6			14.9	18.1	14.1	3.9	18. 5	11.0	4.7	1.6	1.2	2.8	11.
Rockingham CountyOther rural districts	41, 105 213, 370	124. 1 102. 2	2. 4	2. 4 1. 9		29. 2 12. 2	14. 6 18. 7	14. 6 14. 1	4. 9 3. 7	26, 8 16, 9	12. 2 10. 8	2. 4 5. 2	4. 9 0. 9	2. 4 0. 9	2. 4 2. 8	4. 12.
Total	987, 201	80.7	1.0	0.9	0. 5	19. 9	10. 2	7.4	3.8	9.3	9. 7	3.5	0. 4	1.7	1.5	10.
Bergen County Burlington County Monmonth County	70, 114	75. 2 85. 6 118. 4		2. 2 1. 4		17. 9 20. 0 34. 4	11. 2 5. 7 12. 4	6. 0 5. 7 9. 6	5. 2 4. 3 5. 5	8, 2 11, 4 15, 1	10. 4 12. 8 13. 8	1. 5 4. 3 6. 9	1.4	1.5	1. 5 4. 3 2. 8	9. 10. 15
Morris County * Other rural districts	65, 739	76. 1 77. 6	3.0	1.5 0.6	1. 5 0. 6	19. 8 18. 6	12. 4 12. 2 10. 1	6. 1 7. 8	1. 5 3. 6	6.1	3.0	7. 6 3. 1	1. 4 1. 5 0. 2	1. 4 1. 5 1. 6	1. 5 1. 1	9. 10.
Taal	2, 379, 091	96. 1	1.1	1 4	0.8	21.8	12. 2	6.3	1. 1	11.3	13.0	5. 2	0.5	1.3	1.6	14.
Catt arm are County	50, 020	100.0				14.0	14. 0	6. 0	6. 0	20. 0	8. 0	10.0	2.0		4. 0	20.
Charlanger Cond. Delawar Cond. Delawar Cond. Dutchess County * Eric County *	57, 805 45, 220 60, 615 96, 473	100. 3 132. 7 103. 9 73. 6	3, 3		2. 2 1. 6	15. 6 31. 0 14. 8 16. 6	15. 6 24. 3 18. 1 14. 5	12. 1 11. 1 8. 2 6. 2	3. 5 4. 4 1. 6 4. 1	10. 4 17. 7 11. 5 3. 1	15. 6 22. 1 14. 8 9. 3	1. 7 2. 2 6. 6 4. 1	1.0	2, 1	1. 7 4. 4	15. 11. 23. 7.

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Includes National Military Home.

		Death rate per	DEA	TH RAT	E PER 1	00,000 P	OPULATI	ON FRO	M CAN	ER AND	OTHER	MALIGN	ANT TU	MORS ()F THE	
AREA AND COLOR.	Estimated population. July 1, 1914.	100,000 population from cancer and other malig-nant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	, Prostate.	Blad- der.	Other or an or of organ not specified.
RURAL PART OF REGISTRATION STATES —Continued.									_				1			
NEW YORK -continued.																
Monroe County Nassan County Oneida County Onondaga County Ontario County	65, 987 96, 068 58, 566 64, 396 40, 125	75 8 81, 2 126, 5 96, 3 139, 6	3.4	1. 5 2. 1 1. 7	1.7	7. 6 21. 9 23. 9 29. 5 44. 9	12. 1 13. 5 18. 8 7. 8 10. 0	1. 5 9. 4 6. 8 1. 6 10. 0	4. 5 5. 2 6. 8 1. 6 10. 0	9. 1 5. 2 22. 2 6. 2 7. 5	10. 6 8. 3 17. 1 20. 2 24. 9	3. 0 3. 1 6. 8 4. 7 10. 0	3. 0 3. 1 1. 7 1. 6 5. 0	3. 0 1. 0 1. 7 1. 6 5. 0	1. 5 1. 0 1. 7	15. 7. 12. 17. 12.
Orange County Rockland County St. Lawrence County Steuben County	76, 501 50, 526 72, 508 54, 383	71. 9 100. 9 69. 0 126. 9	2.0	2. 8 1. 8	1.8	18. 3 25. 7 16. 5 27. 6	9, 2 9, 9 8, 3 20, 2	5. 2 4. 0 2. 8 7. 4	2. 6 5. 9 6. 9 3. 7	11. 9 6. 9 20. 2	5. 2 7. 9 6. 9 1. 8	2. 6 4. 0 2. 8 16. 5		1.3 2 0 1.4	1 9 -1 8	15. 19. 13. 22,
Suffolk County*. Wayne County Westchester County Other rural districts.	104, 045 50, 825 97, 047 1, 238, 041	\$8. 4 116. 1 109. 2 95. 2	1.0 4.1 0.8	1. 0 2. 0 5. 2 1. 2	1. 0 2. 0	25. 0 27. 5 18. 5 22. 2	7. 7 15. 7 10. 3 11. 6	11. 5 7. 9 4. 1 6. 0	3. 8 5. 9 7. 2 4. 0	11. 5 19. 7 11. 3 11. 6	12. 5 11. 8 10. 3 14. 4	1. 0 2. 0 11. 3 5. 3	0.7	1.0 1.0 1.5	1. 0 2. 0 3. 1 1. 2	10, 19, 22, 13,
NORTH CAROLINA.2 Total	296, 285	50. 3		0. 7	0.3	9, 8	6. 1	3. 4	2. 0	14.9	4.4	1.7	•••		1.0	6.
Total	2,616,691	79. 2	0.7	1.5	0.5	19.9	11.5	4. 9	3.2	9. 1	8.6	5. 1	1.1	1.3	1.3	10.
Hamilton County Puscarawas County Other rural districts	60, 078 58, 432 2, 498, 181	89. 9 95. 8 78. 5	1.7	1.6	0, 5	26. 6 29. 1 19. 5	10. 0 15. 4 11. 4	6. 7 8. 6 4. 7	5. 0 6. 8 3. 0	10. 0 10. 3 9. 0	10. 0 5. 1 8. 6	5. 0 6. 8 5. 0	1. 2	3.3	3. 3 3. 4 1. 2	8. 10. 10.
PENNSYLVANIA.	4 000 000	04.0			0.4		0.11		0.5				0.0			
Total. Allegheny County Berks County * Bradford County Bucks County. Lester County.	385, 396 89, 920 52, 449 78, 805 77, 484	57. 9 73. 4 129. 6 96. 4 83. 9	1, 1	1. 4 1. 0 3. 3 3. 8 1. 3 3. 9	0. 4 0. 8 1. 1	16. 4 16. 3 17. 8 15. 3 16. 5 20. 6	9. 8 9. 9 8. 9 15. 3 19. 0 9. 0	3. 6 4. 4 13. 3 8. 9 1. 3	2. 5 1. 6 1. 1 5. 7 1. 3 1. 3	9. 6 7. 8 26. 7 14. 0 9. 0	6. 5 10. 0 13. 3 12. 7 7. 7	2. 9 4. 4 11. 4 5. 1 2. 6	1.1	3. 3 1. 9 1. 3 1. 3	0. 9 1. 0 3. 3 5. 7 2. 5 3. 9	4. 5. 15. 11.
Clearfield County Delaware County Erie County Fayette County Jefferson County	85, 368 87, 294 50, 381 158, 002 64, 784	58. 6 84. 8 133. 0 42. 4 78. 7	0.6	1. 2 1. 1 4. 0 0. 6 4. 6	1.2	17. 6 21. 8 21. 8 12. 7 23. 2	10. 5 14. 9 11. 9 6. 3 12. 3	7. 0 1. 1 2. 0 3. 2 3. 1	1. 2 4. 6 7. 9 1. 3 1. 5	8. 2 10. 3 15. 9 5. 1 6. 2	1. 2 18. 3 23. 8 2. 5 3. 1	3. 5 2. 3 6. 0 1. 9 3. 1	1, 1 4, 0 0, 6 3, 1	2. 0 0. 6 3. 1	1. 2 2. 0	5. 9. 31. 7. 13.
Lancaster County. Luzerne County. Montgomery County Northampton County Schuylkill County.	109, 605 220, 666 135, 954 78, 017 156, 044	82, 1 44, 9 69, 9 69, 2 57, 0	0. 5 0. 7	2. 7 0. 9 0. 7 2. 6 1. 9	0.7	21. 0 16. 3 16. 2 20. 5 14. 1	12. 8 5. 9 11. 0 14. 1 9. 0	7, 3 3, 6 3, 7	2. 7 1. 8 5. 9	8. 2 2. 3 5. 1 9. 0 6. 4	10. 9 4. 1 8. 1 5. 1 5. 1	4. 6 3. 2 5. 1 1. 3 3. 2	0.5 0.7 1.3	2. 9 3. 8	2. 7 0. 7 2. 6 0. 6	9. 5. 8. 9.
Washington County Westmoreland County. York County Other rural districts	144, 924 228, 177 95, 493 1, 989, 495	51. 8 48. 2 67. 0 63. 8	1.3	1.3 3.1 1.2	0. 7 0. 4 	20. 0 9. 2 9. 4 16. 5	8.3 10.1 11.5 9.3	1. 4 3. 1 4. 2 4. 4	2. 2 3. 1 2. 8	5. 5 7. 9 10. 5 8. 4	4. 1 3. 9 10. 5 6. 0	2. 1 0. 9 2. 1 3. 5	1. 0 0. 8	1. 4 0. 4 0. 7	0. 6	7. 7. 11. 8.
RHODE ISLAND,	111,728	101. 1		2.7	0.9	23.3	5.1	10.7	7. 2	12. 5	16. 1	2.7	3. 6		1.8	11.
UTAH. Total VERMONT.	275, 254	35. 2	0.4		0. 4	15. 3	4. 7	1.1	0.7	4. 0	2.9		0.7	1.1		4.
PotalVERSIONIA.	313, 835	103. 2	1.0	0.6	0.3	20, 7	11.8	7.3	6. 4	17. 5	7.3	4.8	2. 2	2. 9	1.3	19.
Total. White. Colored.	1,726,338 1,172,152 554,186	43. 3 47. 0 35. 4	0. 4 0. 6	0. 9 1. 0 0. 7	0.1	9. 7 10. 3 8. 3	4, 6 5 7 2, 2	1, 6 1, 6 1, 6	I. 1 1. 5 0. 4	8. 9 7. 4 11. 9	4. 5 4. 8 3. \	3. 2 4. 4 0. 9	0. 5 0. 5 0. 4	0. 5 0. 6 0. 2	0. 8 0. 9 0. 5	6. 7. 4.
WASHINGTON Potal	733, 544	50, 7	0. 5	0.5		17. 9	5 9	3 0 !	1.8	5, 6	4. 2	2. 2	1.0	1.1	0.5	6.
WISCONSIN. Total	1,612,742	75, 9	0.6	1.5	1.3	29.3	9 ×	5.3	3, 0	6.3	6.3	3 5	0.7	1. 5	0.7	9.
Milwaukee County	57, 563 1, 555, 179	102. 5 78. 1	0.6	35	3. 5 1. 2	33. 0 29. 1	15. 6 9. 6	3. 5 5. 4	5. 2 2. 9	6.9	6, 6	3.5	0 5	3.5		24

¹ Exclusive of municipalities having a population of 10,000 or over in 1910. ² Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

³ Includes National Military Home.



GENERAL TABLES

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered [10,00] or [1] in 1910. The term "cities" indicates municipalities of 10,000 mhabitants or over in 1910. All cities and counties in registration states are shown in Table I, p. 21.]

					I	EATHS I	ROM CA	NCER (A	LL FORM	>) AT A	GE OF-					at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25	34	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	nths
SUMMARY.																
The registration area	52, 420	919	1,651	2,119	3,325	4,632	6,131	6,663	6,909	0,780	5,893	4,033	2,213	\$28	267	5
MalesFomales	21, 282 31, 138	475 441	545 1,106	566 1,553	967 2,358	1,502 3,130	2,323 3,808	2,741 3,922	3,071 3,838	3, 134 3, 646	2,751 3,139	1,757 2,276	966 1,247	352 476	107 100	3.
$\begin{array}{c} \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Diagnosis uncertain.} \right. \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{F.} \\ \text{Diagnosis unknown.} \right. \left\{ \begin{matrix} M \\ M \end{matrix} \right. \\ \text{F.} \end{array}$	10,749 19,806 6,965 7,438 3,567 3,894	312 306 90 67 73 71	372 880 65 114 108 112	351 1,241 116 155 99 157	567 1, \$76 217 265 183 217	2,373 353 411 258 346	1, 282 2, 735 647 645 394 428	1, 426 2, 618 849 811 466 493	1,476 2,249 1,045 1,082 550 507	1,416 1,913 1,177 1,174 541 559	1, 157 1, 524 1, 136 1, 181 461 434	734 1,050 762 884 261 342	471 634 368 448 127 165	207 282 117 150 28 44	74 107 19 38 14 15	1
White	50,515	565	1,517	1,935	3, 129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	259	5
Males	20,717 29,798	458 410	515 1,002	528 1,407	919 2,210	1,441 2,932	2,232 3,606	2,666 3,788	2,995 3,713	3,077 3,552	2,714 3,074	1,736 2,228	90 1,225	351 465	105 154	21
$\begin{array}{ccc} \text{Diagnosis reasonably certain.} \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{Diagnosis uncertain.} & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{F} \\ \text{Diagnosis unbown.} & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \end{array}$	10,511 18,831 5,774 7,235 3,432 3,732	302 285 84 63 72 62	355 797 62 105 98 100	335 1,123 104 148 89 136	545 1,749 203 255 171 206	858 2, 226 333 388 250 318	1,248 2,579 619 617 365 410	1,394 2,520 824 787 448 481	1,449 2,174 1,015 1,047 531 492	1,396 1,853 1,157 1,153 524 546	1,140 1,484 1,120 1,164 454 426	729 1,024 748 870 259 334	467 622 367 441 126 162	207 274 116 149 28 42	74 104 18 37 13 13	1
Colored	1,905	51	134 ,	184	196	259	293	209	201	151	105	69	25	12	8	
MalesFemales	565	17 34	30 104	38 146	48 148	61 198	91 202	75 134	76 125	57 94	40	21 48	6 22	1 11	2 6	
Diagnosis reasonably certain $\begin{cases} M \\ F \end{cases}$. Diagnosis uncertain. $\begin{cases} M \\ F \end{cases}$. Diagnosis unknown. $\begin{cases} M \\ K \end{cases}$.	238 975 192 203 135 162	10 21 6 4	17 83 3 9 10	16 118 12 7 10 21	22 127 14 10 12	33 147 20 23 8 28	34 156 28 28 29 18	32 98 25 24 18	27 75 30 35 19	20 60 20 21 17 13	17 40 16 17 7	5 26 14 14 2 8	12 1 7 1 3	8 1 1	3 1 1 1 2	
Registration states 1	48, 259	829	1,449	1,555	2,996	4,159	5, 540	6,094	6,376	6,343	5,551	3,807	2,128	790	258	5
Males Females	19,546 28,713	427 402	476 973	506 1,379	864 2,132	1,343 2,816	2,074 3,466	2,483 3,611	2, 824 3, 552	2,911 3,432	2,585 2,969	1,663 2,144	933	336 454	102 156	19
$\begin{array}{lll} \text{Diagnosis reasonably certain.} \begin{cases} M \\ F \end{cases} \\ \text{Diagnosis uncertain.} & \begin{cases} M \\ F \end{cases} \\ \text{Diagnosis unknown.} & \begin{cases} M \\ F \end{cases} \\ \end{cases} \\ \end{array}$	9,845 18,155 6,538 7,038 3,163 3,520	281 281 83 59 63 62	329 773 59 102 88 98	321 1,099 101 146 84 134	512 1,691 190 244 162 197	795 2,134 321 380 227 302	1, 134 2, 476 592 607 348 383	1, 294 2, 405 790 757 399 449	1,358 2,079 976 1,022 490 451	1,308 1,797 1,122 1,123 481 512	1, 084 1, 445 1, 083 1, 129 418 395	693 978 728 843 242 323	457 607 357 432 119 156	197 269 113 143 26 42	72 105 18 38 12 13	10
White	46,739	791	1,352	1,743	2,849	3,960	5,317	5,928	6,202	6,208	5, 465	3,743	2, 103	779	252	4
Males Females	19,100 27,639	413 378	460 892	476 1, 267	830 2,019	1,298 2,662	2,007 3,310	2,426 3,502	2,757 3,445	2,860 3,348	2, 549 2, 916	1,644 2,059	928 1,175	335 444	$\frac{100}{152}$	30
$\begin{array}{c} \text{Diagnosis reasonably certain.} \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{Diagnosis uncertain.} \left\{\begin{matrix} M \\ M \end{matrix}\right. \\ F \end{matrix}\right. \\ \text{Diagnosis unknown.} \left\{\begin{matrix} M \\ M \end{matrix}\right. \\ F \end{matrix}\right. \end{array}$	9,677 17,396 6,373 6,861 3,050 3,382	272 267 78 56 63 55	320 707 56 96 .84 89	309 1,010 91 140 76 117	1,594 180 238 152 187	2,023 303 360 220 279	1,114 2,358 571 584 322 368	1,271 2,327 770 737 385 438	1,336 2,018 950 989 471 438	1, 292 1, 745 1, 103 1, 104 465 499	1,069 1,414 1,067 1,113 413 389	689 955 715 829 240 315	454 597 356 425 118 153	$\begin{array}{c} 197 \\ 2.02 \\ 112 \\ 142 \\ 26 \\ 40 \end{array}$	72 103 17 37 11 12	11 4
Colored	1,520	38	97	142	147	199	223	166	174	135	89	64	25	11	6	4
Males Females	1,074	14 24	16 81	30 112	34 113	45 154	67 156	57 109	67 107	51 84	36 53	19 45	5 20	1 10	2 4	2
$\begin{array}{ll} \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Diagnosis uncertain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ F \end{matrix} \\ \text{Diagnosis unknown.} \left\{ \begin{matrix} M \\ M \end{matrix} \right. \\ F \end{matrix} \\ \end{array}$	168 759 165 177 113 138	9 14 5 3	9 66 3 6 4 9	12 89 10 6 8 17	14 97 10 6 10	20 111 18 20 7 23	20 118 21 23 26 15	23 78 20 20 14 11	22 61 26 33 19 13	16 52 19 19 16 16	15 31 16 16 5 6	4 23 13 14 2 8	3 10 1 7 1 3	7 1 1 2	2 1 1 1 1]] 2
Tities in registration states 1	26, 795	188	971	1,251	1,931	2,741	3,463	3,632	3,541	3, 293	2,582	1,671	\$27	308	86	- 8
Males	10, 505 16, 290	262 226	318 653	345 906	572 1,359	1,847	1,311 2,152	1, 494 2, 138	1,575 1,966	1, 465 1, 828	1, 125 1, 457	1,009	326 503	118 190	35 51	3 5
$\begin{array}{cccc} \text{Diagnost reasonably certain } \frac{fM}{f\Gamma}, \\ \text{Diagnost uncertain}, & & & & & \\ & & & & & & \\ & & & & & & $	5, 566 10, 652 3, 158 3, 616 1, 781 2, 022	182 108 41 28 39 30	218 528 40 58 60 67	234 730 53 94 58 82	351 1,077 112 154 109 128	528 1,407 207 240 159 200	743 1,546 333 357 235 249	\$15 1,425 432 435 247 278	804 1,155 497 543 274 268	590 1,000 532 549 243 279	484 772 443 504 198 181	290 4 · 0 275 396 97 163	143 237 133 187 50 79	58 120 52 56 8 14	24 33 7 15 4 3	2 4 1
White .	25, 893	167	909	1,148	1,832	2, 594	3,323	3,533	3,452	3, 227	2,552	1,646	816	302	<u>\$5</u>	7
Males Females	10 217 15,646	254 213	311 598	322 826	547 1,285	1,733	1,272 2,051	1,456 2,077	1,538 1,914	1,443 1,784	1,110 1,442	655 991	324 492	117 185	35 50	2
Diagnosis reasonably certain. ${M \choose \Gamma}$	5, 461 10, 196	176 _{1.79}	215 185	223 666	341 1,017	513 1,325	733 1,470	799 1,379	790 1,129	683 975	476 763	288 411	111 234	58 117	24 32	1

1 Includes District of Columbia.

⁽⁴¹⁾

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			[See note	at head	of this to	ible, p. 4	4.]								
					D	EATHS F	ROM CAR	NCER (AI	L FORMS	B) AT AG	E OF-					um- e.
AEA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
SUMMARY-Continued.]			
Cities in registration states \vdash —Continued. White—Continued. Diagnosis uncertain. Diagnosis unknown. F F Colored.	3,074 3,513 1,712 1,937	39 27 39 27 21	38 53 55 60 62	47 91 52 69	106 148 100 120	193 221 155 154 147	320 341 219 240	420 426 237 272 99	486 526 262 259	523 537 237 272 66	439 499 195 180	271 389 96 161 25	133 182 50 76	51 55 8 13	7 15 4 3	1 1
MalesFemales	258 644	. 8	7 55	23 80	25 74	33 114	39 101	38 61	37 52	22 44	15	7 18	2	1 5	i	I
Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \\ \ldots \end{array} \right.$ Diagnosis uncertain. $\left\{ egin{array}{l} M \\ F \\ \end{array} \right.$ Diagnosis unknown. $\left\{ egin{array}{l} M \\ F \\ \end{array} \right.$	105 456 84 103 59 85	6 9 2 1 3 3 41	3 43 2 5 2 7	11 64 6 3 6 13	10 60 6 6 9 8	15 \$2 14 13 4 16	10 76 13 16 16 9	16 46 12 9 10 6	14 26 11 17 12 9	7 25 9 12 6 7 3,050	9 9 4 5 3 1 2,972	2 9 4 7 1 2	2 3 5 1,299	3 1 1 1 4\2	172	1
Rural part of registration states	9,041	165	158	161	292	449	763	95)	1,249	1,446	1,460	2,136	607	218	67	16
Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right.$ Diagnosis uncertain. $\left\{ egin{array}{l} M \\ F \end{array} \right.$ Diagnosis unknown. $\left\{ egin{array}{l} M \\ F \end{array} \right.$	12, 423 4, 279 7, 503 3, 380 3, 422 1, 382	176 99 113 42 31 24 32	320 111 245 19 44 28 31	473 87 369 48 52 26 52	773 161 614 78 90 53 69	969 267 727 114 140 68 102	1,314 391 930 259 250 113 134	1,473 479 980 358 322 152 171	1,586 554 924 479 479 216 183	1,604 618 797 590 574 238 233	1,512 600 673 640 625 220 214	1, 135 403 528 453 447 145 160	692 314 370 224 245 69 77	264 139 149 61 87 18 28	105 48 72 11 23 8 10	27 8 12 4 13 4 2
White	20,846	324	443	595	1,017	1,366	1,994	2,395	2,750	2,981	2,913	2,097	1,287	477	167	40
Males Females	8,853 11,993	159 165	149 294	154 441	283 734	437 929	735 1,259	970 1,425	1,219 1,531	1,417 1,564	1,439 1,474	989 1,108	604 683	218 259	65 102	15 25
Diagnosis reasonably certain $\begin{cases} M \\ F \end{cases}$ Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$ Diagnosis unknown $\begin{cases} M \\ F \end{cases}$	4,216 7,200 3,299 3,348 1,338 1,445	96 108 39 29 24 28	105 222 18 43 26 29	\$6 344 44 49 21 48	157 577 74 90 52 67	262 698 110 136 65 95	381 888 251 243 103 128	472 948 350 311 148 166	546 889 464 463 200 179	609 770 580 567 228 227	593 651 628 614 218 209	401 514 444 440 144 154	313 363 223 243 68 77	139 145 61 87 18 27	48 71 10 22 7 9	8 12 3 11 4 2
('olored	618	$\frac{17}{6}$	35		49	52 12	83	19	85 30	69	59	39	12	5	- 5 2	3 1
Females. Diagnosis reasonably certain. {M F.	430 63 303 81 74 44 53	3 5 3 2 4	26 6 23 1 1 2 2	32 1 25 4 3 2 4	39 4 37 4 1 2	40 5 29 4 4 3 7	55 10 42 8 7 10 6	48 7 32 8 11 4 5	8 35 15 16 7	9 27 10 7 10 6	38 7 22 12 11 2 5	227 14 9 7 1 6	9 1 7 1 2 1	4	1 1 1 1 1 1	1 2 1 2
Carolina.	47,986	821	1,435	1,872	2,969	4, 128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	786	257	51
Males Females	19,474 28,512	424 397	472 963	503 1,369	2,109	1,340 2,788	2,066 3,434	2,473 3,591	2,809 3,521	2,898 3,412	2,583 2,962	1,659 2,138	931 1,190	335 451	102 155	19 32
Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right\}$ Diagnosis uncertain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$ Diagnosis unknown $\left\{ egin{array}{l} M \\ F \end{array} \right\}$		279 278 1 278 59 63 60	326 764 59 101 87 98	319 1,089 100 146 84 134	510 1,671 190 241 160 197	795 2,116 320 375 225 297	1, 131 2, 449 589 604 346 381	1,287 2,387 788 755 398 449	1,351 2.064 972 1,014 486 443	1,305 1,785 1,115 1,120 478 507	1,084 1,440 1,081 1,129 418 393	690 975 728 840 241 323	455 605 357 429 119 156	196 267 113 142 26 42	72 104 18 38 12 13	10 16 5 13 4 3
White	46,549	785 410	1,343	1,738	2,832	3,945	5, 295	5,905	6,162	6,180	5,459	3,735	926	775	251	47
Females	27,502	375	457 886	475 1,263	2,005	1,296 2,649	2,004 3,291	2,418 3,487	2,746 3,416	2,848 3,332	2,548 2,911	1,641 2,094	1,171	334 441	100 151	17 30
Diagnosis reasonably certain. M. F. Diagnosis uncertain	9,652 17,306 6,357 6,834 3,038 3,362	270 266 77 56 63 53	318 701 56 96 83 89	308 1,006 91 140 76 117	497 1,583 179 235 151 187	775 2,017- 303 357 218 275	1, 113 2, 343 570 581 321 367	1, 265 2, 314 768 735 3N5 438	1,332 2,004 947 982 467 430	1, 289 1, 735 1, 097 1, 101 462 496	1,069 1,411 1,065 1,113 414 387	687 953 715 826 239 315	452 595 356 423 118 153	196 260 112 141 26 40	72 102 17 37 11 12	16 11 11 4 3
Colored	1,437	36	92	134 	33	183	205	159	168	130	86	62	21	11	h	-4-2
Females,	1,010	22	15	106	104	139	14.3	104	105	%()	51	41	14 1	10	1	2
Diagnosis reasonably certain. M_F Diagnosis uncertain. M_F Diagnosis unknown. M_F		9 12 5 3 3	8 63 3 5 4 9	11 83 9 6 8 17	13 88 11 6 9 10	20 99 17 18 7 22	18 106 19 23 25 11	22 73 20 20 13 11	19 60 25 32 19 13	16 50 18 19 16 11	15 29 16 16 4 6	3 22 13 14 2 .	3 10 1 6 1 3	Î 1 1 1 1 1 1 1 1 1	2 1 1 1 1	1 2

¹ Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

Name and the second sec					r	EATHS F	ROM CA	SCLR (AI	LL FORM	S) AT AG	E OF -					-im
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	35 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	三
SUMMARY—Continued.																
Registration cities in other states	4,161	90	202	234	329	473	591	569	533	437	339	226	85	38	9	
Males Females.	1,736 2,425	48 42	69 133	60 174	103 226	159 314	249 342	258 311	247 286	223 214	169 170	94 132	33 52	16 22	5 4	
Diagnosis reasonably certain, ${M \choose F}$	904 1,651	31 25	43 107	30 142	55 185	96 239	148 259	132 213	118 170	10S 116	73 79	41 72	14 27	10 13	2 2	
Diagnosis uncertain $\left\{ egin{array}{l} M \dots \\ F \dots \\ M \end{array} \right\}$	428 400 404	25 7 8 10	6 12 20	15 9 15	27 21 21	32 31 31	55 38 46	59 54 67	69 60 60	55 51 60	53 52 43	34 41 19	11 16 8	7	12	
Diagnosis unknown $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	374	9	14	3	20	44	45	44	56	47	39	19	9	2 2	2	
White,	$\frac{3,776}{1,617}$	77 45	165 	192	280	-413 143	225	526 240	238	421 217	323	92	32	37	5	-
Females	2, 159	32	110	140	191	270	296	286	268	204	158	129	50	21	2	
Diagnosis reasonably certain. ${M \choose F}$.	834 1,435 401	30 18	35 90 6	26 113 13	47 155 23	83 203 30	134 221 48	123 193 54	113 156 65	104 108 54	71 70 53	40 69 33	13 25 11	10 12	2 1 1	
Diagnosis uncertain ${M \atop F}$. Diagnosis unknown ${M \atop F}$.	374 382	6 7 9 7	9 14	13	23 17 19	28 30	33 43	50 63	58 60	4.) 59	51 41	41 19	16 8	4 7 2	2	
Colored.	350 385	7	11 37	19 42	19 49	39 60	42 70	43	54 27	47 16	37 16	19	9	2	1 2	
Males	119	3	14	8	14	16	24	19	9	6	4	2	1			-1
Females	266 70	10	23	34	35 S	44 13	46 14	25 9	18	10	12	3	2	1	2	
Diagnosis uncertain	216 27 26	1 7	17	29 2 1	30 4	36 2 3	38 7	20	14	1	9	3	2	1	1	
Diagnosis unknown ${M \choose F}$.	26 22 24	1 1 2	6 3	2 4	4 2 1	1 5	5 3 3	4 4 1	2 · · · · · · · · · · · · · · · · · · ·	1	1 2 2				1	
All registration cities 1	30, 956	578	1,173	1,485	2, 260	3, 214	4,054	4, 201	4,074	3,730	2,921	1,897	914	346	95	
MalesFemales	12, 241 18, 715	310 268	387 786	405 1,080	675 1,585	1,053 2,161	1,560 2,494	1,752 2,449	1,822 2,252	1,688 2,042	1, 294 1, 627	756 1,141	359 555	134 212	40 55	
Diagnosis reasonably certain. $\{^{ extbf{M}}_{ ext{F}}$	6,470 12,303	213 193	261 635	264 872	406 1, 262	624 1,646	891 1,805	947 1,638	922 1,325	798 1,116	557 851	331 522	157 264	68 133	26 35	
Diagnosis uncertain $\left\{ egin{matrix} M \dots \\ F \dots \end{matrix} \right\}$	3, 586 4, 016	48 36	46 70	68 103	139 175	239 271	388 395	491 489	566 603	587 600	496 556	309 437	144 203	56 63	8 15	
Diagnosis unknown $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	2, 185 2, 396	49 39	80 81	73 105	130 148	190 244	281 294	314 322	334 324	303 326	241 220	116 182	58 88	10 16	5	
White	29,669	544	1,074	1,340	2,112	3,007	3,844	4,059	3,958	3,648	2,875	1,867	898	339	92	
Mules Females	11, 864 17, 805	299 245	366 708	374 966	636 1,476	1,004 2,003	1,497 2,347	1,696 2,363	1,776 2,182	1,660 1,988	1, 275 1, 600	747 1,120	356 542	133 206	40 52	
Diagnosis reasonably certain $\begin{cases} M \\ F \end{cases}$.	6, 295 11, 631	206 177	250 575	249 779	358 1, 172	596 1,528	867 1,691	922 1,572	903 1,285	787 1,083	547 833	328 510	154 259	68 129	26 33	
Diagnosis uncertain $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right\}$	3,475 3,887 2,094	45 34 45	44 62 72	60 99 65	129 165 119	223 252 185	368 374 262	474 476 300	551 584 322	577 556 296	492 550 236	304 430 115	144 198 58	55 62 10	15 6	
Diagnosis unknown $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	2, 287	34	71	85	139	223	282	315	313	319	217	180	85	15	1	
ColoredMales	1, 287 377	34	99	145	39	207	63	142 56	116 46	82	19	30	16			
Females	910	23	78	114	109	158	147	86	70	54	19 27	21	13	6	3	
Diagnosis reasonably certain. $\binom{M}{F}$: Diagnosis uncertain $\binom{M}{F}$:	175 672 111	16 3	11 60 2	15 93 8	18 90 10	28 115 16	21 111 20	25 66 17	19 40 15	11 33 10	10 18 4	12 5	5	4	2	
Diagnosis unknown	129 91	2	× ×	4 . 8	10 11	19 5	21 19	13 14	19 12	14	5 3	1 2	5 3	1		
REGISTRATION STATES.	109	5	10	17	= - 8	_ 21	12		11			2		1		-
California,	2,701	30	92	117	150	238	319	331	361	345	326	208	103	37	13	1
Males	1,278	14 16	41,	35 82	63 117	153	140 179	153 178	196 165	174 171	172 154	110 98	64 39	20 17	6.7	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	731 1,004	7 13	38	24 67	41 96	58 123	84 136	143	119 114	94 103	79 83	52 52	34 18	11 13	3	
White	2,649	29	88	113	175	236	306	328	350	340	323	208	103	37	12	
Male Lemales,	1, 244 1, 405 715	15	43 43 37	34 79 23	60 115 39	152 57	131 175 82	150 178 86	187 163 114	171 169 93	170 153 77	110 98 52	64 39 34	20 17 11	5 7 3	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	991	13	38	hå	91	122	133	143	113	101	77 93	52	18	13		
Colored	52 34	1	4	- 1	5 -3	²	13 - 9	3	11 9	5 3 2	3				1	
															A	

4 Includes District of Co'umbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			l	See note	at head		ROM CAN		I PARA	21 AT AC	F ()F-					
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.		85 to 89 years.	90 years and over.	Deaths at uknown age.
REGISTRATION STATES—Contd.								_								-
Colorado	530	6	20	23	51	51	73	70	63	60	53	33	20	5_	2	
Males Females	232 298 133	2 4 2	3 17 3	15 15	20 31 12	16 55 12	25 45 12	32 38 23	40 23 13	30 30 17	28 25 16	12 21	13 7 5	2 3 2	1	
Diagnosis reasonably certain $\begin{cases} M \\ F \end{cases}$.	199	2	9	13	25	27	34	27	14	18	17	9	2	2		11.
White	517 230		20 3	22 8	49	49 16	72	69 32	39	30	53	32	13	<u>5</u>		
Females. Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	257 133	4 2	17 3	14 8	29 12	33 12	48 12	37 23	21 13	28 17	25 16	20 7	7 5	3 2		
(=	194 13	2	9	12	24	26 2	34	26	14	17	17	9	2	2		
Colored	2															
Females Diagnosis reasonably certain. ${M \choose F}$	11			1 1	2			1		2		1				
CONNECTICUT	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	3
Males	394 646	6	12 17	12 15	14 42	39	31 80	55 95	56 85	53 71	56 71	30 68	19 21	10 9	1 6	
Females	199 412	7 3 6	8 12	8 15	9 32	56 23 43	20 58	27 62	25 50	29 37	21 32	18 43	3 10	4 7	1 4	i
White	1,022	12	28	26	53	93	108	149	138	124	127	96	40	18	7	3
Males Females	390 632	6 6	12 16	11 15	13 40	39 54	31 77	55 94	54 84	53 71	56 71	30 66	19 21	10 8	1 6	3
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	198 400	3 5	8	8 15	30	23 41	20 55	27 61	24 49	29 37	21 32	18 42	3 10	4 7	1 4	i
Colored	18	1	1	1	3	2	3	1	-			2		1		
Males Females	4 14	·····i	i	1	1 2	2	3	1	1			2		·····i		
Diagnosis reasonably certain, $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	12	1	1		2	2	3	ii	i			1				
INDIANA	2,199	9	19	79	118 35	180	219 75	282 97	268	313	275 131	202 75	116	20	3	
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\{rac{ ext{M}}{ ext{F}}\}$	\$21 1,378 433	20 5	45 12	63 12	\$3 20	134 30	144 40	185 54	162 52	182 64	144 54	127 41	59 33	24 12	3 5 3	1
(847 2, 162	18 29	38 62	51 75	71 118	106	98 212	131 277	265	78 309	60 271	60 201	28 115	14	4 7	1 2
White	812	9	18	16	35	45	73	95	105	131	130	75	56	20	3	
Females	1,350 429 830	20 5 18	44 11 38	59 12 48	\$3 20 71	130 30 103	139 40 95	182 53 130	160 52 87	178 64 76	141 53 59	126 41 59	59 32 28	24 12 14	3 3	1
Colored	37		2			5	7	5	3	4	4	1	. 1		1	
MalesFemales.	25		1			1 4	. 2	2 3	1	4	1 3		1		i	
Diagnosis reasonably certain. ${M \choose F}$	17		i	3		3		1	2	2	1	1	1		1	
Kansas	1,095	22	27	30	52	73	101	132	161	170	146	93	65	17	6	
Males	504 591	10 12	9 18	11 19	15 37	26 47	28 73	58 74	68 93	94 76	92 54	53 40	27 38	9 8	4 2	
Diagnosis reasonably certain $\left\{egin{matrix}M \\ F\end{array} ight\}$	257 364	8 8	5 11	17	31	13 32	19 55	32 49	27 54	45 35	40 21	26 24	18 20	6 5	2	
White	1,064	22	22	28	50	71	101	127		168	142	90	63	17		
Males. Females.	496 568 254	10 12 8	14	10	14 36 6	25 46 13	25 73 19	57 70 31	68 89 27	93 75 45	90 52 39	53 37 26	27 36 18	9 5 6	4 2 4	
Diagnosis reasonably certain. ${ m T}$	349	8	5	16	30	32		47	51	34	21	21	19	5	2	
Colored	31		5	- 2	1 1	1 2		5 	4	2	2	3	2	-	· · · ·	
Females . Diagnosis reasonably certain ${M \choose F}$	23		4	1	1 1	i	ųi	4 1	1	1	2 1	3	2			
Kentucky	1,081	26	3 43	1 59	: 1	\$5	105	2 118	146	1 146	107	3 79	1 54	14	3	17
Males	388	10	7	11	18	21	38	10)	55	66	51	.30	23	10	1	7
Females Diagnosis reasonably certain. ${M \choose E}$	693 162 446	16 6 7	36 5 24	45	61 5 45	64 10 51	67 17 13	78 20 60	91 14 50	21 46	56 23 28	49 9 26	31 12 22	6 3	1 2	10 3 6
White	959	22	35	11	67	72	91	104	129	138	101	71	52	14	3	16
MalesFemales	356 603	14	7 28	% 36	17 50	19 53	32 59	36 68	50	62 76	49 52	25 43	22 30	10	- 1 2	7 9
Diagnosis reasonably certain. ${M \choose F}$	155 382	5	5 16	4 22	36	43	15 37	19 53	14 43	24 42	22 27	9 24	12 21	6 3	1 2	3 6

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

		1		see note	at head					0) 477 40						-
	Alloman	; 					FROM CA		1						90	at un- n age.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at ur known age.
REGISTRATION STATES—Contd.		1														1
Kentucky—Continued. Colored	122	4	8	15	12	13	14	14	17	8	6	8	2			1
MalesFemales	32 90	2 2	 8	3 12	1 11	2 11	, 6	4 10	5 12	4 4	2 4	2 6				
Diagnosis reasonably certain. ${M \choose F}$	7 64	1	·····§-	11	9	2 8	2 6	1 7	7	4	1 1	2				
Maine	821	9	12	31	39	63	73	87	103	125	105	90	50	25	7	1 2
MalesFemales	293 528	4 5 2	1 11	5 26	6 33	16 47	19 54	26 61	43 60	46 79	45 60	44 46	24 26	12 13	1 6	. 1
Diagnosis reasonably certain. ${ m M} { m F}$	122 308	3	9	19	27	8 32	9 41	9 38	21 38	19 38	13 25	14 14	10 15	10	3	1
White	819	9	12	31	39	63	73	87	103	124	104	90	50	25	- 7	12
Males. Females. Diagnosis reasonably certain.{ <mark>M</mark>	292 527 122 308	5 2 3	1 11 1 9	5 26 1 19	6 33 3 27	16 47 8 32	19 54 9 41	26 61 9 38	43 60 21 38	45 79 19 38	45 59 13 25	44 46 14 14	24 26 10 15	12 13 10 6	1 6 1 3	1 1 1
Colored	2									1	1					
Males Females.	1									1	1					
Diagnosis reasonably certain. ${ m T}_{ m F}$																
MARYLAND.	1,092	17	30	51	69	105	137	138	167	139	103	74	40	14		1
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}}. ight.$	401 691 215 457	6 11 5 7	13 17 10 16	12 39 10 29	22 47 13 40	30 75 20 58	38 99 18 68	54 84 33 64	80 87 42 49	51 88 18 49	46 57 22 34	28 46 13 23	9 31 2 14	8 6 5 4	4 3 4 2	1
White	947	15	23	39	52	88	108	126	149	126	94	70	37	13	6	1
MalesFemales	365 582	6 9	12 11	12 27	18 34	28 60	32 76	48 78	73 76	46 80	42 52	27 43	9 28 2	8 5	4 2	1
Diagnosis reasonably certain. ${M \choose F}$	199 378	5 6	9 10	10 19	12 29	19 46	16 52	29 58	39 44	16 44	20 31	13 21	2 13	5 3	4 2	
Colored	145	2	7	12	17	17	29	12	18	13	9	4	3	1	1	
Males Females	36 109 16	2	- 1 6 1	12	13 1	15 1	6 23 2	6 6 4	7 11 2	5 8 2	4 5 2	1 3	3	····i	····i	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{H} \\ \mathbf{F} \end{array} \right.$	79	1	6	10	11	12	16	6	3 5	5	3	2	1			
Massachusetts	3,649	52	90	121 27	63	317	140	457 169	196	190	183	295 111	175	71 20	31	
Females	1,324 2,325 683 1,475	29 23 23 17	60 22 51	94 19 68	159 36 125	231 57 182	280 76 204	288 94 187	287 102 175	301 88 165	241 88 129	184 33 81	108 30 47	51 9 29	18 6 15	
White	3,613	52	88	117	220	312	417	450	479	487	422	295	174	69	31	
Males. Females. Diagnosis reasonably certain. ${ m M \over F}$.	1,310 2,303 678 1,457	29 23 23 17	29 59 21 50	26 91 19 65	61 159 36 125	83 229 55 181	139 278 76 203	168 282 93 181	195 284 102 172	187 300 87 164	183 239 88 128	111 184 33 81	67 107 30 47	19 50 9 28	18	
Colored	36		2	4	2	5	3	7	4	4	2		1	2		l
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $\{rac{ ext{M}}{ ext{F}}\}$	14 22 5 18		1 1 1	1 3	2	3 2 2 1	$\frac{1}{2}$	1 6 1 6	3	3 1 1 1	2		1	1 1		
MICHIGAN	2,395	34	77	72	137	196	271	301	330	334	308	190	99	28	15	3
Males	1,015	21	27	20	44	59	108	116 185	146 184	165 169	151 157	84 106	49 50	18 10	7 8	1 2
Females Diagnosis reasonably certain. ${M \choose F}$.	1,380 498 854	13 11 10	50 20 38	52 13 40	93 26 75	138 37 95	163 53 112	62 125	69 112	64 77	67 74	28 51	30 31	13 8	5 6	
White	2,379	32	76	70	135	193	270	300	329	331	308	190	99	28	15	3
$\frac{\text{Males}}{\text{Lemales}}$. Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$.	1,010 1,369 495 850	19 13 10 10	27 49 20 37	20 50 13 40	44 91 26 74	57 136 36 94	108 162 53 112	116 184 62 124	146 1\3 69 112	163 168 63 77	151 157 67 74	106 28 51	49 50 30 31	18 10 13 8	7 8 5 6	1 2
Colored	16	2	1	2	2	3	1	1	1	3						
Males Females	5 11	2	1	2	2	1 2	· · · · · · i	1	1							
Diagnosis reasonably certain ${M \choose F}$	3 4	1	i		1	1		1								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

							rble, p. 4	NCER (A	LL FORM	== (S) AT AC	GE OF-	_			·
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.
REGISTRATION STATES—Contd.															
MINNESOTA	1,701	35	52	59	96	133	202	187	226	222	199	162	90	28	10
Males	829 872 406	19 16	17 35	17 42	32 64	69	114	95 92	109 117	119 103	100 99	100 62	44	13 15	7 3
Diagnosis reasonably certain. F .	519	9	14 29	1 1 31	19 52	40 49	50 79	44 64	60 65	52 53	42 37	32 22	19 17	6 8	2
White	1,696	34	52	58	96	133	202	187	224	222	199	161	90	28	10
MalesFemales	828 868 406	19 15 9	17 35 14	17 41 14	32 64 19	69 64 40	58 114 50	95 92 44	108 116 60	119 103 52	100 99 42	100 61 32	44 46 19	13 15	7 3
Diagnosis reasonably certain. $\{F\}$	519	11	29	31	52	49	79	64	65	53	37	22	17	6 8	2
Colored	5	1		1					2			1			
Males. Females.	1 1	1		1					1			1			
Diagnosis reasonably certain, $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$															
MISSOURI	2,326	50	85	- S2 - 92	153	180	282	290	296	302	270	182	114	24	13
Males	1,348 534	20 30 12	29 56 24	60 14	37 116 23	65 115 50	118 164 68	126 164 80	125 171 64	159 143 70	122 148 48	94 46	50 64 27	11 13 4	5 4
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	\$70	19	40	49	94	95	131	103	111	83	62	38	32	6	5
White	2,233	46 17	74 25	75	149 37	168	271	279 123	284	297	262	- 177	111	24	13
Females Diagnosis reasonably certain (M.	1,288 518	29	49	21 54 13	112	107 50	157 68	156 156 78	119 165 60	157 140 69	118 144 46	86 91 45	50 61 27	11 13 4	5 8
(827	19	34	44	23 90	45	126	99	108	81	60	36	29	6	5
Colored,	93	3	1	$\frac{7}{1}$	4	12	11	11		5	8	5	3	······	
Females	60 16	1 3	4 7 2 6	6	4	8	7	8 2	6	2 3 1	4	3 1	3		
Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{array} \right\}$	43			5	4	7 .	5	4	3	2	2	2	3		
Montana	107	3	9	13 5	16	25		- <u>-27</u> 16	37 19	16	10	8	9	3	1
Females. Diagnosis reasonably certain. {M.	116 67	3 3	5 4	8 3	11 2 7	15	15 6	11 10	18 10	5	10	7 7	5 4	2	1
White	74	6	5 9	8		14	13	5	S	1	5	2	2	2	1 .
Males.	218	3	4		16	25	25	26 16	36 18	15	20 10	14	9	3	
Females. Diagnosis reasonably certain. {M	112 66	3 3	5 4	5 8 3	11 2 7	15 5	14 6	10	18	4 6	10	6 7	5 4	2	1
(72	1	5	8	7	14	12	4	8	1	5	2	2	2	1
Colored	<u>5</u>							1	1	1		1			
Females. Diagnosis reasonably certain ${M \choose F}$	4						1	1	1	1		1			
NEW HAMPSHIRE	2 442	3	7	16	18	38	1 54	1 47	55	47	59	52	28	12	4
Males	142		7	5	6	9	11	19	20	13	22 37	21	10	3	- 1
Females	300 64 187	1 2 1 2		11 1 10	12 2 9	29 6 22	43 5 33	28	35 9	34	G	31	18 4 8	9 2 6	3
White	440	3	7	16	18	38	54	19 47	22 55	18	19 59	11 52	27	12	2
Males	141		7	5	6	9	11	19	20	13	22 37	21	- 10	3 9	1 .
Females Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	299 63 187	1 2 1 2	5	11 1 10	12 2 9	29 6 22	43 5 33	25 9 19	35 9 22	34 9 15	37 6 19	31 8 11	17	9 2 6	3 1 2
Colored	2	~		10				19	ند		19	11	1		
Males	1 1												1		
Diagnosis reasonably certain. $\{F,\}$	1														
New Jersey	2,223	37	52	83	139	210	275	287	323	294	251	_ 139	93	30	_ 10 .
Males	859 1,364	23 14	14 38	20 63	41 98	57 153	94 181	116 171	140 183	135 159	105 116	59 80	39 54 14	11 19	
Diagnosis reasonably certain, $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	370 808	12 7	31	11 49	21 68	29 117	47 121	52 102	63 87	44 82	44 71	19 42	14 19	10	· .
White	2,163	37	49	77	137	199	267	280	315	287	245	138	92	30	10 .
MalesFemales	1,318	23	14 35	19 58	40 97	56 143	91 176	113 167	139 176	132	104 141	59 79	39 53	11 19	5 5
Diagnosis reasonably certain ${M \choose F}$.	366 774	12 7	7 28	11	21 67	28 109	47 117	51	63 83	43 80	43 69	19 41	14 18	6 10	1

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATHS F	FROM CA	NCER (AI	L FORMS	S) AT AG	E OF—					-un
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	31	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	131
REGISTRATION STATES—Contd.	_	-														
Ew Jersey—Continued.	60		3	6	2	11	8	7	8	7	6	1	1			
Males	14			1	1	1	3 5	3	1	3	1					
Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	46 4 34		3 :	55	1	10 1 8	4	1 3	7 4	4 1 2	5 1 2	1 1	1			
EW YORK.	8,907	168	299	385	580	873	1,090	1,187	1,170	1,108	946	622	323	113	38	
MalesFemales	3,568 5,339	90 78	115	100 285	172 408	289 584	429 661	509 678	501 669	492 616	419 527	264 358	125 198	49 64	13 25	
Diagnosis reasonably certain $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	1,863 3,359	65 52	73 156	64 234	116 318	168 437	260 458	255 423	246 370	231 323	173 266	119 153	52 108	28 39	13 19	
White	8,791	166	287	370	572	864	1,073	1,173	1,162	1,095	941	612	321	113	38	_
Males	3, 536 5, 255 1, 853	90 76 65	112 175 72	99 271 63	171 401 116	285 579 167	425 648 260	501 672 251	499 663 246	489 606 228	418 523 173	260 352 119	125 196 52	49 64 28	13 25 13	
Diagnosis reasonably certain $\{M, \dots, M\}$	3,298	51	145	222	311	433	448	419	367	318	262	151	107	39	19	
Colored	116 - 32	2	- 12	15 	- 8	4	- 17	8	8	13	- 1	4	_ 2			-
Females. Diagnosis reasonably certain {M	84 10		9 1	14	7	5 1	13	6	6	10	1	6	2			
ORTH CAROLINA 1	61 273	1 8	8	12	7 27	31	40	30	3 46 °	5 33	9	10	7	4	1	
Males	72	3	4	3	4	3	8	10	15	13	. 2	4	2			-
Females. Diagnosis reasonably certain $\left\{ \frac{M}{F} \right\}$.	201 35 145	5 2 3	10 3 9	10 2 10	23 2 20	28	32 3 27	$\frac{20}{7}$	31 7 15	20 3 12	5	6 3 3	5 2 2	3 1 2	1	
White	190	6	9	5	16	15	22	23	40	28	7	8	6	4	1	1
Males Females	53 137	3 3	3 6	1	2 14	2 13	3 19	8 15	11 29	12	2 5	3 5	2 4	1 3	1	
Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	25 90	2	6	1 4	11	6	1 15	6	14	10	3	2 2	2 2	1 2	1	
Colored	83	2	5	8	11	16	18	7	6	5	2	2	1			
MalesFemales	19 64		1 4	6	2 9	1 15	5 13	2 5	4 2	1 4	2	1	1			
Diagnosis reasonably certain. $\{ F : F : F = F \}$	10 55	2	1 3	6	9	12	12 12	5	3	2	2	1				
HIO	4, 176	63	113	167	267	314	454	516	536	564	523	335	204	95	25	
Males	1, 660 2, 516 813	40 23 25	37 76 19	40 127 24	74 193 39	101 213 53	164 290 94	194 322 102	236 300 112	261 303 119	242 281 95	136 199 60	120 42	42 53 26	9 16 3	
Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{F} \end{array} \right\}$	1,603	15	59	99	153	172	210	224	179	160	141	90	67	25	9	
White	1,632	62	110 37	36	$\frac{256}{71}$	302	162	194	233	254	239	133	203	94	9	
Females. Diagnosis reasonably certain. $\left\{ egin{smallmatrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	2,448	22 25	73 19	119 23	185 39	203 51	279 94	316 102	290 112	299 117	278 95	197 58	120 42 67	52 26	15 3	
Colored	1,555 96	15	56 3	93	146	165 12	199	218	175 13	158	139	90	67	25 1	9	·
Males	28			4	3	2	2		3	7	3	3	1			
Females. Diagnosis reasonably certain ${F}^{M}$.	68 · 7 48	1 ;		8 ' 1 6	······································	10 2 7	11 ii	6 6	10	4 2 2	3	2 2		1	1	
ENNSYLVANIA	5, 997	111	194	266	399	546	683	760	786	781	656	463	218	98	31	
Males	2,304 3,693	58 53	50 144	70 196	102 297	189 357	263 420	291 469	335 451	352 429	254 372	184 279	82 136	29 69	13 18	
Diagnosis reasonably certain $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right\}$	1, 131 2, 325	41 39	34 114	40 154	60 232	106 252	125 299	156 308	157 269	150 225	116 182	66 126	51 68	18 45	10 10	
White	5, 807	103	189	251	380	505	657	740	771	766	645	456	214	96	29	,
Males	2, 241 3, 566	56 47	49 140	66 185	95 285 57	176 329	256 401	252 458		348 - 418	278 367	182 274	81 133	29 67	12 17	
Diagnosis re isonably certain, {\bar{\text{F}}}	1, 108 2, 233	40 34	34	37 147	57 222	101 233	123 285	152 299	156 262	149 217	114	66 123	50 68	18 43	10 9	
Colored .	190	_ 8	5	15	19	41	26	20	15	15	11	7	4	2	2	
Made	63 127	2 6	1 4	11	12	13 28	$\frac{7}{19}$	9	6	11	6 5	5	1 3	2	1	

 $^{^{\}dagger}$ Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				<u> </u>	at Head	DEATHS I			LL FORM	S) AT AG	GE OF—					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 149 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 year, and over.	Deaths at un- known age.
REGISTRATION STATES—Contd.																_
RHODE ISLAND	539	10	11	19	33	50	72	73	71	71	54	45	19	7	1	
MalesFemales	196 343	.8	7	3 16	11 22	20 30	28 44	25 45	27 47	31 40	23 31	12 33	4 15	2 5	1	
Diagnosis reasonably certain $inom{M}{F}$	102 220	7	2 5	3 15	20	11 22	12 29	17 32	9 25	19 19	11	13	11	2 4		
White	530	9	10	19	32	48	71	72	73	70	54	4.5	19	7	1	
Males	191	1 8	i i	3 16	10 22	20 28	43	25	27 46	31 39	23 31	12 33	4 15	2 5	1	
Diagnosis reasonably certain ${ m A}_{ m F}^{ m M}$.	101 218	7	. 2	3 15	20	11 21	12 28	17 32	9 25	19 19	11 15	5 13	2 11	2 4		
Colored	. 9	1	1		1	2	1	1	1	1						1
MalesFemales	2 7	1	. 1		1	2	<u>-</u>	i	·····i				l			
Diagnosis reasonably certain ${ m M \choose F}$	1 2	1				···· 1	 1									
UTAH	190	7	1	9	11	20	27	29	26	21	18	11	7			
MalesFemales	94 96	5	1 3	3 6	3 8	12	13	12 17	18	9	13	ő	4			
Diagnosis reasonably certain $\{F_{\bullet}\}$	41 61	2 3 2	1 3	3 5	2 6	4 7	14 8 9	5	4 5	12 4 4	3 4 3	6	3 2			
White	185	7	4	9	11	16	27	28	26	21	18	11	7			
Males	91	5	1	3	3	5	13	12	18	9	13	5	4			
Females Diagnosis reasonably certain. ${M \choose F}$	94 40 61	3	3	6 3 5	8 2 6	11 3 7	14 8 9	16 5 12	8	12 4 4	5 4	6	3 3			
Colored	5				0	4	9	1		*	3	4	3			
Males	3					3										
Females Diagnosis reasonably certain. ${M \choose F}$	2					1										
VERMONT	397	9		10	11	12	28	53	41	51	67	45	38	18		
Males	159	4	1	3	3	3	6	24	15	24	31	18	17	7	2	-
Females. Diagnosis reasonably certain ${ m M} \cdot { m F}$	238 88	5 3	, 7 1	7 1	, 8 2 7	9 2 7	22 2	29 10	26 6	27 16	36 20	27 7	21 12	11 3	2 2 2	1
White	. 145 396	5 9	4	6	7	7	17 28	19 53	16 41	16	16	15	11	4	2	
Males	158	4		3	3	3	- 6	21	15	51 24	30 1	45	38	7	-4	2
Females	238 87	5 3	7	7	8 2	9 2 7	22	29 10	26 6	27 16	36 19	27 7	21 12	11 3	2 2	1
	145	5	4	6	7	7	17	19	16	16	16	15	11	1	2	
Colored	1										1					
Females	i										1					
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$																
Virginia	1,051	24 ————————————————————————————————————	-36 6	50 16	77	81	108	121	137	126	128	84	18	27 12	3	
Females	661 189	12	30 5	34	60 14	65	37 71 24	75 13	79 25	80 19	62 22	47 20	25 10	15 11	5 2	1
(* * *	440	7	23	28	49	43	53	49	53	50	30	22	18	10	5	
White	767 324	15 9		26 10	12	49	70	87 	101	38		76	41	24		
Females	443 165	ช 6 อ้	11	16	30 10	12 37 5	42 19	50 12	54 25	64 17	59 51 21	35 41 20	17 24 9	12 12 11	5 2	
(256	3	9	14	23	23	32	33	37	41	22	19	17	9 1	5	
Colored	254	9	20	24	35	32	38	34	36	24	18	8	2	3		1
Males Females	66 218 24	3 6 2	1 19 1	18 2	5 30 4	28 2	9 29 5	9 l 25 .	11 25 3	16 2	11	6	1 1	3		1
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots & M \\ F & \dots & M \end{array} \right\}$	154	1	14	11	26	20	21	16	16	9	8	3	i	2		
WASHINGTON	871	18	25	36	51	\2	119	120	120	104	54		42	7	1	3
Males Females	416 425 212	12	10 15 a	17 19 13	18 33 9	26 56	57 62	59 61	72 49 39	66 38	42 42	32 27	27 15	6 1 2	1	1
Diagnosis reasonably certain. $\left\{ egin{array}{l} H \\ H \end{array} \right\}$	300	6	9 13	17	30	14 46	34 47	35 43	33	31 21	17 24	15 12	7	1		
White	865	18	25	36	50	82	117	119	120	101	84	58	41	7	1	3
Females	442 423	12	10 15	17 19	17 33	26 56	56 61	59 60	72 48	66 38	42 42 17	31 27	26 15	6 1 2	1	1 2
Diagnosis reasonably certain. ${M \choose F}$.	240 298	6	13	13 17	30	14 46	33 46	35 42	39 33 ±	31 21	24	15 12	13	1		2

					D	EATHS F	ROM CAN	NCER (AI	LL FORMS	B) AT AG	E OF-					un- e.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 31 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
REGISTRATION STATES—Contd. WASHINGTON—Continued. Colored	6		-		1		2	1				1	1			
Males Females Diagnosis reasonably certain. [M	1 2 2 2 2				1		1 1 1 1	1				1	1			1
Wisconsin	1,985	35	37	52	86	130	209	263	247	301	259	187	117	49	12	1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \text{M} \\ \text{F} \end{matrix}\right. \\ \end{array}$	948 1,037 394 596	20 15 14 12	12 25 6 20	19 33 11 24	30 56 13 43	47 83 28 70	91 118 41 83	124 139 51 83	132 115 72 66	150 151 59 67	130 129 18 52	105 82 38 32	66 51 22 22	19 30 9 16	2 10 2 6	1
White	1,976 - 947	35 20	37	51 19	30	$-\frac{130}{47}$	209	262 124	245 131	299	259	186	116 	48	12	1
Fermiles	1,029 394 590	15 14 12	25 6 20	32 11 24	56 13 43	83 28 70	118 41 83	13\ 51 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	114	149 59 65	129 48 52	38 31	50 22 21	29 9 15	10 2 6	
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	1 8	- :::		i		1,		1	1 1			1	1	1		
REGISTRATION CITIES.		<u></u> -						``- <u>`</u> _	A							_==
ALABAMA. 1 Registration cities	159	, ₁ 6	16	11	14	20	20	15	1.5	16	6	13	4	2		1
Males Females Diagnosis reasonably certain $\binom{M}{F}$	53 106 41 81	1 5 3	5 11 4 9	- 2 9 2 7	2 12 11	12 7 9	10 10 6 9	1 11 4 6	6	6 10 6 9	3 3 2 3	3 10 2 6	4	1 1 1 1		11
White	115	3	11	6	10	10	15	12	12	14	1	12	3	2		1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} M \dots \\ F \dots \end{array}$	44 71 34 55	1 2	3 8 2 8	1 5 1 4	1 9 8	5 5 4 5	9 6 6 5	4 5 4 4	6 6 5 5	6 6 7	3 1 2 1	3 9 2 5	3	1 1 1 1		1
Colored	44	_ 3	5	5	4	10	5	3	3	2	2	1	1	· · · · · · ·		
Males	9 35 7 26	3 1	2 3 2 1	1 4 1 3	3	3 7 3 4	4	3	1 2 1 2		2	1	1			
Birmingham	77 26	$-\frac{2}{1}$	9	5	9	9 5	12	- 8	8	5	2	3	2	1		1
Females. Diagnosis reasonably certain $\begin{cases} M \\ F \end{cases}$.	51 19 40	1	8 1 7	5 3	8	5 4 5 3	6 3 5	1	3 5	3 2 3 2	1	1 1 1	2	1		1
White	56 	- 1 1	6	2	6		10 6 4 3	- 7 1 6 1	7 3 4 2	- 1 3 1 3	2	1 1		- 1		- 1 1
Diagnosis reasonably certain $\left\{ egin{align*}{l} M \dots \\ F \dots \end{array} \right.$	28	1	6	3	6 3	5	3 2	3	2	1		_1		i		
$rac{Males}{Fernales}$. $Fernales$. $Diagnosis reasonably certain. \left\{ \stackrel{M}{F} \right\}.$	6 15 5 12	1	1 2 1 1	2	1 2 2	3 2 3 1	2	1 i	1 1 1 1	1		1				
Mobile Males Female.	- 21 31	3	5 2 3	5 -2 3	$\frac{2}{1}$	- 6 - 3 3	$-\frac{5}{3}$	2 1 1	3 1	9 3 6	$-\frac{3}{1}$	7 2 5	1 -			
Diagnosis reasonably certain. $\left\{ egin{align*} M \\ F \end{array} \right\}$	19 23 41	i 1	2 2	2 3 3	1 2	2 2 5	3 2 4		3 1 3	3 5 5	1 2 1	1 4 7	1			
$\frac{\text{Mathes}}{1 \text{ our de}}$ Diagnosis reasonably certain. $\frac{M}{F}$.	20 21 17 17	1	2 2 2 2 2	1 2 1 2	I I	3 2 2 2	3 1 1 3 1	1 1 1 1	3	3 5 3 4	1	2 5 1 4	i	· · · · · · · · · · · · · · · · · · ·		
Colored.	11	2	1	2		1	1		1	1	2		1			
$\begin{array}{c} \text{Males} \\ \text{Formales} \\ \text{Diagnosis reasonably certain.} \\ \frac{M}{\Gamma} \end{array}$	1 10 1 6	2	1	1 1		<u>1</u>			1	. 1 . i	2 2					

¹ Nonregistration state; cities shown below only those with effective local ordinances.

-						Of this to			LL FORM	S, 11 AG	E OF—				<u></u>	e up
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 61 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at known ag
REGISTRATION CITIES—Contd.										 						
ALABAMA 1—continued.									1	1						
Montgomery 2	30	- 1	2	1	3	5	3	5	2	2	1	3	I	1		
Males Females	6 2‡ 4	ĭ	2	1	3	5	1 2	2 3 2	2	2	· i	3	1	1		
Diagnosisreasonably certain. ${}_{\mathrm{F}}^{\mathrm{M}}$.	18	1		1	1 2	4	2	2	1	2	1	1	1			
White	18		1	1	2	1	1	- 3	2	2	1	1		1	1	-
MalesFemales	11 3		1	i	2	····· i	1	1	2	2	1	3		I		
Diagnosis reasonably certain. $\{^{M}_{F}$.	10			1	1	i	i	ĩ	1	2	1	1				
Colored	12	1	1		1	4	2	2					1			
Males	10	·····i	1 1		1	4	1	2					1			
Diagnosis reasonably certain. ${ m M}$	1 8	1	1		1	3	1	1					1			
CALIFORNIA. Registration cities	1,754	18	69	. 81	119	179	232	220	227	222	193	121	52	15	6	
Males	782	9	31	24	46	65	97	95	125	108	87	58	29	7	2	
Females Diagnosis reasonably certain. ${M \choose F}$	972 464 684	10 3 9	38 25 33	57 19 43	73 30 59	114 41 94	135 61 104	125 58 96	102 75 68	114 62 69	106 41 56	63 30 35	23 15	8 3 6	1 2	'
White	1,720	17	66	77	115	178	222	219	219	220	193	121	10 52	15	6	
Males	761	7	31	23	43	65	91	94	HS	106	87	58	29	7	2	
Females. Diagnosis reasonably certain. ${f M}_{F}$.	959 456	10 3 9	35 25	54 1×	72 28 58	113 41 93	131	125 58	101 70	114 62	106	63 30	23 15	8	1	
Colored	674	1	31	41	4	1	101	96 1	67	2	56	35	10	ь	2	* *
Males	21	1		1	3		6	1	7	2						-:-
Females Diagnosis reasonably certain. ${ m M}_{ m F}$.	13		,	3	1 2	1	4		1 5							
Los Angeles	443	4	2 		33	35		61	48	65	51	21	7	4	1	<u></u>
Males	172	3	10	4	10	11	25	26	22	26	15	9	5	2	1	<u>.</u>
Females	271 109	1	11 8	16	23	27 8	44 19	35 16	26 10	39 18	33 11	12 6	2 3	2		
White	180 436	3	20	10 20	19 32	23	33 67	25 61	13	23 65	19 51	21	1 .	. 1		
Males	167	2	10	4	9	11	24	26	20	26	18	9	5	2	1	
Females Diagnosis reasonably certain. {M	269 106	1	10	16	23	27 8	43 19	35 16	26 8	39 18	33 11	12 6	2 3	2		
(178	1	7	10	19	23	32	25	13	23	19	4	1	1		 I
Colored Males	5				1				2							- '
Females. Diagnosis reas mably certain $\left\{egin{array}{l} M & \dots \\ F & \dots \end{array}\right.$	3		1		· · · · · i		1		2							
Oakland	170	2	1		11	15	1 19	21	21	177		18				٠
Males	61		2	2	2	3	3	10	7	17	23	8	4		1	
Diagnosis reasonably cartain M.	109 39	i 1	2	2	9	12	16 2	11 8	14	3	14 5	10	5 1	1	1	
(1	75		2	б	6	9	10	8	11	li o	7	6	3		1	
Pasadena. Males	 				3	1		7	5	9	5	3	1	$-\frac{2}{2}$		*** *
Females . Diagnosis reasonably certain ${M \choose F}$	36 10	1		1	3	1 1	4	7	1	11 2	3 3	2	3	2	1 1	
(24	1		1	2	1	2	6	3	4	3		1			
Sacramento	65 32	· · ·			3	7		- 4	13	6		7	4			
Females	33		3 1		1 1	1 6 1	2 2	4 4	6 7 4	5 1 3	4	3 3	2 1			
Diagnosis reasonably certain, ${K \choose F}$			3		i	5	1	4	4	1	2	2				
San Diego	85	·	3	1			11	8	13	15	9	6				
Males Females Males Male	39 46 17		3	i i	3 2 3	1 5 1	3 8 1	3 5	10 3 6	6 9 2	7 2 2	4	4 4 2			: .
Diagnosis reasonably certain. ${M \choose F}$	35		3	1	2	5	7	4	3	7		î	2			

¹ Nonregistration state; cities shown below only those with effective local ordinances. 2 The only other registration unit shown in order to complete the state.

A S Sand Sand					[)	EATHS F	ROM CAN	NCER (AL	L FORMS	S) AT AG	E OF-					um- ge.
AREA AND BASIS OF DIAGNOSIS.	All ages.	25	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
REGISTRATION CITIES—Contd.																
CALIFORNIA—continued.																
San Francisco	576	8		38	53	78	79	59	77	56	54	35	9	4	2	
Males	292 284 185	4 2	11 13 11	16 22 14	24 29 16	37 41 22	38 41 26	29 30 1 19	51 26 37	33 23 16	26 28 13	17 18 7	5 4 3	3	2	
Diagnosis reasonably certain. $\left\{egin{matrix}M,\ F ight\}$	208	1	11	17	23	31	34	25	16	13	15	13	3 2	3	1	
White	593	8	23	31	52	77	70	50	74	56	54	35	9	4	2	
Males	25 i 277 153	4 4 2	11 12 11	15 19 13	24 28 16	37 40 22	36 40 26	29 30 19	48 26 35	33 23 16	26 28 13	17 18 7	5 4 3	3	2	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	203	1	ii	15	22	30	33	25	16	13	15	13	2	3	1	
Colored	13	1	1	4	1	1	3		3							
Males	5 7 3-		1	1 3 1	1	1	2		3							
Diagnosis reasonably certain, $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	5			2	1	1	1									
Other cities	362	3	12	13	11	33	44	56	50	54	42	29	11	4		
Males	169 193	3	6	2 11	5 6 2	11 22 7	24 20	23 33	28 22	25 29	20 22	15 14	8 3	2 2		
Diagnosis reasonably certain. $\left\{egin{array}{c} M \ \end{array} ight.$	83 139	3	6	8	6	20	12 17	11 24	14 18	13 15	7 10	7 9	5	1 2		
COLORADO.																
Registration cities	293	5	15	13	28	25	43	38	38	36	25	11	11	3	2	
Males Females	123 170	2 3 2	14	6 7 6	10 18	9 16 6	15 28 6	16 22 12	22 16	18 18 10	10 15	5 6	7 4 3	$\frac{1}{2}$	1 1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	76 121	ĩ	8	7	15	12	20	17	8 10	11	13	5 5	1	1		
White	281	5	15	12	26	23	42	37	35	35	25	10	11	3	2	
Males	121 160	2 3	14	6	10 16	14	14 28	16 21	21 14	18 17	10 15	5 5	7 4	1 2	1	
Diagnosis reasonably certain. $\left\{egin{matrix}M\dots\\ \mathbb{F}\dots \end{array} ight.$	76 117	2	8	6 6	9 14	11	6 20	12 16	8 10	10 11	13	5 5	3	1	1	
Colored	12			1	2	2	1	1	3	1		1				
Males Females	2 10			i	2	2	1	····i	1 2	i		1				
Diagnosis reasonably certain $\{F_{+}^{M}\}$	4			1	i	1		1		1						
Denver	222	4	8	9	22	17	37	29	25	29	19	7	9	3	1	
MalesFemales	94 128	2 2	8	5 4	15	7 10	13 24	11 18	18 10	11 18	8	3 4	7 2 3	1 2	1	
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \ldots \end{array}\right\}$	55 92	2	4	5 4	6 12	5 8	5 17	8 14	7 6	5 11	10	3 4	3	1		
Other cities	71	1	7	4	6	8	6	9	10	7	6	4	2		1	
Males	29 42	1	1 6	1 3	3 3 3	6	2 4	5 4	4 6	7	2 4	2 2	2		1	
Diagnosis reasonably certain $ig\{ egin{matrix} M \dots \\ F \dots \end{matrix}$	21 29	1	1 4	1 3	3	1 4	1 3	3	1 4	5	2 3	2				
CONNECTICUT.																
Registration cities	717	12	25	20	43	74	83	103	105	78	76	58	24	14	2	
Males Females	271 446	5 7	17	9 11	11 32	32 42	23 60	40 63	43 62	34 44	32 44	16 42	12	6 8	2	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	136 290	6	12	5 11	7 25	18 33	16 45	19 41	20 36	20 25	12 22	10 23	3	6	2	
White	699	11	24	19	40	72	80	102	102	78	76	56	24	13	2	
Males	267 432	5 6	8 16	8	10 30	32 40	23 57	40 62	41 61	34	32 44	16 40	12 12	6 7	2	
Diagno is to , snably certain $\{\stackrel{M}{F}_{++}\}$	135 278	2 5	11	5 11	7 23	18 31	16 42	19 40	19 35	20 25	12 22	10 22	3	1 6	2	
Colote L.,	19	1	ı	1	3	2	3	1	3			2		1		
Male	4 11	1	1	1	1 2	2	3	1	2			2		i		
Program for oally contain $\left\{egin{aligned} M \in \mathbb{R}^{n}, & \mathbb{R}^{n} \end{array} ight\}$	1 12	····i	·····i		2	2	3	1	1			·····i				
Brid 94-31	97	3		5	6	11	11	13	19	11	6	4		1	1	
M. b.s	40 57	1 2	1 2	3 2	4 2	5 6	2 9	5 8	5 14	6 5	4 2	1 3		1	1	
Dischous reasonable cert in $\left\{ egin{aligned} \mathbf{F}_{\mathbf{F},\mathbf{s}} \end{aligned} \right.$	19 27		2 2	2 3 2	2 2	1 3	1 6	3 3	3 6	3 2	1	2	l	i	1	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	. 1	1		See note			ble, p. 4									1
					I	EATHS F	ROM CAI	NCER (AL	L FORMS	B) AT AG	E OF-	1	1			at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	nown
REGISTRATION CITIES—Contd.																
connecticut—continued.																
Hartford	132		-	4	11	15	21	18	17	12	11	12	4	1		
Males	56 76 37	1 1 2	3	1 3 1	5 6 5	8 7 6	7 14 5	8 10 5	7 10 4	5 7 2	4 7 3	5 7 3	3 1 1	1		
Diagnosis reasonably certain. ${\mathbf F}$	57	1 2	3 4	3	5 11	5	10	6	7	6	3 5	6				
New Haven Males	57	1	2	1	1	7	3	6	23	9	23	10	- 4 2	5 2		
Females	107 30	1	2	3	10	15 4	12	18	10 8	8 6	15 2	1	2	3 1		
Waterbury	73 57	1	3	3	9	13	10 7	12	8	5	5 2	3	5	2		
Males	22	1	1	2		1	1	7	5		2		1	1		
Females	35 8 21		2 2	1 1 1	22	5 1 4	6 1 5	5 2 3	3 2 1	3	1	4	4			
Other cities	267	3	9	4	13	20	29	36	38	35	34	28	11	6	1	
MalesFemales	96 171	3	1 8	2 2	1 12	11 9	10 19	14 22	13 25	14 21	14 20	8 20	6 5	2 4	 1	
Diagnosis reasonably certain. ${M \choose F}$	42 112	3	1 5	2	9	6 8	6	6 17	3 14	9	5 12	6 11	2	3	1	
DELAWARE,1 Wilmington	81			4	3	9	13	10	12	7	12					
Males	33			2	2	4	4	3	2	3	8	9		$-\frac{2}{1}$		
Females	48			2	1	5 2 5	9	7	10	4	4 2	5		1		
White	38 75			1 4	2	8	8	10	8	7	3 11	9		2		
Males	31			2	1	3	4	3	2	3	8	4		1		
Females	44 7 36			2 1	1 1	5 I 5	7 1 7	7 1 4	9 8	4	3 2 2	5 1 4		1		
Colored	6				1	1	2		1		1					
MalesFemales	2				1	1	2		1							
Diagnosis reasonably certain $\{^{ m M}_{ m F}$:	$\frac{1}{2}$					1	<u>.</u>		· · · · · · · · · · · · · · · · · · ·		1					
DISTRICT OF COLUMBIA. Washington	355	7	19	15	29	31	42	38	33	55	37	34	14	1		
Males	144	4	5	6	9	8	14	14	16	30	19	13	5	1		
Females	211 73 137	3 3 2	14 3 9	9 4 8	20 5 16	23 4 14	28 7 18	24 7 15	17 8 10	25 14 17	18 9 11	21 7 12	9 2			
White	271	7	12	7	19	22	25	25	27	46	35	31	5 14	1		
MalesFemales	112 159	4 3	4 8	2 5		6 16	7 18	8 17	11 16	26 20	18 17	12	5 9	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	61	3 2	3 5	2 5	4 10	3 10	3 12	6	7	13 13	8 10	19 7 11	2 5		 	
Colored	84		7	8	10	9	17	13	6	9	2	3				
MalesFemales	32 52		1 6	4 4	1 9	2 7	7	6 7	5	4 5	1 1	1 2				
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	12 33		4	2 3	1 6	1 4	4 6	1 4	1	II 4	1 1	i				
FLORIDA. ² Registration cities	72	2	1	5	7	15	9	8	8	4	8	3	2			
Males	26	2		2 3	2	4	1	5 3	4	1	2	2	1			
Females	46 16 38		<u>1</u>	1 3	5 1 5	11 4 11	8 1 6	2 2	4 3 4	3	6 2 3	1 2	1			
White	58		1	3	4	14	8	8	6	4	5	3	2			
Males Females	23 35			2	1 3	10	1 7	5 3	4 2	1 3	2 3	2	1			
Diagnosis reasonably certain $\left\{egin{array}{c} M \dots \\ F \dots \end{array}\right.$	16 29			1	1 3	10	1 5	2 2	2 3 2	2	2 2	2	1			
Colored	14	2		2	3	1	1		2		3					
MalesFemales	3	2		2	2	····i	1		2		3					
Diagnosis reasonably certain, ${f M}$	91			2	2	·····i	·····i		· · · · · · · · · · · · · · · · · · ·		·· · i		. :::			

¹ Nonregistration state; cities shown below only those with effective local ordinances. 2 Nonregistration state, includes Jacksonville, Key West, and Pensacola.

			[See note	at head	of this ta	ıble, p. 4	4.]					_			
					I	EATHS F	ROM CAN	CLR (AI	L FORM	S) AT AG	E OF—					age.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	10 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	aths a
REGISTRATION CITIES—Contd.																
Registration cities	186	6	15	15	13	21	23	25	17	25	13	8	4		1	
MalesFemales	66 120	2 4	6 9	1 14	13	6 15	8 15	13 12	7 10	12 13	6 7	3 5 3	2 2		····i	
Diagnosis reasonably certain. ${M, \brace F,}$	41 85	1 4	3 8	13	9	5 10	6 9	8 9	3 8	87	3 4	3 3	1			
White	139	3	7	8	9	14	— 15 —		16	25	12	7	- 4			
Males Females Diagnosis reasonably certain. { M.	52 87 31	2 1 1	5		9	5 9 4	6 9 5	9 10 4	7 9 3	12 13 8	5 7 3	2 5 2	2 1			
(58 47	1 3	5 S	7	6	7	3 8	7	7	7	1	3	1		1	
Colored	14		4	1		1	2	4			1	1				
Females. Diagnosis reasonably certain. ${M \choose F}$	33 10 27	3	3 3	6 6	43	6 1 3	6 1 6	2 4 2	1 1			1				
Atlanta	106	4	11	9	7	11	12	15	10	12	9	3	3			
MalesFeinales	36 70	2 2	5 6	9	7	3 8	5 7	6 9	2 8	6	5 4	1 2	1 2			
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	22 54	1 2	3 6	8	5	2 4	4 5	7	7	3 4	3 3	$\frac{1}{2}$	1			
White	82	2	5	6	5	7	7	13	10	12	9	3	3			
MalesFemules(M	29 53 17	2	1 4	6	5	3 4 2	3 4 3	5 8 3	2 8 1	6 6 3	5 4 3	1 2 1	1 2			
Diagnosis reasonably certain, $egin{cases} M_{++} \\ F_{-+} \end{bmatrix}$	40		4	5	4	2	2	6	7	4	3	2	1			
Colored	7	2		3	2	4	5									
Females. Diagnosis reasonably certain. ${M \choose F}$	17 - 5	2	2 3	3	2	4	3 1	1								
Other cities 2	14 .	2 2	2	3	6	2 10	3	1 10	7	13	4	5	1		1	
Males	30 50	2	1 3	1 5	6	3 7	3 8	7 3	5	6 7	1 3	2 3	1			
Females	19 31	2	2	5	4	3 6	2 4	4 2	2 2 1	5 3	1	2	1			
White	57	1	2	2	4	7	8	6	6	13	3	4	1			
Males	23 34	1	1 1	2	4	2 5	3 5	4 2	5 1	6 7	3	1 3	1			
Diagnosis reasonably certain, ${M \choose F}$	14 18	1	1	2	2	2 5	2 1	1	2	5 3	1	1	1			
Colored	23	1	2	4	2	3	3	4	1		1	1			1	
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}.$	16 5	1	2	3	2	1 2 1	3	3 1 3	1			1			1	
ILLINOIS.1	13	1	1	3	2	1	3	1	1							
Registration cities	2, 338	42	90	101	182	270	334	327	322	257	207	127	49	23	6	1
MalesFemales	1,033 1,305	25 17	31 59	28 73	69 113	97 173	147 187	155 172	159 163	138 119	103 104	50 77	15 34	10 13	5 1	1
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	497 826	16 7	21 45	14 59	38 84	54 125	87 138	69 114	68 90	62 61	38 42	19 36	4 18	4 7	2	1
White	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6	1
Females.	1,009 1,269 479	25 16 16	31 58 21	28 70 14	65 109	93 167 50	141 179 81	150 167 68	156 161 67	136 114 60	103 104 38	50 77 19	15 34 4	10 12 4	5 1 2	1
Diagnosis reasonably certain. $\left\{ egin{matrix} M, \\ F \end{array} \right\}$	799	7	44	57	34 81	120	133	110	88	57	42	36	18	6		
Colored	- 24	1	1	3	8	10	6	5	3		···			1		
Females. Diagnosis reasonably certain, ${M \choose F}$	36 18 27	1	1	3	4 4 3	6 4 5	8 6 5	5 1 4	2 1 2	2 5 2 4				1		
Chleago	2, 107	41	82	90	167	250	305	292	292	231	178	107	47	19	6	
Males	948 1, 159 452	24 17 15	27 55 19	26 64 12	66 101 36	93 157 51	135 170 80	142 150 64	147 145 60	127 104 56	91 87 34	43 64 16	15 32 4	7 12 3	5 1 2	
Diagnosis reasonably certain, ${M \choose F}$	724	7 1	42	50	36 76	51	124	64 95	79	53	33	10 29 sta and S	16	6		

¹ Nonregistration state: cities shown below only those with effective local ordinances.

² Includes Augusta and Savannah.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			- [See note	at head	of this (:	тые, р. 4	-1.]								
					I.	EATHS F	ROM CAI	NCER (AL	L FORMS	B) AT AG	E OF-					age,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at
REGISTRATION CITIES—Contd.																
ILLINOIS1 continued.							1									
Chicago—Continued. White	2,059	40	81	87	101	210	294	284	288	227	178	107	47	19	6	
Males	926 1,133	24 16	27 54	26 61	62 99	89 151	129 165	138 146	144 144	126 101	91 87	43 64	15 32	7 12	5	
Diagnosis reasonably certain. ${M \choose F}$	435 704	15	19 41	12	32 74	47 109	74 122	63	59 78	55 50	34	16 29	4 16	3 6	2	
Colored	48	1	1	3	6	10	11	8	4	4						
MalesFemales.	22 26	i	1	3	4 2	4 6	6 5	4	3	1 3						
Diagnosis reasonably certain. ${ m M.} { m CF}$	17 20		i	2	4 2	5	6 2	1 4	1 1	1 3						
Springfield	62	1	5	4	2	5	4	10	11	10	4	4	1	1		
MalesFemales	20 42	1	3 2	1 3	2	5	2 2	3 7	3 8	5 5	4	1 3	1	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	10 26	1	1	1 3	<u>i</u>	4	ī	1 6	6	3	2	2	1			
Other cities ²	169		3	7	13	15	25	25	19	16	25	16	1	3		1
Males	65 104		$\frac{1}{2}$	1 6	3 10	4 11	10 15	10 15	9	6 10	12 13	6 10	1	2		1
Diagnosis reasonably certain, $\left\{ egin{matrix} M_{-} \\ F_{-} \end{array} ight]$	35 76		$\frac{1}{2}$	1 6	. 2	3 /	6 14	4 13	6 5	3 8	4 7	3 5	·····i	1 1		1
INDIANA.																
Registration cities	765	13	28	39	40	74	102	101	96	104	66	60	29		1	1
Males Females	243 522	2 11	7 21	9 30	12 28	20 54	32 70	33 68	38 58	34 70	26 40	15 45	13 16	9	i	····i
Diagnosis reasonably certain. ${M \choose F}$	130 330	9	5 16	22	24	15 43	16 47	19 48	21 26	14 34	11 23	21	6 9	$\frac{1}{7}$		
White	739	13	27	36	40	72	97	96	. 94	100	64	59	28	11	1	1
Males Females	238 501 128	11	20	9 27 7	12 28 7	20 52	31 66	31 65	37 57	34 66	26 38	15 44	12 16	9	i	····i
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	319	9	5 16	20	24	15 42	16 45	18 47	21 25	14 32	11 22	7 20	5 9	17		1
Colored	26		1	3	******	2	5	5	2	4	2	1	1			· · · ·
Males Females	5 21 2		1	3		2	1 4	2 3 1	1	4	2	·····i	1			
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	11			2		1	2	î	1	2	1	1				
Fort Wayne.	69	3	2	2		6	7		8		7	2		2		
Males Females	25 44 16	3	$ \begin{array}{c} 2 \\ \dots \\ 2 \end{array} $	2	1 5 1	5	3	6	17	6 5 5	3 4 2	2		2		
Diagnosis reasonably certain. $\left\{ egin{matrix} M_{F} \ . \ . \ . \end{array} \right.$	21	2		1	4	2	2	3	3		2			2		
Indianapolis. Males.	265	3	9		15 6	9	9	33	19	7	9	20		3	1	* * * * *
Females	181	2	2 7 1	14	9	15	31	23	17 12	30	5 5	16	5 3	3	i	
Diagnosis reasonably certain.	120	2	6	10	9	12	21	16	6	16	5	10	5	2		
White	250	3	9	16	15	<u>23</u>	9	30	36 19	34	15	19	9	3	1	
Females. Diagnosis reasonably certain $egin{cases} M . \\ F . \end{cases}$	169 51	2	2 7 1	13	9 4	14	28 6	22	17 12	2 7 2	6 5	15	5 2	3	1	
Colored	114	2	6	9	9	12	20	16	6	14	4 2	9	5	2		
Males	15			1		1	3	3		3	2	1	1			
Females Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	12 2			1		1	3	1 1		3	2	1				
Terre Haute	52	1	3	1	5	7	1 8	6	9	2	2	5		1		
Males	14		2	1	1	2		1	2 7	1	1	1		1		
Females Diagnosis reasonably certain. ${M \choose F}$	38	1	1 1	1	4	5 2	6	5	1	3	i	4				
Other cities	25 379	6	1 14	19	14	5 37	3	5 49	13	52	40	33	19	5		1
Males	120	1	1	6	4		17	15	16	20	13	10	5	1	-	
Females Diagnosis reasonably certain. ${ m M}_{ m F}$.	259 56 164	5 1 4	13 1 9	13 4 11	10 1	29 5 24	30 9 21	34 8 24	27 8	32 7 18	27 4 15	23 4 10	11 3 4	1 1		1
(F.,	104	4 1	9 1	11	, ,	24	21	24	13	14.1	1.)	10	4	3 1	1	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			L	See note			ROM CAN		LL FORM	S) AT AG	E OF					-d
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 84 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.																
KANSAS. Registration cities	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3	
Males	111		4	2	4	7	4	20	12	20	14 9	13	5	2 2	2	
Females	171 62 116	2 2 2 2 2	11 2 6	6 2 6	18 3 15	17 5 14	19 2 14	23 11 15	28 4 20	19 13 10	5 4	6 7 3	10 3 4	1 2	2	
White	263	4	13	7	20	22	23	39	37	38	21	18	14	4	3	
MalesFemales	108 155	2 2 2	4 9 2	2 5 2	3 17 2	6 16 5	4 19 2	20 19 11	12 25 4	20 18 13	13 8 5	13 5 7 2	5 9 3	2 2 1	1 2	
Diagnosis reasonably certain $\left\{ egin{align*} M_{++} \\ F_{} \end{array} \right\}$	61 107	2	5	5	14	14	14	13	18	9	4		4	2	ĩ	
Colored	3		2	1		<u>2</u>		4	3	1	1	1	1			
Females. Diagnosis reasonably certain. ${M \choose F}$.	16 1 9		2	1	1 1 1	1		4	3	1	1	1	1 			
Kansas City	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1	
MalesFemales	28 33	1	4	1	1 4	2	2 7	8 6	3 4	5 1	1	3 2	3	1	1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right.$	17 21	1	2	1	4	1	1 4	5 5	3	4		3			1	
White	55 26	1	3	1	<u>4</u>	2	9	13 8	$\frac{7}{3}$	6 5		- 4 3	3	1	1	
Females. Diagnosis reasonably certain. $\binom{M}{F}$	29 17	1	3	1	3	1 1	7	5 5	4	1 4		1 3	3		1	
Colored	17		1	1	3	1	4	4	3		1	1		1		
Males Females.	2 4					1					1					
Diagnosis reasonably certain. ${M \choose F}$	4		1		1			<u>1</u>				1				
Торека	52	1	3	2	1	9	4	4	7	7	4	5	4		1	
Males Females	21 31 12	1	2	2	1	3 6 2	1 3	2 2 1	1 6	3 3	3 1 2	2 3 2	2 2		1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M, \\ F . \end{array} \right\}$	21	1	1	2		6	2	1	6	2	1	1 5	Î		1	****
White	49 21	1	- 3 - 2	1	1	3	$\frac{4}{1}$	3 2	1	1	3	2	3		-1-	
Females	28 12 23	1	1	1	1	6 2 6	3	1 1	6	3 3 2	1 2 1	3 2 1	1 1 1		1	
Colored	3			1				1					1			
Males. Females	3			i				· · · · · · · · · · · · · · · · · · ·					1			
Diagnosis reasonably certain, ${M \choose F}$	1			1												
Wichita	50	1	3 1	1	1	3	2	7	7 3	9		2		2	1	
Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \ldots R R R R R R R R$	25 25 16	1	2 1	i	5 1	3	1	3	4 2	3 4 2	1 2	2		2	1	1
Other cities	21 119	1	.,	4	10	3 9	8	3	19	17	1 12	7		1		
Males	37 82	i	1 4	1 3	2 8 2	$\frac{2}{7}$		6 12	5 14	5 12		6 1	3 5	1		
Diagnosis reasonably certain, $\left\{ egin{matrix} M \dots \\ F \end{array} \right\}$	37 82 17 50	i	1 2	1 3	2	1 2 4	·····	4 6	1 7	6	i 2	1	2 3	1		
KENTUCKY.		1														
Registration cities	328	2	13	27 	32 - 7	35	18	16	17	36 15	7	$\frac{25}{7}$	10	1		1
$\begin{array}{c} \Gamma_{\rm em des} . \\ \Gamma_{\rm ingno-is re isonably cert iin} \left\{ \begin{smallmatrix} M \\ 1 \end{smallmatrix} \right\} . \end{array}$	219	2	10 2 7	20	25 2	26	22 9	24 10	25 4	21 1 12	17 1 7	15 1 12				
White	152 291	2	13	14 16	19 28	23	16 37	20 35	15 39	34	24	24	10	1		1
M.h	- 96 195	2	3	4 12	7 21	7 20	16 21	14 21	14 25	14 20	7	17	1 9	1		1
Diagno tite control certain ${M \choose k}$	133		7	. 3	17	. 15	15	9 17	4 15	11	1 7	12		1		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				•			ROM CA		L FORM:	AT AG	E OF—					-un
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u
REGISTRATION CITIES—Contd.																
KENTUCKY-continued.																
Registration cities—Continued.	. 37			11	4	8	3	5	3	2		1				
Males	. 13			3		2	2	2	3	1						-
Females	24			8	4	6 2	1	3		1		1				
(~	19			7	2	5	1	3		1					`	
ouisville	187	2	5	15	19	23	26	23	24	20	11	12	4			
MalesFemales	64	2	5	12	5 14	18	13	9 14	10 14	10	9	8	4			
Diagnosis reasonably certain ${M \choose F}$:	19 83	2	4	3 7	11	2 16	6 9	5 11	2 8	6	2	5	2			
White	. 168	2	5	12	16	18	26	21	22	20	11	11	4			
Males.	. 59	2		4	5 11	4	13	9 12	9	10	2	4 7				
Females	. 109 18 73	2	5	3 4	1 9	14 1 13	6	5 9	14 2 8	10	9		4			
(4	6	3			2	2	6	2	5	2			
Colored	19			2		5					1	1				
MalesFemales	5 14			4	3	1 4		2	2			1				
Diagnosis reasonably certain $\left\{egin{array}{l} \mathbf{H}_{\mathbf{F}}^{\mathbf{M}} \end{array}\right\}$	1 10			3	2	3		2								
ther cities	. 141		8	9	13	12	14	17	18	16	13	13	6	1		
Males	. 45		3	1	2	4	5	7	7	5	5	3	1	1		
Females	96 20		5 2	8	11	8 3	9	10	11 2	11	8	10	5	1		
()	69		3		8	,	7	9	7	6	5		3			
White	123		8	4	12	9	11	14	17	14	13	13	6	1		-
MalesFemales	. 37 86		3 5	4	2 10	3 6	8	5 9	6	10	5 8	10	1 5	1		
Diagnosis reasonably certain. ${M \choose F}$	18 60		2 3	3	8	5	3 6	8	7	5	5	1 7	3	1		
Colored	. 18			5	1	3	3	3	1	2						
Males	. 8			1		1	2	2	1	1						
Females	10 2			4	1	2	1	1		1						
(. 9			4		2	1	1		1				}		
LOUISIANA. 1 New Orleans	. 35%	4	22	25	31	32	63	59	41	36	25	15	4	1		
Males	154	2	7	9	10	11	31	27	21	16	12	5	3			-
Females	204	2	15 4	16 5	21 7	21	32 15	27 32 20	20 12	20 8	13 6	10 2	1 2	1		
Diagnosis reasonably certain. ${F \choose F}$. White	. 145 257	1	13	12	18	14 21	28	21	15	10	7	7		1		
Males		2	14	15	19	8	46	22	31	12	10	13	3	1		-
Females	. 143	2 1	10 2	9 3	15	13	23 23	19	17 14	17	10	9 2	1	1		
Diagnosis reasonably certain ${M \choose F}$:	1	1	10	6	3 14	4 7	12 17	15	10 10	6	5 5	6	1	1		
Colored	101		8	10	12	11	17	18	10	7		2	1			
MalesFemales	. 40		3 5	3 7 2	6	3 8	9	5 13	4 6	4 3	2 3	1	1			
Diagnosis reasonably certain $\{{}^{\mathrm{M}}_{\mathrm{F}}\}$	21 49		2 3	2 6	4	2 7	9 3 9	10	2 5	2 2	1 2	1	1			
MAINE.																
egistration cities	. 212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	
Males Females.	65	2	1 5	1 10	3 13	9	9 18	8	9 16	6	7 12	7	1 4	1		
Diagnosis reasonably certain. ${M \choose F}$	26 96	2	1	7	1 9	11 4 11	3 16	8 22 2 16	6	21 3	1	9		1		1
White	212	1 3	6	11	16	20	27	30	10 25	10 27	4 19	3 16	5	5	1	* *
Males	6.5	2	1	1	3	9	9	-	9	6	7		1	1		-
Females. Diagnosis reasonably certain. ${M \choose F}$.	147	1 2	5	10	13	11 4	18	22 2	16 6	21 3	12	9	4	4	1	
F.	96	1	4	7	9	11	16	16	10	10		3	4	Î		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	,					DEATHS :	FROM CA	NCER (A	LL FORM	S) AT AG	E OF—					at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 81 years.	85 to 89 years.	90 years and over.	Deaths at known ag
REGISTRATION CITIES—Contd.					,				_							
MAINE—continued. Portland	65	1	1	4		6	9	-	-	10	1 7		1	1		
Males	22	1		1	1	3	3	3	3	3 7	2	2				
Females	43 9 32	·····i	1	3		3 1 3	6 1 6	1 2	2 3	7 2 4	5	3 1 3	1	1		
Other cities	117	2	5	7	۲,	11	18	25	18	17	12	11	4	4	1	1
Males	1.3	1 1	1		2	6	6	5	fi 10	3	5 7	5 6	1 3	1		1
Females. Diagnosis reasonably certain. ${M \choose F}$.	104 17 64	1 1 1	4 1 3	5	6 1 4	8 3 8	12 2 10	20 1 14	12 4 7	14 1 6	1 2		3	3 1 1		1
MARYLAND.																
Registration cities	653	8	25	33	46	77	87	84	111	77	43	35	16	9	2	
MalesFemales	211 412	3 5	12 13	25	17 29	25 52	27 60	36 18	52 59	25 52	19 21	26	3 13	4 5	1 1	
Diagnosis reasonably certain, $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	138 271	3 3	9 13	19	10 24	17 43	12 38	23 35	29 37	9 24	11 13	5 13	5	2 3	1	
White	567	7	21	26	33	64	72	75	99	72	41	33	13	9	2	
Males	219 348 127	3 4 3	12 9 9	18	13 20 9	23 41 16	22 50 10	32 43 20	48 51	24 48 9	17 24 9	9 24 5	3 10	5	1 1	
Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbb{F} & \mathbb{F} \end{array} \right\}$	224	2	9	12	17	34	32	30	27 33	22	13	12	4	2 3	1	
Colored	56	1	4	7	13	13	15	9	12	5	2	2	3			
Males. Females.	22 64 11	1	4	7	4 9 1	11 1	5 10 2	5 3	4 9	1 4	2	2	3			
Diagnosis reasonably certain, $\left\{ egin{matrix} M, & & \\ F & & \\ \end{array} \right\}$	47	1	4	7	7	9	6	5		2		1	1			
Baltimore Males.	220	7	12	29	38	72	78	71 32	103	73	38 15	30	16 3	9	1	
Femules Diagnosis reasonably certain $egin{cases} M & . & . & . & . \\ F & . & . & . & . & . \end{cases}$	369	5 2 3	12 9	21 7	23 9	47 17	54 11	39 20	56 26	49 9	23 9	22 4	13	5 2	1	
White	245 510	6	12 20	16	21 26	39 59	35 64	28 64	35 93	24 68	13 37	11 28	5 13	3	1	• • •
Males,	201	2	12	8	11	23	19	29	44	23	14	, 8	3	4	1	
Females. Diagnosis reasonably certain. ${M \cdot \atop F}$.	309 118	4 2	9	14 7	15	36 16	45 9	35 18	49 25	45	8	20	10	5 2	·····i	
Colored	200 ₁	2	8	9	14	30	29	7	32 10	22 5	13	10	4	3		1
Males	19				4	2	5	3	3	1	1					
Females	60	1	4	7	8 1 7	11 1 9	9 2 6	4 2 4	7 1 3	4	1	2	3			
Other cities		1		4	8	5	9	13	8	4	5	5			1	
Mules Femules	472	1		4	2 6	5	3 6	4 9	5 3	1 3	4	1 1				
Diagnosis reasonably certain ${M \choose F}$.	12 26	1	·····i	3	1 3	4	1 3	3 7			2	1 2				
White	57	1	1	4	7	5	8	11	6	4	4	5				
MulesFemales	18	1	1	4	2 5	5	3 5	3 8	4 2	1 3	3 1	1 4				
${ m M}$	9	1		3	1 3	4	1 3	6	2		1	1 2				
Colored	7				1		1	2	2		1					
Males Females	4				1		1	1			1					
Diagnosis reasonably certain $\left\{egin{matrix} M & \ldots \\ F & \ldots \end{matrix} ight\}$	3 2	1						1			1					
MASSACHUSETTS.																
Registration cities		45	79	103	171 54	255 72	321	354	394	367	136	75	110	12	6	
Females. Diagnosis reasonably certain. $\{M, \dots, M\}$	1,775	25 20 19	26 53 18	20 83 14	117	183 45	215 60	217 82	212 79	224 63	150 70	134 22 57	68 19	31. 4	8 6	
(- , -	1,144	16	45	60	91	145	160	142	150	120	106	57 209	26 109	20		
White	2,749	45 25	78	19	170	250	318	349	390	363	314	75	42	11	6	
Females. 1 Magnosis reasonably certain, $egin{cases} M & & & & \\ F & & & & & \\ & & & & & \\ & & & &$	1 555	20 19	52 18 41	1 57	117	181 43	213 60	213	239 79	223 62	178 70	134 22 57	67 19	30	8	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS. WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at nead				LL FORM	s) AT AG	E OF-					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	E
REGISTRATION CITIES—Contd.			-			1					1	-				
MASSACHUSETTS—continued.																
Registration cities—Continued.	32	(1	4	1	5	3	5	1	1	2		1	2		
Males	. 12		i	1 3	1	3 2	1 2	1	1 3	3 1				I		
Females	20 4 16		1			2	1	1	3	1	1			1		
Boston	871	16	28	-31	<u> </u>	84	113	1.22	128	101	90	60	21	9	8	
Males	347	9	13	6	19 35	27 57	42 71	55	56 72	36	42 48	28 32	9	1	4	
Females	524 196 377	5	15 9 15	25 1 18	15 28	19 49	25 61	32 46	31 53	15 40	21 33	10 13	3 7	·	4 3	
White	S54	16	27	25	54	79	111	120	127	103	90	60	24	7		
Males	310	9	13	6	19	21	41	54	56	35	42	2 32	9		4	
Female* Diagnosis reasonably certain. ${M \choose F}$	514 193 368	5 6	14 9 14	22 4 15	35 15 28	55 17 45	70 28 60	66 31 45	71 31 52	15 40	48 21 33	10 13	15 3 7		1 3	1
Colored	17	l	1	3		5	2	2	1	1				2		1
Males	7			3		3	1	1		1				1		
Females	10 3 9			3		2 2 1	1	1								
Brockton	1 .5	2	2	1	1	2	5	4	10	8	9	4	5	3		
Males	15	1	1			1	2	1	3	2	1		2	1		
Females Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$.	(1) 9	1 1	1	1 i	1	1 1	3 2 2	3	1	6	1 6	4	3	22		
Cambridge	19	1	1	7	9	9	16	,	16	15	11	5	9	3		
Males	39	1	1		5	1	-	5	5	6	3		3	1		
Females	72 27	1		5	4	1	9 5	3 5	11 2	12	3	5	5	1		· · · · · · ·
Fall River.	46 70	1	6	2	3	8	11	2		11	6 5	4	2	1	1	
Males	19	1				3	1	4	1	4	3		1			
Females. Diagnosis reasonably certain. M .	51 11	1	5	2		5 2 3	10	7 3	4	. 1	2 2	4	1	1		
	36		3	6		8	7	5	10	3	2 8	2	1			
Lawrence	17				1	1	2	2	2	3	4	2				
Females. Diagnosis reasonably cert tin. (M., F.,	43		. 2	6		. 1	5	1 2	S 1	4 2	4					
· ·	24		2	5		6	17	2	18	10	1 10	6				
Lowell	95	2	1	'	-			1 2	9	7	2	1				
Fem de Diagnosis reasonably certain $egin{cases} \mathrm{M} \cdot \\ \mathrm{F} \cdot \end{aligned}$	0.4	1 1	1	5		4	10	6 3	. 9	3			5			
		1		3			11	3 9	16	12	. 6 14		4	1		
Lyun		$-\frac{2}{2}$	_'		. 2		2	-	5	2	4	4				
Females. Diagnosis reasonably certain - M.	. 63	i			. 5 1	4 2	9	6 1	11 3	10 1	1	2		. 1		
				. 1	5	1	7	6 9	3 13			3	4			
New Bedford		1			. 2		3	3	7		1		1	1		
Females Diagnosis reasonably certain, $\left\{ egin{array}{l} M, \\ F. \end{array} \right\}$	62.79		.'i	. 4	11	. 11	6 2	6	6 5	2	6	,	3	. 1		
	1				'	9	2	2	9			10	2	1		
Somerville	71 21			. 2							- '	3	1			
Female	. 5d			3 2	1	. 2	3	6 1		. 6	9 2	7	5	i		.
Diagnosis reasonably certa n. (K.	1		1 4	2		. 2	2		ti	2						
Springfield				3		-	- 10 - 5		16							
Females	53				. 3	2		1 7	11 3	1	9 5	4 2	5			
Diagnosis reasonably certain. [M]	. 21			3		2	. 2	3	2			2				

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				see note	at nead (of this ta	D16, p. 44	ł. J								
					I	EATHS F	ROM CAN	NCER (AI	L FORMS	S) AT AG	E OF—					un- e.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
DECISED ATION CITIES Contd																_
REGISTRATION CITIES—Contd. MASSACHUSETTS—continued.																
Worcester	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1	
Males	59		3	2	6	2	4	9	6	6	13	3	3	1		
Females. M . Diagnosis reasonably certain. M .	117	3	3	6 2	8 3	11	15 2	15 6	18	13	8	15 1	1	1	_i .	
	76	3 18	27	5 28	7		10	10	12	6	4	8	1	1		
Other cities		10	4	5		96	99	133	129	149	113 52	31	20	20 6	5	
Males Females	631 184	9	23	20 5	40	71 14	69 15	%7 26	78 26	84 32	61 26	47	25 12	14 2	4	
Diagnosis reasonably certain. $\{F_{i}^{M}\}$	401	5	15	16	31	52	51	57	53	47	30	21	8	9	3	
MICHIGAN.						1			1							
Registration cities		15	_ 39	47	69	102	131	129	132	131	109	54	25	8	6	
Males	413 584	10 5 7	15 24	15 32 12	23 46	29 73 18	51 80 29	53 76 27	65 67	61 70	50 59	22 32 7	11 14	4	2	
Diagnosis reasonably certain. $inom{M}{F}$	211 366	1	10 19	22	13 36	48	55 55	49	30 42	24 35	22 34	11	8 7	3	1	
White	948	14	38	45	68	100	130	129	132	130	109	54	25	8	6	
MalesFemales	411 577	9 5	15 23	15 30	23 45	29 71	51 79	53 76	65 67	60 70	50 59	22 32	11 14	4 4	4 2	
Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	209 364	6 4	10 18	12 22	13 36	18 47	29 55	27 49	30 42	23 35	22 34	32 7 11	8 7	2 3	2	
Colored	9	1	1	2	1	2	1			1						
. Males	2	1		2						1						
Females. Diagnosis reasonably certain. ${f M}$.	2 2	1	· · · ·			1 i				i						
Detroit	424	11	23	25	36	44	55	60	56	52	33	14	8	3	1	
Males	178	8	9	8	12	11	20	27	31	25	16	6	3	1		
Females. Diagnosis reasonably certain. ${M \choose F}$.	246 91	3 6	14 5	17 7	24 5	33 8	38	33 14	25 12	27 9	17 9	8 2	5 2	2	····i	
	145	2	11	12	18	24	24		14	12	9	2	1	2		
Grand Rapids	120	3	2	5	4	13		14	14	15	13	11	2	1	1	
Males Females	43 77 19	1 2		4	$\frac{2}{2}$	5 8 3	14	10	12	8 7 5	6 7 3	3 8 1	2	1	1	
Diagnosis reasonably certain. $\{^{M}_{F}:$	46	2		3	1	4	11	7	7	2	4	3	1		Í	
Saginaw	50		5		2	3	8	10	8	6	4	4			(
Males Females	27 23		1 4		2	1 2	7	6	4 4	4 2	2 2	2 2				
Diagnosis reasonably certain. ${M \choose F}$.	14 17		1 3		1	2	3	3 6	3 3	2	1	· · · · · i				
Other cities	403	1	9	17	27	42	43	4.5	54	58	59	25	15	4	4	
MalesFemales	165 238	1	3 6	6 11	7 20	12 30	16 27	18	28 26	24 34	26 33	11 14	8 7 6	2 2 1	3	
Diagnosis reasonably certain. ${M \choose F}$	87 155	1	3 5	5 7	6 17	7 18	11 19	27 10 19	15 18	8 21	9 20	4 5	6	1 1	1	
MINNESOTA.	200								-							
Registration cities	605	14	22	25	36	53	88	73	100	69	58	41	20	4	2	
Males	262	9	8	× ×	7	21	33	35	49	35	19	23	11	2	2	
FemalesDiagnosis reasonably certain	343 150	5 4 4	14	17	29	13	55 20	38 18	51 31	34 19 25	39 8 14	18 10	9 6 3	2 1	1	
White	232 '	14	12 22	14 25	25 36	27 53	43 88	26 73	33 99	69	58	5 41	20	4	2	
Males	262	9	4	8	7	21	33	35	49	35	19	23	11		2	
Females. Diagnosis reasonably certain. 11	342 150	5 4	14	17 7	29 4	32 13	55 20	38 18	50 31	34 19	39 8 14	18 10	9 6	2 2 1	1	
(- , .	232	4	12	14	25	27	43	26	33	25	14	5	3	1		
Colored	1			-					1					-		
Male	1								1							
Diagnosis reasonably certain. ${M \choose F}$		-:-							1							
Daluth	hx		3	5 ,		6	12	7	12	7	7	3			1	
Males,	31 37	1.1	3 1	2	2 3	2	5	5 2 1	5 7 3	4 3	2 5	2			1	
Diagno i reasonably certain ${M \choose F}$.	18 24			2 2	1 2	1 2	5	2 2	3 5	2	3,	- 1			1	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				See note	at nead	of this ta	ble, p. 4	4.]								
					1)	EATHS F	ROM CAN	NCER (AL	L FORM:	AT AG	E OF—					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Peaths at known ag
REGISTRATION CITIES—Contd.	1									_						
MINNESOTA—continued.																
Minneapolis	313	- 4	13	12	18	22	40	39	56	36	33	22	10	3	1	
MalesFemales	138 175	5	5 8	4	17	11 11	15 25	19 20	27 29	19 17	11 22	13 9	6	$\frac{1}{2}$	1	1.
Diagnosis reasonably certain. ${M \choose F}$	121	3 2	5 6	6	17	10	22	16	16 17	9	5 t	3	1	1		
St. Paul	166	3	5	6	9	18	29	21	26	19	14	11	1	1		
MalesFemales	69 97	3	3 2	1	3 6	6 12	8 21	12	13 13	10 9	11	1	3 1	1		
Diagnosis reasonably certain $\left\{egin{array}{c} M, \\ F, \end{array}\right\}$	46 63	1	3	1 5	2 4	10	15	5	10	É	3 4	1	2	1.		
Other cities	.58	3	1	2	4		7	6	- б		4	-5	6		· · ·	-
MalesFemales	24 34	1 2	1	1	1 3	2 5	3 4	2 4 2	4 2 3	5	3 1	3	2 4			
Diagnosis reasonably certain. ${M \choose F}$	10 24	2	1	1	2	5	3	3	1	1 5		1	2			
MISSOURI.																
Registration cities	1,171	20	50	51	94	118	161	76	152	145	95	66	41	9	3	2
Males	189 682 295	11 9 10	16 34 12	16 35 11	69 13	42 76 33	66 95 40	47	70 82 42	77 68 39	34 61 16	29 37 17	20 21 11	5 4 2	2 1 2	2
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right.$	491	7	26	30	59	65	79	62	42 55	49	24	19	12	1	1	2
White	1,121	17	42	45	92	111	155	159	111	144	92	65	41	9	3	2
MalesFemales	472 649 286	9	14 28 11	15 30 10	25 67 13	39 72 33	64 91 40	74 85 46	66 78 39	77 67 39	33 59 15	29 36 17	20 21 11	5 4 2	1 2	2
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	467	7	21	26	57	61	76	61	53	18	23	18	12	1	1	2
Colored	50	3	8	6	2	7	6	5	8	1	3	1		1		
MalesFemales	17 33 9	1 2	2 6 1	I 5 1	2	3 4	4	3	1 4 3	1	1 2 1	1				
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	24		5	- 4	2	4	3	1	2	1	1	1				
Kansas City.	251			14	12	32	37	31	37 17	35	24	13	5	1	1	· ·
Males	110 144 78	3	4 3	6 8 4	5 7 3	14 18 10	14 23 11	13 18 10	20 13	18 17 9	16	6 7 4	3 2	1	1	
Diagnosis reasonably certain. ${f M}_{F}$.	115	2	4	9	6	14	21	15	17	15	6	5	2			
White	240	3	6	14	10	27	37	29	35	35	24	13	5	1	I	
Males. Females.	105 135 77	$\begin{bmatrix} 1\\2\\1 \end{bmatrix}$	3 3	6 8 4	5 3	11 16 10	23	16 10	16 19 12	18 17 9	16	6 7 4	3 2		1	
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots & \dots & \dots \\ F & \dots & \dots & \dots & \dots \end{array} \right.$	109	2	3	٩	4	12	21	lő	16	15	6	ŝ	2			
Colored	14 5	1	1		2	3		2	1							
Males Females	9	1	1		2	2		2	1 1							
Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	6		1		2	2	!		Ī							
St. Joseph	97	2	3	<u>5</u>	11	10	9 3	15	11	12	12	3	3			1
Females	60	2	1	4	8 2	1	6 2	9 3	2	3 6	10	2	1 1			1
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	45			3	8	ĩ	5	`	4	2	б	1				1
St. Louis	701	11 11	35	28	56 13	69	97	106	90	81	21	20	13	7	1	
Females	399 179	5 6	27	20	43	43 22	55 2‡	49 34	47 24	40 20	30 7	23 13	11 6	1	1	1
Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	274	1	21	16	36	37	4.3	31	31	26	10	11	5	1	1	1
White	671	9	30	23	56	26	92	101	- ST 	41	20	20	13	3	2	1
Females	380 171	5	23 5	16	43	41 22	52 21	49 33	41 22	39 20	29 6	22 13	11 11	1	I	1
Diagnosis reasonably certain. $\{F_i^M\}$	261	i	18	13	36	55	41	31	30	25	10	10	5	1	1	1
Colored	30	2	5			2	- 5 2	2 2	5		1	1				
remales	19 8		1	1		2	3	1	3 2	1	1	1				
Diagnosis reasonably certain. ${M \choose F}$:	13		3	3		2	2		1	1		1				

and any anamount					 	of this t			I PODM	23 47 46	E OF				-	-0
ARLA AND BASIS OF DIAGNOSIS.	Allages.	25	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	84	85 to 89 years.	00 years and	at
															over.	De
REGISTRATION CITIES—Contd. MISSOURI—continued.																
Other cities	119	3	1	4	15	7	18	12	14	17	8	7	9	1		
Males	40 79	2	2 2 2	1 3	11	7	7 11	12	6 8	9 8	3 5	2 5	3 6	1		
Diagnosis reasonably certain ${M \choose F}$	17 57	1	2	3	9	7	3 10	8	3 3	4 6	2 2	2	2 5			
MONTANA. Registration cities	82	1	2	5	7	10	11	12	10	7	7	3	2	2		
Males	39	2	1	2	1	3	3	' <u>8</u>	.,	5	4	3	1			
Females ${ m M}_{ m F}$. Diagnosis reasonably certain ${ m M}_{ m F}$	43 22 26	2 2 1	1 1 1	3 2 3	6	7	8 3 7	5 1	5 1 1	3	3 1 1	2	1	1 1		1
White	81	4	, 2	5	7	10	10	12	10	7	7	3	2	2		
MalesFemales	39 42	2 2	1 1	2 3	1 6	3 7	3 7	8	5 5	5 2	4 3	3	1 1	1 1		
Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	42 22 25	2	1 1	2 3	3	7	3 6	1	1		1	2	1	1		
Colored							1		· · · · · · · · · · · · · · · · · · ·							
Males	1	ļ					1									
Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	1	···					1									
NEBRASKA 1 Registration cities	187	-1	5	13	14	16	25	27	29	20	17	13	1	2	1	
Males	51 106	2 2	3 2	3 10	5 9	4 12	10 15	12 15	11 18	9	11 6	9 4	1	1		
Diagnosis reasonably certain. $\{{}^{M}_{F}$.	51 75	2 2	2 2	1 9	5 9	2 11	5 11	10 13	6 7	9 5	4 2	3 3	1	1	1	
White	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1	
Males	105 105	2 1 2	3 2 2	10	5 9 5	12 2	9 15	12 15 10	11 18 6	9 11	11 6 4	9 4	1	1 1	ii	
Diagnosis reasonably certain. ${\mathbf{F} \cdot \mathbf{F} \cdot \mathbf{F}$	51 74	ĩ	2	9	9	11	11	13		9 5	2	3			1	
Colored	2	1					1									-
Pemales	î	1														
Omaha	140	1	1	8	11	15	22	19	21	12	10	12		1		
Males	62	2	2		4 7	4	9			7 (6		1	1		
Females	78 35 60	2 2 2	2 1 2	6 1 6	4 7	11 2 10	13 .5 11 [11 6 10	13 4 5	5 7 2	4 2 2	2 3	1	1		
Lincoln 2	47		1	5	3	1	3	4	8	8	7	1		1	1	
Males	19 28		1	1 4	1 2	1	1 2	4 4	3 5 2	2 6	5 2	1		1	1	
Diagnosis reasonably certain, $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	13 15		1	3	$\frac{1}{2}$	1		3	2 2	3	2	1			1	
NEW HAMPSHIRE,	100	0				4	0.4		00	00	10	000		i		
Registration cities	173 54	2	2	<u>5</u>	10 5	18	- 24 5	17	8		19	22 5		3	1	
Females. Diagnosis reasonably certain, ${M \choose F}$	119 27 82	2 2	2	4	5 1	13 3	19 3	7 7	12 3 8	18 5	12	17 2	4	3	1	
White	172	2	2	5	10	10	14 24	17	20	12 23	19	6 22	3 6]	3 ,	1	
Males	53 119		2	1	5 5	5 13	5 19	10	8 12	5 18	7 12	5 17	2 4	3		
Diagnosis reasonably certain. ${M \choose F}$	26 82	2	2	4	1 4	3 10	3 : 14	7 7 6	3	- 12	2 2	6	3	2	1	
Colored	1															
Males	1															
Diagnosis reasonably certain $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right\}$	1															

¹ Nonrepstration state, cities shown below only those with effective local ordinances.

² The only other registration unit, shown in order to complete the state,

TABLE 1,—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				266 11006	at head		ROM CAN		L FORM:	S) AT AG	E OF—					un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	10 to 11 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	aths at
REGISTRATION CITIES—Contd. NEW HAMPSHIRE—continued.				1												-
Manchester	56	1	2	1	2	11	11	7	1 1	5	5	8				
$rac{ ext{Males}}{ ext{Females}}$. Diagnosis reasonably certain. $\left\{egin{matrix} M. \\ F. \end{array}\right.$	13 43 7 30	1	2		2	3 8 1 6	3 8 3 5	3 4 1 3	1 3 1 3	5	1 4	2 6 1 2				
Other cities	117	1		5	8	7	13	10	16	18	14	14	6	3	1	1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{\begin{matrix} M \\ F \end{matrix}\right. \end{array}$	41 76 20 52			4	5 3 1 2	2 5 2 4	9	7 3 6 3	9215	5 13 5 8	6 8 2 6	3 11 1 4	3	3	1	1
NEW JERSEY. Registration cities	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6	
$egin{array}{c} ext{Males} \ ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} \ ext{F} \ ext{.} \end{array}$	545 881 243	15 11 9	11 29 5	16 48 10	31 77 14	41 108 23	67 125 32	\$2 109 39	\$2 121 35	84 95 30	57 84 24	30 41 11	20 23 8 9	5 8 2 5	4 2 1	
White	1,384	5 26	24 37	36 60	106	139	82 185	66 186	55 199	173	40 140	20 71	43	13	1 6	
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \end{array}$	537 847 241 502	15 11 9 5	11 26 5 21	16 44 10 32	30 76 14 54	40 99 22 75	65 120 32 78	\$0 106 38 63	\$2 117 35 53	\$2 91 30 46	57 \$3 24 40	30 41 11 20	- 20 23 5	5 8 2 5	1 1	
Colored	42	1	3	4	2	10	7	5	4	6	1					
$rac{ ext{Males.}}{ ext{Females.}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{aligned} ight.$	8 34 2 27	1	3	4	1 1	9	2 5 4	2 3 1 3	4	2 4 2	1					
Camden	74	2		2	6	8	6	8	13	17	1	6	2	2	1	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{F} & \mathbf{M} \end{aligned} ight.$	27 47 17 30	$\left \begin{array}{c} 2 \\ 2 \end{array} \right $		2	1 5 4	4 4 2 3	1 5 4	3 5 2 4	3 3	13 3 3	1 1	3 3 2 1	1 1 1	1 1 1 1	1	
Elizabeth	76	4	1	3	2	8	, 13	13	10	7	8	4	2		1	
$egin{array}{ll} ext{Males} & . & . & . & . \\ ext{Females} & . & . & . & . \\ ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M} & . & . \\ ext{F} & . & . & . \\ ext{F} & . & . & . \\ ext{The substitute of the subst$	36 40 12 19	$\begin{array}{c} 1\\3\\1\\2\end{array}$	1 1	3	1 1	5 3 2 3	5 8 1 3	7 6 3 3	6 4 2	4 3 2	4 4	3 1 1 1	2		1 1	
Jersey City	217	3	11	10	15	19	24	29	40	24	21	10	9	2		
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{matrix} ight.$	82 135 37 72	2 1 2 1	2 9 7	3 6	11 11 1	15 3 10	6 18 4 5	12 17 5 9	20 20 9 9	16 8 4 3	5 16 2 8	2 8	5 4 4 1	1 1 		
Newark	340	9	11	13	26	32	52	44	46	46	35	17	6	1	2	····
Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \\ \end{array} ight.$	132 208 54 129	5 1 1	3 5 1 7	5 4 7	5 21 1 17	13 19 6 14	22 30 9 22	19 25 8 17	14 32 6 12	21 25 10 13	15 20 6 12	6 11 1 6	3 3	1	1	
Paterson	124	1	2	4	- 7	16	21	19	18	16	9	7	4			
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	74	1	1 1 1	2 2 2 2	2 5 1 3	14 1 11	20 11 5 8	9 10 4 6	ñ	8 8 1 3	3 6 1 3	3 4 1 2	2 2 1			
Trenton	95	2	4	4	10	9	14	20	10	12	5 .	3	1			
$\begin{array}{c} \text{Males.}.\\ \text{Females.}.\\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} M \\ F \end{matrix}\right\}. \end{array}$	56	1 1 1	1 3 1 2	3	3 7 2 4	5 4 5	7 1 4 5	5 5 5	5 5 3 3	5 7 2 3	1 1 2	2 1 1 1	1	2 2 1 2		
Other cities	497	5	11	25	12	57	62	58	66	57	62	24	19	1		
Males Females Diagnosis reasonably certain.	176 321 79 200	1 2 1	1 7 2 6	22 1 1 15	15 27 9 22	9 45 5 37	16 46 9 32	24 34 12 22	25 41 12 22	26 31 18	25 37 12 16	11 13 5 4	9 10 2 4	1 3 1	1	
NEW YORK. Registration cities	6,621	141	252	332	498	738	884	938	859	790	601	346	174	55	13	
$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} M \\ \end{array}$	2,685 3,936 1,425 2,489	82 59 59	99 153 66	90 242 56	151 347 103	250 4×× 143	371 513 220	415 523 210	379 480 193	348 442 164	264 337 104	150 196 71	62 112 21	20 35 11	10	
35030°—16——5	2, 409	41	130	202	268	304	316	320	2 56	227	171	92	63			

TABLE 1. -DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				Windowskii.			ROM CAN	NCER (AL	L FORMS) AT AG	E OF—					-im .
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at uknown age.
REGISTRATION CITIES—Contd.										 .			***************************************			
Registration cities—Continued. White	6,528	139	241		491	729	870	929	852	781	599	340	172	55	13	
Majes Females Diagnosis reasonably certain. M F.	2,663 3,865 1,417 2,435	52 57 59 40	97 144 65 122	89 228 55 190	150 341 103 262	246 483 142 350	369 501 220 336	409 520 207 317	377 475 193 254	346 435 162 224	264 335 104 169	148 192 71 80	62 110 21 62	20 35 11 22	1 9 4 7	· · · · · · · · · · · · · · · · · · ·
Colored	93	2		15	7	9	14	9	7	9	2	6	2		•••••	
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right. \\ \end{array}$	22 71 8 54	1	9 1 8	1 14 1 12	6	4 5 1 4	10	6 3 3 3	2 5	2 7 2 3	2	2 4	2			
Albany	151	2	1	4	7	12	18	31	18	23	17	11	6			
Males. Females. Diagnosis reasonably certain. M F	103 103 23 64	1	1	4	7	3 9 1 6	3 15 2 13	7 24 3 13	5 13 1 7	8 15 6 10	10 7 4 4	8 3 3 2	1 5 1		 	
Buffalo	435	10	18	21	36	48	61	66	50	42	35	29	14	5		
$egin{array}{ll} & & & & & & & & & & & & & & & & & & $	192 243 94 153	7 3 6 3	6 12 3 8	9 12 4 9	10 26 7 20	16 32 7 24	28 33 19 21	28 38 11 20	26 24 7 11	23 19 11 11	19 16 12 8	11 18 4 12	8 2 4			
New York	4,452	106	187	230	350	530	607	636	584	508	379	207	93	29	6	
Males. Females. Diagnosis reasonably cer-{M tain.	1,908 2,544 1,004 1,558	61 45 42 30	78 109 54 93	66 164 43 139	118 232 82 173	194 336 110 234	270 337 152 226	309 327 162 191	282 302 150 145	226 282 99 144	169 210 58 99	86 121 36 41	37 56 11 28	11 18 4 11	1 5 1 4	
White	4,369	104	177	217	343	522	595	627	578	501	377	202	91	29	6	
Males Females. Diagnosis reasonably cer-{M tain.	1,889 2,480 996 1,508	61 43 42 29	76 101 53 86	65 152 42 129	117 226 82 167	191 331 109 230	269 326 152 216	303 324 159 188	280 298 150 143	224 277 97 142	169 208 58 97	85 117 36 39	37 54 11 27	11 18 4 11	1 5 1 4	
Colored	83	2	10	13	7	8	12	9	6	7	2	5	2			
Males Females Diagnosis reasonably cer-{M tain.	64	2	2 8 1 7	1 12 1 10	1 6	3 5 1 4	10	6 3 3 3	2 4	2 5 2 2	2	1 4	2			
Bronx Borough		11	34	20	37	58	66	85	78	50	48	15	10	4		
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	307	6 5 2 4	14 20 11 17	5 15 2 12	11 26 9 21	20 38 12 26	32 34 20 24	34 51 15 29	39 39 19 16	17 33 9 21	19 29 6 15	8 4 2	5 5 1 3	4 3		
White		11	34	20	36	58	65	84	77	49	48	15	10	4		
Males. Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M & \\ F & \end{array} ight.$	207 304 110 190	6 5 2 4	14 20 11 17	15 2 12	25 9 20	20 38 12 26	31 34 20 24	33 51 15 29	39 38 19 15	17 32 9 20	19 29 6 15	7 8 4 2	5 5 1 3	4		
Colored	5				1		1	1	1	1						
Males Females Diagnosis reasonably certain. ⟨M	3				1		1		1							
Brooklyn Borough		31	5 2	74	107	155	186	214	186	161	140	83	40	8	2	
Males Females		16 15	18	17	35 72	57	71	101	87	72		29	13	3	1	
Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		15 15 9 30	34 12 28 49	57 12 50 73	23 54 103	98 32 77	115 42 80 179	113 : 54 62 211	99 40 56	89 31 40 160	63 77 25 37	54 12 20 81	27 4 14 39	5 1 2 8	1 1 1 2	
Males	578	16	18	17	35	56	71	99	85	72	63	29	13	3 5	1	
Fermiles. Diagnosis reasonably certain $\left\{ egin{align*}{c} M_{-} \\ F_{-} \end{array} \right\}$ Colored.	832 302 514	14 15 9	31 12 26 3	56 12 49	68 23 50 4	97 32 77	108 42 74	112 52 61	97 40 55	88 31 40	77 25 37	52 12 19	26 4 14	5 1 2	1 1 1	
$\begin{array}{c} \text{M.de.} \\ \text{F. m.de.} \\ \text{Diagnosis reasonably certain.} \\ \boxed{M} \end{array}$	5 24 2 16	1	3	1	4	1 1	7	2 1 2 1	2 2	1		2	1			

						EATHS F			L FORMS) AT AGI						un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 'years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 61 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	89	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.									1					_	П	-
NEW YORK-continued.									,							1
Manhattan Borough	2,124	55	94	117	183	261	307	291	262	258	154	Sh	36	13	4	
Males Females	955 1,169	3.3 22	42 52	37 80	68 115	102 159	151 156	152 142	124 138	117 141	68 86	41 45		5		
Diagnosis reasonably certain, ${M \choose F}$	506 722	2 i 15	27 46	22 66	46 56	56 105	106	83	69 59	52 76	23 40	18 15	5	1 6		- 1.:
White	2,079	54	\7	106	181	256	303	289	261	253	152	· ~	35	13	4	
MalesFemales	944 1,135	33 21	40 47	36 70	67 114	100 156	151 152	149 140	124 137	115 138	65 84	41 44	15 20	5	4	
Diagnosis reasonably certain. ${M \choose F}$	500 693	20 14	26 41	21 57	46 85	55 102	84 102	82 86	69 59	50 75	23 38	18 15	5 10	1 6	3	
Colored	45	1	7	11	2	5	4	5	1	5	2	1	1			
Males	11 34		2 5	1 10	1 1	2 3	4	3 2	1	2 3	2	1	. ;			
Females	6 29	1	1 5	1 9	1	1 3	4	1 2		2	2		1			
Queens Borough	277	7	5	15	19	44	37	32	43	25	29	13	6	2		
Males	115	4	4	6	3	12	14	14	21	12	14	7	3	1		
FemalesDiagnosis reasonably certain. ${M \choose F}$.	162 60 89	3 3 2	1 4	9 6 9	16 3 10	32 7 22	23 4 12	18 8 10	22 16 11	13 2 6	15 3 5	6 2 2	3	1		
White	276	7	5	15	19	44	37	32	43	25	29	12	6	2		
Males	115	4	4	6	3	12	14	14	21	12	14	7	3	1		
Females	161	3	1 4	9	16	32	23	18	22 16	13 2	15 3	5 2	3	1		
Colored	1	2		9	10	22	12	10	11	6	5	1				
Males																
Females. Diagnosis reasonably certain. ${M \choose F}$.	1											1				
	1			' 								1				
Richmond Borough	96	2	2	1	1	12	11 2	- II 	15		5	10	1	2		
Females. Diagnosis reasonably certain.	50	2	2	3	3	3 9 3	9 2	3 2	1 6	8 6 5	3	1 8		2		
·	,		2	2	2	4	4	2	3	1	2	2				
White	93	2	2	3	4	11		11	15	14	8	9	1	2		
Males	45 48 24	2	2	1 2	1 3 1	3 8 3	2 9 2	8 3 2	11 4 6	6 5	5 3 1	1 5	1	2		
Diagnosis reasonably certain $\left\{ egin{array}{l} M \dots \\ F \dots \end{array} \right.$	23		2	2	2	3	4	2	3	1	2	2				
Colored	3			1		1						1				
Males	1 2			1		1						1				
Diagnosis reasonably certain. ${ m M}_{ m F}$	1					1										
Rochester	261		5	- 5	15	34	31	29	33	40	32	15	7	3	2	
Males	95 166	5 2	2 3 2	3 5	11	8 26	11 20	5 24	12 21	25 15	13 19	1.1	2 5	3	2	
Diagnosis reasonably certain. ${K \\ F}$	70 118	1	3	3 4	3 10	21	16	18	10	16 6	9 12	1	1 3	2	1	
Syracuse	126	1	2	9	6	9	20	14	19	21	12	1	3	1		_
MalesFemales	35	1	2	1 9	6	5	5 15		1 15	13	4	2	3	1		
Diagnosis reasonably certain. ${M \choose F}$	20 64			1 8	ნ	3 5	2 10	1	1 12	1 -	3	5	3	1		
Troy	136		5	7	,	13	20	17	19	20	15	4	7	1		
MalesFemales	52 54		1	1 6	1	6 7	\$ 12	9	4 15	10	7	2 2	2 5	····i		
Diagnosis reasonably certain. (M.	25 59		4	5	1 5	3 7	18	27	10	6	2 6	1	1 2			
Utica.	52	2	4	4	4	5	12	14	12	9	5	3	5	3		
Males Females	25 57	1	2 2	4	1 3	2 3	3 9	2 12	1 9	5	1	2	1 4	1		
Diagnosis reasonably certain. $\binom{M}{F}$	11	1	1	4	3	2 3	1 6	1 1	1 6	1	4	1	1 3	2 1 1		

			[See note	at head	of this ta	ble, p. 4	4.]								
]					DEATHS 1	FROM CA	NCER (A)	LL FORM	S) AT AG	E OF-					un- nge.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
REGISTRATION CITIES—Contd.	i		_													
· NEW YORK—continued.			1													
Yonkers	65	1	5	2	7	6	11	9		6	5	2	3			
MalesFemales	29 36 9	1	1 4	2.	2 5 1	3 3 2	4 7 2	5 2	3	4 2	1	2	1			
Diagnosis reasonably certain $\left\{ egin{matrix} M & \ldots \\ F & \ldots \end{matrix} \right\}$	20	1	2	1	5	3	2	3	100		1 100	1	1	10		
Other cities	913	12 5	$\frac{25}{7}$		65 15	81	39	122		121	35	32	35	12	3	
Males Females	615	7 4	18 5 17	3.7 5	50 9	67 10	65 26	78 21	79 22	82 21	65 15	32 20	25	8 4	2 3	
Diagnosis reasonably certain. ${ m T}_{ m F}$.	416	5	17	30	42	51	45	58	49	45	34	16	17	5	2	
NORTH CARCUNA. Registration cities	124	3	8	8	14	19	17	9	17	16	2	6	3	2		
Males	34	1	3	1	2	2	4	2 7	8	6	2	3	1	1		
Females	90 16	2	5 2 4	7 1 7	12 1 11	17	13 2 10	7 1 6	9 3 6	10 1 7	2	3 3 1	1 1	1		
White	76	2	3	2	9	6	7	6	16	13	2	5	3	2		
Males	26	1	2		1	1	2	2	7	6	2	2	1	1		ļ
Females Diagnosis reasonably certain. ${M \choose F}$	50 10 36	1	1 1 1	2 2	8 ₇	52	5 1 3	1 3	9 2 6	1 6	2	3 2 1	2 1 1	1		
Colored	48	1	5	6	5	13	10	3	1	3		1				
Males	8		1	1 5	1	1 12	2	3	1	3		1				
Females	40 6 33	1	1 3	1 5	1 4	9	8 1 7	3	1			1				
оню.											1					
Registration cities	2,104	39	73	102	165	202	275	294	267	258	213	114	68	29	5	
Males. Females.	789 1, 315	22 17	20 53	26 76	44 121	67 135	105 170	102 192	126 141	110 148	90 123	42 72	22 46	11 18	2 3	
Diagnosis reasonably certain. ${M \choose F}$.	393 882	13 13	10 42	17 61	24 98	31 109	63 126	56 136	63 87	50 80	33 66	17 31	10 23	6 9	····i	
White	2,041	38	70	93	156	190	268	291	260	251	210	113	68	28	5	
MalesFemales	772 1, 269	22 16	20 50	23 70	42 114	65 125	105 163	102 189	123 137	106 145	88 122	41 72	22 46	11 17	2 3	
Diagnosis reasonably certain. ${M \choose F}$	389 849	13 13	10 39	17 57	24 92	29 102	63 119	56 133	63 86	49 79	33 65	16 31	10 23	6 9	1	
Colored	63	1	3	9	9	12	7	3	7	7	3	1		1		
Males Females	17 46		3	3 6	7	10	7	3	3 4	3	$\frac{2}{1}$	1		1		
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	33		3	4	6	7	7	3	1	1	1	1				
Akron	62	1	2	1	3	10	10	12	9	5	7	2	-			
Males Females	20 12	1	1	1	3	6	6 2	8 1	5 1	5	7	2				
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{H}_+ \\ \mathbf{F}_+ \end{array} \right.$	7 28				3	1 4	3	6	5	2	4					
Cincinnati	419	6	18	21	32	34	52	61	51	55	44	25	13	4	3	
Males Females	153 266 76	5 1 5	5 13 2	15 4	10 22 7	9 25 2	24 28 14	17 44 9	20 31 11	26 29 10	16 25 6	15	5 %	2 2 2	2	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ \Gamma \end{array} \right\}$. 169			13	15	22	22	33	15	15	14	3	2		. 1	
White		5		18	29	29	50	61	49	53	11	25	13			
Males Lem des (M	150 250 .! 76		5 12 2	5 13 4	9 20 7	9 20 2	24 26 14	17 41 9	20 29 11	25 28 10	16 28 6	7 18 3		2 2 2	1 2	
Diagnosis reasonably certain, M.			. "	11	14	19	20	33	14	15	14	8	2		1	
Colored	19	1	1	3	3	5	2		2	2						
Males, Females, f M	16	1	1	2	2	5	2		2	î						1
triagno is not on tory outchin. (F.				2	1	3	2		1			17	17			,
Clevel in 1	. 183	12		21	38	63	57	73	36	62	19	. 7	17 8	6		
Females. Diagnost tersonably cert in M.	960	- 6 1	13	13 6		39 13	28 29 12	47 13 34	24 19	34 13	19	10 2	9	4		
Tripling for summy continue, ir.	. 183	ā		11	17	32	20	34	17	19	8	4	4	2	1	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATH'S I	FROM CA	NCER A	LL FORM	<) AT AG	E OF					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	84	85 to 89 years.	90 years and over.	Deaths at known ag
REGISTRATION CITIES—Contd.																1
Columbus	220	1	4	3	22	17 6	36		18	21	20	7	7	2		
Males. Fem.tles. Diagnosis reasonably certain.∫M. F.	78 142 44	1	2 2 1 2	14	19 2	11 5	21 11	20 6	15 9	12 4	13	5	r)	1		
White	208	1		13 15	16	11	20 35	14	12 35	20	10	3	2	2		
Males	74	,		2	3	5	 15	10	17	9	6	2	1 6	2		
Females. Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$.	134 43 103	1	2 1 2	13 2 12	18 2 15	9 4 9	20 11 19	19 6 13	18 9 12	11 4 6	12 3 9	₃		1		
Colored	12			2	. 1	3	1	1	1	1	2					
MalesFemales	4 8			1 1	1	1 2	1	i	1		1					
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	$\frac{1}{7}$			i	1	1 2	1	1			1					
Dayton	133		5	5	12	9	15	16	16	19	16	9	9	1	1	
Males	43 90 17		1 4	1 4	3 9 1	1	3 12	10	11 3	11 3	9	3	2 7	1	1	
Diagnosis reasonal ly certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	62	 	4	2	`		7	`	6	9	4	1	2			
Toledo. Males.	184	3	2	7	12	10	33	19	20	23	19	15	$\frac{7}{2}$			
Females . Diagnosis reasonably certain $egin{cases} M \ F \ \end{array}$	107	2	2	7	5	11	20	11	10	14	10	7 5	5 2 3			
Youngstown	67		2 2	6	5	10	14	10	6	5	6	2	1	3		
Males	24) 2	2	2	2 3	1 3	2	3	3 1	4	3 5	2	<u>i</u>	2		
Females. Diagnosis reasonably certain. $egin{cases} M & . & . & . \\ F & . & . & . \end{cases}$	42 10 27	1 1	1	4 1 3	1 3	1	2 4	1 4	2	2	3		1	I		
Other cities	537	13	21	24	41	44	62	73	71	65	61	34	14	13	1	
MalesFemales	150 357	6	5 16	6 18	6 35	12 32	16 46	28 45	30 41	26 39	27 34	10 24	10	10	1	
Diagnosis reasonably certain $\left\{rac{M}{F} ight\}$	236	3 4	13	13	30	21	11 36	17 31	12 25	13 22	14 17	9	3 9	2 6		
Portland	229	10	13	12	14	20	32	28	27	26	19	14	8	5		1
MalesFemales	107 122	5 5	6 7	3 9	4 10	8 12	18 14	10 18	8 19	16 10	13 6	9 5	6 2	1 4		1
Diagnosis reasonably certain $\{_{ m F}^{ m M}$.	63 87	3	5 3	2 7	10	7 10	12 12	3 17	6 12	6 4	8	3	3	1 3		····i
White	222	10	13	11	14	19	30	26	27	26	18	14		5		1
Males	101 121 58	5 5 4	6 7 5	9 1	10 2	7 12 6	17 13 11	18	19	16 10 6	12 6 7	9 5 4	6 2 3	1 4 1		1
Diagnosis reasonably certain. $\{F_{-}^{M}\}$	*6	3	3	7	10	10	11	17	12	4	1	3	1	3		1
Colored 2	- 7			1		1	2	2			1		1			
Females . Diagnosis reasonably certain ${M \choose F}$.	1			·····i		1	1 1	i			·····i		' ,			
PENNSYLVANIA.	1					1	1						!	1		
Registration cities	3,245	64	127	167	252	341	412	439	359	377	310	218	89	45	13	2
Males Females	2,041	33	30 97	42 125	70 182	113 228	154 258	162 277	163 226	176 201	140 170	77 141	28 61	13 32 6	3 10	2
Diagnosis reasonably certain. ${ m S}_{ m F}^{ m M}$, , , , ,	25 22	20 79	25 105	43 142	64 160	76 188	184	144	111	60 91	61	15 22	2.3	2 - 10	i
White	3,104	56 31	123	158	237	308	392	424 - 154	383	366	302 135	213 75	- 	13	12	
Fem iles. Diagnosis reasonably certain. ${M \choose F}$	1,946 502	25 24 17	94 20	119 22	174 40	204 60	243	270 51	221	192 79	167 58	138 29	14 22	30 6	9 2	· · · · · · · · · · · · · · · · · · ·
Colored	1,278 141	17	77	101	136 15	143	177	179 15	141	. 105	92 S	60 5	4	21	1	1
Males	46	- 2	1	3		9 21	5	>	1	2 9	5	2 3	- 1		1	
Females. Diagnosis reasonably certain. ${ m S}_{ m F}^{ m M}$.	95 18 65	6 1 5	3 2	6 3 4	3 6	21 4 17	15 	3 5	5 	1 6	2 2	1	1	. 2	1	
(4 • •	-														=	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

						OEATHS F			L FORMS) AT AGI	E OF—		-			un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years:	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES-Contd.	-															-
PENNSYLVANIA—continued.		t.							1							
Allentown	59		1	7	1	5	12	5	5	3	5	6	5	3	1	
Males Females	13 46	,	ii	2 5	1	1 4	4 8	5	1 4	$\frac{1}{2}$	3 2	6	1 4	3	1	
Diagnosis reasonably certain, ${M \choose F}$	32			1 1	1	1 4	3 6	4	4	1 2	1 1	3	1	2	1	
Erie	. 55		1	3	5	1	6	11	6	6	5	4	2	1	1	
MulesFemales	22 33			1 2	5	3 1	2 4	5 6	1 5	1 5	4 1	3 1	1	<u>i</u>	1	
Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	11 21		1	2		2	1 3	2 2	1 3	1 2	î 1	3				
Harrisburg	57	1	1	6	3	4	ь	9	7	6	7	4	1	2		
Males	16	1		2			1		2	3	4	1		2		
Females	41 7	1	1	1	3		5 2	9	5	3 1 2	3 2 2	3	;			
Lancaster	. 32	3	1	4		3	6	6	9	5	1	8	1			
Males	- \frac{100}{23}	1					4		3	4	3	3				
Females Diagnosis reasonably certain ${M \over F}$	32 10	2		4	22	1 5 1	2 2	2	6 3	1	1	5 1	1	1		
(20	2		4		3	2	1	1		1		1			
Philadelphia	1,541	28 16	62	74 19	128	176 	204 	208	78	93	146	96	36	19	5	
Females	950 323	12 13	15 47 11	55 13	\$6 29	117	129 37	124 50	104 35	84 46	84 27	62	9 27 5	15 2	4	
Diagnosis reasonably certain, $\{F_+^M\}$	631	7	39	12	68	81	91	86	63	51	52	26	11	11	3	
White	1,455	24	59	67	119	158	191	198	176	170	144	94	33	18	-4	
Males Females	564	15	14 45	17 50	36 83	54 104	73 118	78 120	99	92 78	61 83	34 60	8 25	14	1 3	
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbf{F} \end{array} \right\}$	311 591	13	11 37	11 39	27 65	40 71	37 84	47	35 60	45 47	26 52	12 26	11	2 10	1 2	
Colored	. 86	4	3	-	9	18	13	10	6	7	2	2	3	1	1	
MalesFemales	. 27 59	1 3	$\frac{1}{2}$	2 5 2	6 3	5 13	2 11	6	1 5	1 6	1	2	$\frac{1}{2}$	····i	i	
Diagnosis reasonably certain, ${M \choose F}$	12 40		2	2 3	3	10	7	3 3	3	1 4	1		1	1	1	
Pittsburgh	481	12	25	25	37	51	59	79	61	50	43	18	13	5	3	1
Males	177 304	7	10 15	18	11 26	10 41	27 32	27 52	27 54	21 29	19 24	5 13	2 11	3 2	1 2	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$. 95 . 194	7	6 13	3 15	7 23	29	1 1 24	14 32	16	9 15	9 9	2 2	2 5	2	1 1	
White	460	9	5	24	35	44	58	76	61	48	43	18	12	1	3	
Wales	173 287	- 6		7	10	10	27	26	27	20	19	5		3	1	
Lemales . Diagnosis reasonably certain, $\{M, \{F\}\}$. 93	3 6 3	15	17 3 14	25 6 22	34 5 25	31	50 14	34 16	25 9	21	13 2 2	10 2 5	1	2	
(olored	183	3	13	1 1	22	7	23	31	. 20	14	9	2	ə 1	1	1	
Males	- 4	1			1					1						-
Females	17	. 2		1	, 1	7	1	2		î			1	1		
(. 11	1		i	1	4	1	1	i i i i i i i i i i i i i i i i i i i	1				1		
Reading	86	·	_ 2	5		6	5	- 12	12	15	6		1	- 1		-
Females	. 36 50 . 11	···· i	2		2 7	3 3	3	1 8	3	9 6 1	2 3	1,	2	1		
Diagnosis reason ably certain, $\Pi_{\rm F}$	33	1	1	5	5	2	1	Ü	1	3		6	1	1		
Seranton	\55	2	5	3		10	15	10	10			4	4			
MalesFemales	35 30	. 2	·····à	2	1 1		8	5	6	17	3	2 2	1 3			
Diagnosis reasonably certain. ${M \choose F}$. 15	2	·····i	1		1	5 6	$\frac{2}{2}$	2 4	3	2 3	1	1			
William post	50	1	1	3	1	6	2	9	3	5	7	6	3			
Male	19 31	<u>-</u>		1 2	4	2	2	3 6	1 2	3 2	4 3	3 3	2			
21. not be son bly ortin. M.	7			1 2		3		1 6		1 1	1	2	î			

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.—Continued.

PATY Y					at nead			NCER (AI	L FORMS	3) AT AG	E OF—					m.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.													-			
PENNSYLVANIA—continued.					1											
Other cities	776	16	29	37	57	73	97	90	94	102	79	64	20	13	3	2
MalesFemales	504	8 8	5 21	8 29	13 44	29 44	31 66	30 60	37 57	40 62	32 47	25 39	10 10	4 9	3	
Diagnosis reasonably certain. $inom{M}{F}$	123 327	3 6	3 19	5 26	6 31	12 30	13 51	14 37	20 40	19 32	14 24	8 20	4 2	2 6	2	····i
RHODE ISLAND,																
Registration cities	426	9	9	16	25	45	53	60	59	51	41	40	12	5	1	
Males	155 271	7	2 7	14	9 16	18 27	$\frac{21}{32}$	23 37	21 38 7	25 26	16 25	11 29	3 9	1 4	1	
Diagnosis reasonably certain, $\left\{ egin{matrix} M_{++} \\ F_{} \end{array} \right\}$	86 175	1 6	2 5	13 13	6 15	11 19	10 22	16 27	7 20	16 13	9 15	10	17	1 3		
White	419	- 4	8	16	24	43	52	59	59	51	41	40	12	5	1	
MalesFemales	153 266	1 7	2 6	2 14	8 16	18 25	21 31	23 36	21 38	25 26	16 25	11 29	3 9	1 4	1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	85 173	6	⁷² 5	2 13	6 15	11 18	10 21	16 27	38 7 20	16 13	9 15	4 10	1 7	1 3		
Colored	. 7	1	1		1	2	1	1								
Males Females	2 5	1			1	2										
Diagnosis reasonably certain. ${M \choose F}$	1 2	1				1	1									
Providence	227	7	8	6	14	21	17	32	= 1	28	26	17	6	2	1	
MalesFemales	\$2 145	1 6	2 6	1 5	6 5	12 12	5 12	10 22	13 26	16 12	11	3 11	1 5		1	
Diagnosis reasonably certain. ${M \choose F}$	46 94	1 5	2	1 5	5	15	2 9	8 18	4 12	9 6	15 7 8	2 7	3			
Other cities	199	2	1	10	11	21	36	25	20	23	15	23	6	3		
MalesFemales	73 126	1		1 9	3	6	16 20	13 15	8 12	9	5 10	8 15	2 4	1		
Diagnosis reasonably certain $\left\{egin{array}{c} M \\ F \end{array}\right\}$	40 81	i	1	1	1 7	6	8	9	3	7	2 7	2 4	1	1 2		
SOUTH CAROLINA.																
('harleston 2	35	2	3	2	3	7	6	2	4	1	3	2				
Males	10 25	1	1	2	1 2	6	1 5	1	1	1	3	2				
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	7 19	1	1	2	2	5	1		3	1	1	2				
White	23	1	2	1		4	5	2	3	1	2	2				
MalesFemales	7 16	1	1	1		4	1	1 1	3	1	2	$ \begin{array}{c} 2 \\ \dots \\ 2 \end{array} $				
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right\}$	6 10	1	1	1		3	1 3		2	1		2				
Colored	12	1	1	1	3	3	1		1		1					
Males Females	3 9	1	1	i	1 2	1 2	1				1	1				
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	1 9	1		1	2	1 2	1				1					
TENNESSEE.													,	1		
Registration cities	289	5	22	26	26	35	38		33	24	14	12		1	1	3
Males	204 37	2 3 2 2	6 16 2	25	3 23	30	11 27	17 24 6	15 18 5	12 12 4	10	4 % 2	3 5 2	1	1	2
Diagnosis reason ably certain, $\left\{ egin{matrix} M_+ \\ F \end{array} \right\}$	160		15	20	22	25	23	15	11	` `	7	()	1		1	1
White	200	5	- 9	11	16	20	21	37	30	24	12	11	7	1		- 5
Males Females	72 137 32	2 3 2 2	3 6 1	11	3 13	3 17	6 15	15 22 5	15 15	12 12	4	2	3 1 2	1		1
Diagnosis reasonable certain $egin{cases} M_{++} \\ F_{-+} \end{cases}$	102	2	6	11	13	12	11	13	5 10	- 2	3.5	3	3			
Colored,	S0		13	12	10	15	17	4	.1		2	1	1		_ 1	1
Males Females	13 67 5		3 10 1	1	10	13	12	2 2 1	3			1	···i		· · i	. 1
Diagnosis reasonably certain. $\{^{M}_{\mathrm{F}}:$	58		9	9	9	13	3 9	2	1		2	1	1		1	1

¹ Nonregistration state; cities shown below only those with effective local ordinances

² The only registration unit in the state

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.] DEATHS FROM CANCER (ALL FORMS) AT AGE OF— AREA AND BASIS OF DIAGNOSIS. Allages. Under 25 to 35 to 40 to 45 to 50 to 55 to 60 to 65 to 70 to 75 to 80 to 85 to 90 years.																
					I	EATHS F	ROM CAI	NCER (AL	L FORM:	s) at ag	E OF-					1
AREA AND BASIS OF DIAGNOSIS,	Allages.	25	3.4	39	4.1	49	54	59	64	69	74	79	84	89	years	Panetho of
REGISTRATION CITIES-Contd.		-					_									
TENNESSEE 1—continued.					1										!	
demphis	114	1	10 ~	7	13	12	13	18	16	7	1	ΥΥ	5	1		
Males	37 77	1	1 9	7	3 10	1 11	4 9	10	8	4 3	1	4 4	2 3	1		1
Diagnosis reasonably certain ${M \cdot \atop F \cdot \cdot}$	10 60				10	9	3 5	2 5	$\frac{1}{7}$	2		2 3	1 2	1		. -
White	\$6	1	2	4	9	6	9	17	16	7	1	s	4	1		
MalesFemales.	34 52			4	3 6	1 5	3 6	7 10	-	4	1	4	2 2	1		
Diagnosis reasonably certain. M.	9 37		2	2	6	3	3	1 5	1	3		1 2 3	1	1		-
Colored	0.		8	3	4	6	;	1	,	-		3	1			
Males.	3		1				1	1								-
FemalesDiagnosis reasonably certain. $\{M, K\}$	25 1		7	3	4	6	3	1					1			-
	23		7	2	4	6	2						1			
Nashville	95	11	4	7	9	15	12	12	10	12	7	2	3		1	- -
Males	30 68 18	2 2 2	3	1 6	9	14	8	8	5	6	3 4	2	1 2		1	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	53	2	1	.,	8	12	3 8	2 7	3 2	3	3	1	2		1	
White	68	4	2	2	4	8	4	10	10	12	7	2	3			
Males. Females	22 46	2 2	1 1	2	4	8	4	4 6	5 5	6 6	3 4	2	$\frac{1}{2}$			-
Diagnosis reasonably certain. ${M \choose F}$	14 34	2 2	1	1	4	6	4	2 5	3 2	3 3	3 3	·····i	$\frac{1}{2}$			
Colored	30		2	5	5	7	8	2							1	
Males	8		2	1	5	1	4									
Females. Diagnosis reasonably certain ${M \choose F}$.	22 4 21		1	4		6	3	2			 				1	
other cities:	77		8	4 12	4	s	13	11		5	6	2		* * *	1	1
Males	18		2			3	3	5	2	2	-					-
Females. Diagnosis reasonably certain ${M \choose F}$	59 9		6	12	4	5	10 2	6 2	5	3 1	6	2				
·	45		5	11	4	4	7	3	2	3	4	2				
White	55		5	8	3	6	8	10	4	5	4	1				-
MalesFemales	16 · 39 · 9		3	8	3	2	3 5	6	2 2	2 3	4	1				: 1.
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	31		3	8	3	1 3	2 4	2 3	1 1	3	2	1				
Colored	22		3	4	1	2	5	1	3		2	1				
MalesFemales	2 20		3	4	1	1	5	1	3		2	1				
Diagnosis reasonably certain ${M \choose F}$.	14		2	3	1	1	3		i		2	1				
TEXAS,1																
Registration cities	181	8	13	18	17	24	21	22	19	14	11	7	5	2		
MalesFemales	74	5	3	9	4	10	7	9	11	777	5	1	2	1		-
Diagnosis reasonably certain.	107 46 74	3 3 2	10	9 5 7	13 1 11	14 6 11	14 5 8	13 8 9	8 8 4	3 4	6	6	3	1		
White	170	6	12	17	13	23	20	22	18	14	4 11	7	1 5	2		1
Males	70	4	2		4	10	7	9	10		5	1	2	1		-
Females	100	2 2	10	9 5 7	9	13	13	13	8 7	7 7 3	6 4	6	3	î 1		
(65	1	8		7	10	8	9	4	4	4	4	1	1		ŀ
Colored		2	1	1	4	1	1		1							Ŀ
Males	7	1	1	1	4	1	1		1							
Diagnosi regionably certain, $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	6	1			4	1										
calve ton	52	5	4	4	4	7	4	5	5	6	4	2	1	1		1
Male Lemales	28 21	1 1	3	2 2	4	5 2 2 2	1 3	2 3	4 1	3 3	3 1 2	2	1	1		i
		1					17	() 1				4	1			٠,

Nonrect tration, tate, catie, shown below only those with effective local ordinance.

² Includes Chattanooga, Jackson, and Knoxville.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	ĺ		[See note		of this t			_							
					1	EATHS F	ROM CAI	SCER (AI	A FORM	S) AT AG	E OF					age.
AREA AND BASIS OF DIAGNOSIS.	All ages.	25	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 61 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deuths a
REGISTRATION CITIES-Contd.			_													
TEXAS 1—continued. Galveston—Continued. White	45	3	3	3	2	7	4	5	4		4	2	1	1		
$egin{array}{ll} ext{Males}, & & & & & & & & & & & & & & & & & & &$	24 21 15 14	3	1 1 1 1	1 2	2	5 2 2 2 2	1 3 1 3	2 3 2 2	3 1 3	3 3 1 2	3 1 2 1	2	1 1	1		
Colored	7	_ 2	1	1	2	· · · · · · · · · · · · · · · · · · ·			1			1		-		
$rac{ ext{Males}}{ ext{Fermules}}.$ Diagnosis reasonably certain. $\left\{ egin{matrix} M, & \\ F, & . \end{matrix} ight.$	4 3 2 3	1 1 1 1 1		1	2				1							
San Antonio	\$1	2	4	7		11	12	12	11	4	4	2	4			
$rac{ ext{Males}}{ ext{Fermales}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight\}$	29 52 19 36	1 1 1	3	3 4 2 4	3 5 1 5	3 8 3 6	4 8 2 4	5 7 4 4	5 6 3 3	2 2 2 1	$\begin{bmatrix} 1 \\ 3 \\ 1 \\ 2 \end{bmatrix}$. 2	2 2 1 1			
White	77	2	4	7	6	10	11	12	11	4	4	2	4			
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}.$	29 48 19 33	1 1 1	4	3 4 2 4	3 3 1 3	3 7 3 5	4 7 2 4	5 7 4 4	5 6 3 3	2 2 2 1	1 3 1 2	<u>2</u>	2 2 1 1			
Colored	4			· <u>· · · · · · · · · · · · · · · · · · </u>	2	1	1						·	-:- :-		
Males	4				2	1	i									
Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{F}_{+} \\ \mathbf{F}_{-} \end{array} \right\}$	3				2	1										
El Paso ²	48		5	$\frac{7}{4}$	5 1	6 2	$-\frac{5}{2}$	- 5 2	$-\frac{3}{2}$	2	3	$-\frac{3}{1}$				- '
Females. $\begin{array}{c} \text{Diagnosis reasonably certain.} \\ \{\text{M} : \\ \text{UTAH.} \end{array}$	31 10 21	1	5	3 3 2	3	4 1 3	3 2 1	3 2 3	1 1	2	1 1	² i		1-		
Registration cities	93	3	_ 1	5	8	13	13	13	12	9	10	3	4			• • • • • • • • • • • • • • • • • • • •
$egin{array}{ll} ext{Males} & . & . & . & . & . & . & . & . & . & $	45 48 29 32	3	1	1 4 1 3	2 6 2 4	6 7 3 4	5 8 4 5	6 7 4 5	7 5 3 3	6 2 4 1	6 4 4 3	$\begin{vmatrix} \frac{1}{2} \\ \frac{1}{2} \end{vmatrix}$	2 2 1 2			
White	88	3	1	5	- 8	9	13	12	_ 12			3	4			
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight\}$	42 46 28 32 5	3	1	1 4 1 3	2 6 2 4	3 6 2 4	5 8 4 5	6 6 4 5	7 5 3 3	6 2 4 1	6 4 4 3	1 2 1	2 2 1 2			
Males	3					3				1						
Females	1	1				1		1								
Salt Lake City	71	2	1	4	- 6	11	11	11	7		9	1	2			
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$	32 39 21 27	2	i	1 3 1 2	1 5 1 4	5 6 3 4	4 7 3 5	1 7 3 5	2 2 2	4 2 2 1	5 4 4 3	1	1 1 			
Ogden 3	22	1	- <u></u> :	1	2	2	2	2	5	2	1	2	2			
$rac{ ext{Males}}{ ext{Femules}}.$ Diagnosis reasonably certain. $\left\{egin{matrix} M \\ F \end{matrix} ight\}$	13 9 8 5			1 1	1 1 1	1. 1.	1 1 1	1	2 3 1 2	22	1	1 1 1	1 1 1 1			
VERMONT. Registration cities	73	3	3	3	5	2	6	12	,	7	10	9	:	2		
Males Females	29 41	2	1 2	3	2 3	1	3 3	9 3	1 7	2 5	4 6	3 6	1 2	2	-	
Diagnosts reasonably certain, $egin{cases} M \dots \\ F \dots \end{cases}$	19 25	1 1	1 2	2	2 2	1 1	1 3	5 1	1 2	1	3 4	1	1	1		
White	$-\frac{72}{28}$	3 2	3 - 1	3	5 2	2	- 6 3	$-\frac{12}{q}$	1	$-\frac{7}{2}$	9	9	3	2		:
Females. Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$.		1 1 1	1 2 1 2	3		1 1 1	3 1 3	3 5 1	7 1 2	2 5 2 4	6 2 4	6 1 1	1 1	2		

¹ Nonregistration state; cities shown below only those with effective local ordinances. ² The only other registration unit; shown in order to complete the state.

The only other city of 10,000 inhabitants or over in 1910.

					1	EATHS I	FROM CA	NCER (A	LL FORM	S) AT AC	E OF-					un- ge.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known a
REGISTRATION CITIES -Contd.		1		_										1		
VERMONT—continued. Registration cities—Continued. Colored	1							1			1				· ·	J
Males	1															
Diagnosis reasonably certain, $\left\{ egin{align*} M, \\ F \end{array} \right\}$ VIRGINIA.											1	,				
Registration cities	304	- ⁵ 3	12	17 6	33	31 5	51	42	44	24	27 15	to1	5	6 - 6	1	· · · ·
Females Diagnosis reasonably certain.	203 62 143	3	10 2 7	11 3	25 7 21	26 3 16	17 34 14 27	15 27 7 21	28 10 17	18 3 13	12 5 9	5	3 1 1	1 4	1 1	
White	216	_ 4	5	6	16	20	35	29	33	24	26	b	5	(i	1	
$ \begin{array}{c} \text{Mules.} \\ \text{Femules.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array} $	86 130 53 90	2 2 2	2 3 2 2	2 4 1 3	8 7 6	5 15 3 9	14 21 11 17	11 18 6 14	14 19 4 13	6 18 3 13	14 12 4 9	5	2 3 1 1	5 1 4	1	
Colored	88	1	7	- 11	17	11	16	13	11		1					
Males	15 73 9 53	1	7	4 7 2 5		11	3 13 3 10	1 4 9 1	2 9 1 4		 1			· · · · · · · · · · · · · · · · · · ·		
Richmon I	127	* * * * * * *	5	: = 8	18	12	22	7	20	9	10	2	3	2		
Males. Females. Diagnosis reasonably certain. ${M \choose F}$.	48 79 31 55		5	4 4 1 3	12 5 11	3 9 2 3	9 13 6 12	6 10 5 6	8 12 5 8	1 5	3 3 3	2	1 2 1	2 2		
White	89		2	3	9	<u> </u>	17	12	13	9	ų	2	3	2		
Males Females Diagnosis reasonably certain. (M {F	40 49 27 37		2	2 1 1 1	6 3 5 3	3 5 2 1	10 10 4 10	4 8 4 6	7 6 5 6	2 7 1 5	6 3 2 3	2	1 2 1	2		***
Colored	38		3	5	9	4	5				_1				٠.	
$rac{M}{F}$ Males	30 4 15		3	2 3 2	9	4	2 3 2 2	2 2 1	$\begin{bmatrix} & 1 \\ 6 \\ & 2 \end{bmatrix}$	-	1					
Other cities	177	5		9	15	19	29	26	24	15	17	1 1	2	4	1	
$\frac{\text{Males}}{\text{Females}}.$ Diagnosis reasonably certain. $\binom{M}{F}$.	53 124 31 88	3 2 3	2 5 2 4	2 7 2 5	$\begin{array}{c} 2 \\ 13 \\ 2 \\ 10 \end{array}$	17 1 13	8 21 8 15	17 2 15	16 5 9	11 2 5	8 9 2 6	3	1 1	3 1 2	1 1	
White	127	4	3	3		12	18	17	20	15	17	1	2	4	1	*
$\frac{\text{Modes.}}{\text{Females}}.$ Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	46 81 26 53	2 2 2	2 1 2 1	3	2 5 2 3	2 10 1 8	11 7 7	10 2 8	7 13 4 7	11 2 8	8 9 2 6	1 3 1	1 1 1	3 1 2	1 1	
Colore L	50	1	4			7	1	9	- 4							
Females. Diagno is reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} ight.$ WASHINGTON.	43 5 35	1	3	4 2 3	7	5	10		3 1 2			1				· ;,
Registration cities	499	- (+	17	27	29	45		72	67	62	49	31	20	3	1	
$\begin{array}{c} \text{ Yile} \\ \text{ Females} \\ \text{ Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right \end{array}$	251 248 148 153	3 3 3	10 7 8	14 13 11 12	10 19 5 16	14 34 9 28	32 32 19 26	31 41 21 31	39 28 22 23	40 22 24 14	30 19 12 12	16 15 8 6	9 11 6 4	3	i	
White	402	9	17	27	28	48	64	72		- 62	19	31	19	3	1	
Mates. Female. Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	249 248 147 147	6 ,	10	14 13 11 12	9 19 5 16	14 34 9 28	32 32 19 26	31 41 21 31	39 28 22 23	40 22 24 14	30 19 12 12	16 15 5	8 11 5 4	1	1	
Calcard Male	2 2				1								1 1			
Femiles $D(sgno) = cs \text{ and } dv \text{ certain } \left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1				1				<u>:</u>	<u>:</u>			1			

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				<u> </u>	I	EATHS E	ROM CAL	NCER (AI	L FORM	s) at ag	E 0F-					un- .0
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES—Continued.																
WASHINGTON—continued.																
Seattle	221	6	4	13	11	15	27	39	31		21	11	10	3	1	
MalesFemales	115 106	3 3	4	5	7	12	14 13	18 21	19 12	16 10 10	15 6 7	7 2	5 4	31	1	
Diagnosis reasonably certain ${M \choose F}$	74	2 3	2	6 5	3 6	11	9	11 18	13 10	5	3	2	2			
Spokane,	102	2	3	4	5	9	21	13	15	12	6	9	4			
Males Females	43 59	2	3	1 3	2 3	2 6	15		8	9	2	5	1 3			
Diagnosis reasonably certain. ${K \choose F}$	24 49		: 3	3	1 3	1 6	13	5	3	5 3	1;	2 2	1			'
Tacoma	84	1	5	2	9	10	- 6	8	9	14	12	5	3			
MalesFemales	45 39	1	5	2	3 6	2 8	5 1	1 7	5	7 7	1 4	5	1 2	l		
Diagnosis reasonably certain ${M \choose F}$.	23 23	1	5	2	1 4	5	1 2	4	3 2	5	2	1 3	1 1			
Other cities.	92		5	8	4	12	10	12	12	10	10	6	3			
Males	48		2	3	1 3	4 8	7 3	5	5	8 2	5 5	3 3	2 1			
Females	44 27 33		3 2 3	5 2 4	3	2 6	5 1	1 1	3	5	2 5	1 2	î			
WEST VIRGINIA.1	+)+)				,		1	1	1	1						
Wheeling 2	41	1	2	2	5	4	7	5	6	7	4	3				
MalesFemales	14 32	1	2	2	1 4	1 3	1 6	2 3	2 4	2 5	2 2	2				1
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right\}$	23	1	2		1 3	1 3	1 5	1 3	1	1 2	1 2	1				
White	45	1	2	2	5	1	6	5	6	7	4	3		1.		
MalesFemales	14 31	1	2	2	1 4	1 3	1 5	2 3	2	, 2 5	2 2	2				
Diagnosis reasonably certain. ${M \choose F}$. 9	i			1 3	1 3	1	1 3	1	1 2	1 2	î				
Colored 3	1		1				1					1				
Males												٠,				.'
Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{matrix} ight.$	1						11									
WISCONSIN.	1	** ***	1		i		1									
Registration cities	712	14	20	27	32	58	\$1	116	91	105	68	53	28	16	3	1
Males	315	-	5	13	Q	21	29	50	50	46	32	25	13	10	1	
Females	397 151	6 5	15	14 0	23 5 21	37 13 33	52 15 35	66 25 39	41 25 21	59 17 29	36 14 16	25 13 10	15 2 7	5 2	1 1	1
White.	241 710	14	13			55	1 55	116	91	105	1	53	27	16	3	
Males	315		5	·		21	29	50	50	<u>-</u>	32	28	13	10	1	
Females Diagnosis reasonably certain $\binom{M}{F}$.	395	6 5	15	13	23 5	37	52 15	66 25	41 25	59 17	36	25	14 2 6	5 2	1	
	i	F)	13		21	33	35	39	21	29	16	10	1		, 1	1
Colored	2		\- <u>·</u>	1	1											
Females. Diagnosis reasonably certain.	2			i	1								, 1			
(1		·	, ж х			- -				-		1	- : _		· -
Milwaukee	201	- 7	h 1	13			30	46	42 21	- 3a 18		, 12	5			
Males	133 158 - 55	3 4							21	18	21		1		1	
Diagnosis reasonably certain. $\{M, F\}$		3	7	1	9	13	11	13	11	11	9	3			. 1	1
Other cities	121		-		- '			70							-	
Males Females	239	3		8	13	21	35	41	20	25 41 11	15	17	11	3 3	, 1	
Diagnosis reasonably certain, ${M \choose \Gamma}$. 96			1/4	12	10 20						7	1	5		

¹ Nonregistration state; cities shown below only those with effective Lie il ordinances. ² The only registration unit in the state. Colored population less than 10 per cent of the total in 1910.

				566 11016		DEATHS F			L FORMS	c) AT AG	E OF—		· · · · · · · · · · · · · · · · · · ·			-un
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	89	90 years and over.	Deaths at known age.
RURAL PART OF REGISTRATION STATES.																
Total	947	12	23	36	61	59	87	111	134	123	133	87	51	22	7	1
Males. Females. Diagnosis reasonably certain M .	496 451 267 320	6 6 4 4	15 8 13 7	11 25 5 24	17 44 11 37	20 39 17 29	43 44 23 32	58 53 29 47	71 63 44 46	66 57 32 34	85 48 38 27	52 35 22 17	35 16 19 8	13 9 8 7	4 3 2 1	1
White,	929	12	22	36	60	58	64	109	131	120	130	97	51	22	6	1
Males. Females. Diagnosis reasonably certain.\\{\vec{M}\cdot\}.	453 446 259 317	6 1 4	12	11 25 5 24	17 43 11 36	19 39 16 29	40 44 21 32	56 53 25 47	69 62 44 46	65 55 31 32	83 47 36 27	52 35 22 17	35 16 19 8	,13	3 2 1	i
Colored	18		1		1	1	3	2	3	3	3				1	
Female Diagnosis reasonably certain. {M	13 5 8 3		1		1	1	2	1	1	1 2 1 2	2 1 2				1	
Los Angeles County	161	1	3	1	19	4	14	20	16	21	26	22	7	4	1	
Females Diagnosis reasonably certain. ${M \choose F}$.	92 32 60	1	2	1	17 2 15	3 1	10 2 6	12 4 11	6 5 5	14 2 6	12 6 7	11 4 6	2	2	1	
Santa Clara County	39		2	1	3	4	8	12 5		13	9 3	5	3	1	I	
Females Diagnosis reasonably certain. ${M \choose F}$.	39 19 26		1 1 1		2 2 2	3	4 2 3	7 1 6	5 4 5	5 5 3	6	1 2	2 2 1	1	1	
Sonoma County	63	2	1	7	7	2	7 3	5	5	5	10	6	4			
Females Diagnosis reasonably certain. $\left\{ \frac{M}{F} \right\}$.	34 12 24	2	1	6 1 6	2 5 4	2 2 2	4 1 2	3 3	4 2	1 1 1	4 3 2	1 2	1			
Other rural districts	645 359	9 	17	9	30	47	32	74	102	84	62	53	33	17	5	1
Females Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	286 204 210	5 2 3	6 10 6	18 4 17	20 7 16	30 14 24	26 18 21	31 24 27	48 35 34	37 24 24	26 29 18	19 15 9	12 12 7	6 8 4	1 2	1
Total	237	1	5	10	23	26	30	32	25	24	29	22	9	2		
Males Females Diagnosis reasonably certain. {M F	10 ± 128 57 78	1	2 3 2 1	2 8 2 6	10 13 3 10	7 19 6 15	10 20 6 14	16 16 11 10	18 7 5 4	12 12 7 7	18 10 10 4	7 15 2 4	6 3 2 1			
White	236	1	5	10	23	26	30	32	25	23	28	22	9	2		
Males Females Diagnosis reasonably certain. {M	109 127 57 77	1	2 3 2 1	2 8 2 6	10 13 3 10	7 19 6 15	10 20 6 14	16 16 11 10	18 7 5 4	12 11 7 6	18 10 10 4	7 15 2 4	6 3 2 1	1 1 1		
Colored	1									1						
Females. Diagnosis reasonably certain. \{ \begin{align*} M \\ F \\ \end{align*}.	1	'								1					• • • • • •	
CONNECTICUT. Total	323	i	4	7	13	21	28	47	36	46	51	40	16	5	5	, 3
Males Females Diagnosis rea onably certain. [M., F.,	123 200 63 122	1	4	3 4	3 10 2 7	7 14 5 10	8 20 4 13	15 32 8 21	13 23 5 14	19 27 9 12	24 27 9 10	14 26 8 20	7 9 1 7	4 1 3 1	1 4 1 2	3
White	323	1	1	$\frac{\hat{7}}{3}$	13	21	28	47	36	46	51	40	16	5	5	3
Drame v tea shably certain M .	123 200 63 122	1 1 1	4	1	3 10 2 7	1 1 5 5 10 10 ====	8 20 4 13	15 32 8 21	13 23 5 14	19 27 9 12	21 27 9 10	14 26 8 20	7 9 1 7	1 3 1	1 1 2	3 1
Hartford Cen '	76 27 19 16	• • • • •	2 2	2	5	 2 1	3	13 3 10 2	4 1	$\begin{bmatrix} & -1 \\ & \frac{1}{7} \end{bmatrix}$		3 8	5 2 3	1		
Prenor reronable certain $\left\{ egin{aligned} V_{1} & V_{2} & V_{3} \end{aligned} ight.$	2.7		2	2	3	1	3	3 8	1 2	1	2 4	2 7	3	1		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at head			CER (AL	L FORMS) AT AGI	E OF -					un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 71 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known ag
RURAL PART OF REGISTRATION STATES—Continued.																
CONNECTICUT—continued.				'												
Other rural districts	247	1	2	5 3	3	18	21 5	34	28	38	18	29	11 5	- 3	5 1	3
$rac{ ext{Males}}{ ext{Females}}$ $ ext{Diagnosis reasonably certain.} egin{pmatrix} ext{M} & \cdot & \cdot \\ ext{F} & \cdot & \cdot & \cdot \\ ext{INDIANA} & \cdot & \cdot & \cdot & \cdot \\ ext{P} & \cdot & \cdot & \cdot & \cdot \\ ext{INDIANA} & \cdot & \cdot & \cdot & \cdot \\ ext{Males} & \cdot & \cdot & \cdot & \cdot \\ ext{P} & \cdot & \cdot & \cdot & \cdot \\ ext{INDIANA} & \cdot & \cdot & \cdot & \cdot \\ ext{P} & \cdot & \cdot & \cdot \\ $	151 47 91	1	2	3 2	5 2 4	13 4 9	19 1 13	22 5 13	19 1 12	20 9 11	19 7 6	18 6 13	6	1 2 1	1 1 2	3
Total	1, 434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	1
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain, $\left\{egin{smallmatrix} ext{M} & \cdot & \cdot \\ ext{F} & \cdot & \cdot & \cdot \end{aligned} ight.$	578 856 303 517	7 9 4 9	12 24 7 22	7 33 5 29	23 55 13 47	26 50 15 63	43 74 24 51	64 117 35 83	68 104 31 63	97 112 50 44	105 104 43 37	60 82 34 39	44 43 27 19	18 15 11 7	3 4 3 4	1
White	1,423	16	35	39	78	103	115	181	171	209	207	142	87	33	6	1
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots & \cdots \\ F & \cdots & \cdots \end{matrix} ight. ight.$	574 849 301 511	7 9 4 9	11 24 6 22	7 32 5 28	23 55 13 47	25 78 15 61	73 24 50	64 117 35 83	68 103 31 62	97 112 50 44	104 103 42 37	60 82 34 39	44 43 27 19	18 15 11 7	3 3 3	1
Colored	11		1	1		3	2		1		2				1	
$egin{array}{c} ext{Males.} & ext{Females.} & ext{Figure 1} & ext{Multiple 1} & ext{Multiple 1} & ext{Figure 2} & ext{Figure 3} & ext{Figure 2} & ext{Figure 3} & ex$	4 7 2 6		1	1		1 2 2	1		1		1 1				1	
Total	813	18	12	22	30	49	78	89	121	131	123	74	50	13	3	
Males Females. Diagnosis reasonably certain. $egin{cases} M & & \\ F & & \end{cases}$	393 420 195 248	8 10 6 6	5 7 3 5	9 13 5 11	11 19 4 16	19 30 8 18	24 54 17 41	38 51 21 34	56 65 23 34	74 57 32 25	78 45 35 17	40 34 19 21	22 28 15 16	7 6 5 3	2 1 2 1	
White	. 801	18	9	21	30	19	78	\$8	120	130	121	72	49	13	3	
$egin{array}{ll} ext{Males} &$	388 413 193 242	8 10 6 6	4 5 3 3	13 5 11	11 19 4 16	19 30 5 18	24 54 17 41	37 51 20 34	56 64 23 33	73 57 32 25	77 44 34 17	40 32 19 19	22 27 15 15	7 6 5 3	2 1 2 1	
Colored	12		3	1			******	1	1	1	1	2	1			
$\frac{M}{Fe males}$. Diagnosis reasonably certain. $\binom{M}{F}$. KENTUCKY.	5 7 2 6		2					1	1		1 1	2	1			
Total	753	24	30	32	47	50	65	78	104	110	83	54	44	13	3	16
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	279 474 123 294	10 14 6 5	26 3 17	28 1 19	11 36 6 26	12 38 5 28	20 45 8 27	24 54 10 40	35 66 10 35	51 59 23 34	44 39 22 21	23 31 8 14	22 22 12 17	9 4 5 3	1 2 1 2	6 10 3 6
White	668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	15
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array}$	260 408 119 219	12 5 5	18 3 9	24 1 15	10 29 6 19	12 33 5 25	16 38 6 22	22 47 10 36	36 5+ 10 28	48 56 23 31	42 35 21 20	21 26 8 12	21 21 12 16	9 4 5 3	1 2 1 2	6 9 3 6
Colored	. 85	4	8	4	8	5	11	9	14	6	6	7	2			
Males. Females. Diagnosis reasonably certain.	19 66 4 45	2 2 1	8	4	7	5	2	7	12	3 3	2 1 1 1 1	2 5	1			i
Total	609	6	6	20	23	43	16	57	78	98	86	74	45	20	6	1
$\begin{array}{c} \text{Mules.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \end{array}$	228 381 96 212	2 4	6	16 1 12	3 20 2 18	7 36 1 21	10 36 6 25	18 39 7 22	34 44 15 28	40 58 16 28	38 48 12 21	37 37 13 11	23 22 10 11	11 9 9 5	1 5 1 3	i
White	607	В	6	20	23	13	46	57	78	97	85	74	45	20	6	1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \frac{M}{c^2} \right\} \end{array}$	380	2 4	5	16 16 1 12	2) 2 18	3 7 4 21	10 36 6 25	18 39 7 22	34 44 15 28	39 58 16 28	38 47 12 21	37 37 13 11	23 22 10 11	11 9 9 5	1 5 1 3	1

	25 34 39 44 49 54 59 64 69 74 79 84 89 years. years														mi.	
AREA AND BASIS OF DIAGNOSIS	All ages.	25	84	89	44	49	54	59	64	69	74	79	84	89	years and	Deaths at u known age.
RURAL PART OF REGISTRATION STATES—Continued.	_	1						~								
MAINE—continued.			ĺ													
Total—Continued.	2	, [1	1 1					
Males	1									1						
Females Diagnosis reasonably certain. ${M \choose F}$.	1										1					
•	60				2	3	3	5	12	12	8	10	3			
Cumberland County	25						2	3	4	9	3	4		1		i —
Females	35 11		1		2	3	1	2 I	8	3 5	5 1	6 2	3	1		
· ·	20 55	1	1	1	3	2 2	1	3	5 10	6	3 10	10	2	1		
Kennebec County ¹	29					1			5	3	6	6	4	4		
Females. Diagnosis reasonably certain. ${M \choose F}$	26 17		1	1	3	1 1	1	3	5 3	3 1	4 2	4 5	·····i	4		
Penobscot County	14 54		1 2	1 2	3	2	8	2	3 6	9	7	7	3	3		
Males	17						1	1	3	2	1	7				
Females	37 6		2	2		2	7	3	3 1	7 2	6		3	1 2	1	
Washington County	23 54	1	1	3	2	7	6 5	1 4	2	12	6	4	2 5	4		
Males	19					3		2		4	2	2	2	2		
Females Diagnosis reasonably certain ${M \choose F}$	3.5 7	1		3	2	4	3	2	1	8	4	2	3 2	2		
York County	23 60	1		2 2	3	2 4	3 6	7	1	6	2	8	1	1	• • • • •	
Males	21			1		1	1	- 2	3	3	11	3	3			
Females	39 10			1	3	3	5	5 1	3	7 3	7 2	5 1	1			
Other rural districts	22 326	5	2	1 12	3	25	3 23	4 34	2 43	3 49	44	35	077			
Males	117	2		3	3	20	4	10	19	19	22	15	27	8	5 1	1
Females	209 45	3	2	9	10 2	23 1	19 3	24 5	24 9	30	22 6	20 · 5	13 6	5 2	4	1
MARYLAND.	110	1	2	7	8	15	11	13	15	14	7	6	6	2	3 ,	
Total	439	9	5	18	23	28	50	54	56	62	60	39	24	5	5	1
MulesFemales	160 279	3 6	1 4	4 14	5 18	5 23	11 39	18 36	28 28	26 36	27 33	19 20	6 18	1 1	3 2 3	
Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	77 186	2 4	3	3 10	3 16	3 15	6 30	10 29	13 12	9 25	11 21	8 10	9	3	3	
White	380	S	2	13	19	24	36	51	50	54	53	37	24	4	4	1
MalesFemales	146 234	3 5	2	9	5 14	5 19	10 26	16 35	25 25	22 32	25 28	18 19	6 18	4	3 1	
Diagnosis reasonably certain, $\left\{ egin{matrix} M_{++} \\ F_{-+} \end{array} \right\}$	72 154	2 4	1	3 7	3 12	3 12	6 20	9 2 8	12 11	7 22	11 18	9	9	3	3	
Colored	59	1	3	- 5	4	4	14	3	6	8_	7	2		1	1	
Males. Females.	14 15	1	1 2	;	4	4	1 13	2	3	4	2 5	1		1	····i	
Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	32		1 2	3		3	10	1	1 1	2 3	3	1		1		
Baltimore County	111	2	1	- 6	7	8	11	20	16	15	10	9	5		1	
Males	38 73	2	i	5	6	7	3 5	8 12	9 7	4 11	5 5	4 5	1 4		1	
Diagnosis reasonably certain, ${f M}, {f F}$	22 53	2		4	6	2	7	6 11	6 4	9	1 3	3 3	2		1	
White	104	2	1	4	6	9	9	19	16	14	10	9	5		1	
Males	37 67	2	1	1 3	I 5	17	3 6	7 12	9 7	10	5 5	5	1 4		1	
Diagnosis reasonably certain. $\{F,\}$	22 47	2		1 2	1 5	$\begin{bmatrix} 1\\2 \end{bmatrix}$	1 5	6 11	6 4	8	3	3 3	2		1	
Colored	7			2	1		2	1		1						
M.des Females	1 6			2	1		2	1		1						
Diagnosi rea onably certain, $\left\{ egin{matrix} M, & \\ F, & \end{array} ight.$	6 1			1 Include			2 ary Hom			1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					1	DEATHS 1	FROM CA	NCER (A)	LL FORM	S) AT AG	E OF			_		un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	89	90 years and over.	Deaths at known at
RURAL PART OF REGISTRATION STATES—Continued.							!									_
MARYLAND—continued.							1							1		
Other rural districts	328	·	4	12	16	20	39	34	40	47	50	30	19		4	1
Males Females	122 206	3 4	1 3	3 9	4 12	16	8 31	10 24	19 21 7	22 25	22 28	15 15	5 14	1	2 2	1
Diagnosis reasonably certain, ${K \choose F}$.	133	2 2	1 3	2 6	2 10	13	5 23	15	7	8 16	10 18	7	27	3	2	
White	276	6	1	9	13	16	27	32	34	40	43	28	19	4	3	1
Males	109 167	3 3		3 6	4 9	4 12	7 20	9 23	16 18	1 5 22	20 23	14 14	5 14	4	2	<u>i</u>
Diagnosis reasonably certain. ${M \choose F}$	50 107	2 2	1	2 5	2 7	2 10	5 15	17 17	7	6 14	10 15	5 6	2 7	3	2	
Colored	52	1	3	3	3	4	12	2	6	-	7	2		1	1	1
MalesFemales	13 39	1	1 2	3	3	4	1 11	1 1	3	4 3	2 5	1 1		1		
Diagnosis reasonably certain ${M \choose F}$	5 26		1 2	· · · · · · · · · · · · · · · · · · ·	3	3	8]	1 I	2 2	3	1		1		
MASSACHUSETTS!	868	7	11	1.0		62	00	103	\9	124	108	×6,	65	28	17	
Total	318	4	4	7	51	14	99	32	44	47	47	36	25	8		
Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{array} \right.$	550 148	3 4	7 4	11 5	42	45 12	6.5 16	71 12	45 23	77 25	61 18	50 11	40 11	20 5		
	331	1	6	8	34	37	44	45	25	45	23	24	21	9	9	
White	864 316		10	7	50 8	62	99	32	________________\	124	108	36	65	28	17	
'Males	548 147	3 4	7 3	11 5	42	48 12	65 16	69 12	45 23	77 25	61	50 11	40	20 5	10	
Diagnosis reasonably certain. $\left\{egin{matrix}M_{++}\\F_{-+}\end{array} ight.$	329	1	6	8	34	37	44	43	25	45	23	24	21	9	9	
Colored	4		1		1			2								1
MalesFemales	2 2 1		1		1			2	,,,,,,							
Diagnosis reasonably certain. $\left\{ egin{matrix} M_{-} \\ F_{-} \end{array} \right\}$	2							2	<u></u>	· · · · · · · · · · · · · · · · · · ·						
Bristol County	56	·	11	1	3	3	6	7	7	11	9	6		1	1	1
Males	21 35 11		i i	1	3	1 2 1	3 3 2	2 5	3 3	5 6 3	4 2	1		i	i 1	
Diagnosis reasonably certain. $\left\{egin{matrix}M.\ F.\ \end{array} ight.$	20		1	1	3	2	2	2	2	3	1 1	1		1	1	
Essex County	105	1	-	3		6	10	6	12	17	15	11	9	4	_ 3	
Males	61	ii		3	1 7	1 5	6	2 4	9	5 12	9	1	3 6 1	1 3	2	
Diagnosis reasonably certain. ${M \choose F}$	10 35			2	6	3	4	3	5 2	1 5	1	1	2	2	1	
Middlesex County	173	1	2	3	10	17	21	25	15	24	21	12	14	3	2	_
MalesFemales	105	1	2	1 2	3 7 2	13	10 11	11 14	10	10 14	15	3 9	6	1 2	·· <u>;</u>	
Diagnosis reasonably certain, $\left\{ egin{matrix} M, \\ F . \end{array} ight.$	32 68	. 1		2	5	10	4 9	3 9	3	6 9	3	1	6	1	1	
Norfolk County	99	1	2	2	4	15	11	10	9	14	14	7	9	1		
Males Females	64	·····i	2	1	1 3	3 12	4 7	1 9	6 3	9	10	5	2 7	1		
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right]$	18 32	1	1	1	3	3	3 2	5	5 1	3 4	1 2	1	3			
Plymouth County			1	3	8	3	9	10	9	12	11	14	11	3	5	
MalesFemales	5.5		. 1	3	!******8	2	3 6	5 5	4 5	8	4 7	6 8	5 6	1 2	2 3	
Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	20 37			2	7	2	6	1 3	3	3	2 2	1 4	3	1	3	
Worcester County	138	3	3	2	8	4	15	16	17	22	18	19	3	ĥ	2	
Males Females	53 85	2	3	1 1	3 5	4	3 12	1 12	7	14	12 6 6	9 10	1 1 2	1 5	2	
Diagnosis reasonably certain $\left\{egin{matrix} \mathrm{M} \ldots \\ \mathrm{F} \ldots \end{array}\right.$	25 55	1 2		1	5	4	1 7	2 7	3 6	6 9	6 2	9		2		
Other rural districts	198	1	2	4	10	14	27	29	17	21	20	17	19	10	4	
MalesFemales	56 1‡2	1	1 1	1 3	1 9	3 11	7 20	7 22	13	6 18	4 16	8 9	8 11	4 6	1 3	
Diagnosis reasonably certain. $\{F_{ij}^{M}\}$	32	1	1 1	1	5	2 9	5 14	1 16	1 7	3 11	3	3 4	4 7	2		

						DEATHS 1		NCER (A)	LL FORM	S) AT AG	E OF-					-tm .
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at uknown age.
RURAL PART OF REGISTRATION STATES—Continued.																
Total	1,398	19	38	25	68	94	140	172	198	203	199	136	71	20	9	3
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\{rac{ ext{M}}{ ext{F}}\}$	602 796 287 488	11 8 4 6	12 26 10 19	5 20 1 18	21 47 13 39	29 65 19 47	57 83 21 57	63 109 35 76	117 39 70	101 99 40 42	101 98 45 40	62 74 21 40	38 36 22 24	14 6 11 5	3 6 3 5	2
White	1,391	18	35	25	67	93	140	171	197	201	199	136	74	20	9	3
$rac{ ext{Males}}{ ext{Fernales}}.$ Diagnosis reasonably certain. $\left\{ egin{matrix} M. & & & \\ F. & & & & \end{aligned} ight.$	599 792 286 486	10 8 1 6	12 26 10 19	5 20 1 18	21 46 13 35	28 65 18 47	57 83 24 57	63 108 35 75	81 116 39 70	103 98 40 42	101 98 45 40	62 74 21 40	38 36 22 24	14 6 11 5	3 6 3 5	1 2
Colored	7	1			1	1		1	1	2	* * * * * * * * *					
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right\}. \end{array}$	3 4 1 2	1			I 1	1		1	1	1					• • • • • • • • • • • • • • • • • • •	
Berrien County	28	1			4	5	3	4	13	11	7	6	1			
$\begin{array}{c} \text{Males.} \\ \text{F emales.} \\ \text{Diagnosis reasonably certain.} \\ \text{F.} \end{array}$	22 36 10 20	1 i		********	3	2 3 2 2	1 2 1 2	1 3	6 7 3 3	3 11 1 3	3 4 1 4	3 3 1 2	1		• • • • • • •	
Kent County	50	1	1	2	2	2	3	7 2	3	10	5.	7	5	1 1		
Females. Diagnosis reasonably certain ${M \choose F}$	26 24 18 17	1	1	2	1 1 1	2	3	5 2 4	1 3 1	7 3 4 1	3 2 3 1	3 1 2	1 3	1		
Wayne County	63		3	$\frac{2}{1}$	- 6 2	7	3	10	10	3	8	1	<u>4</u>	1		
Females. Diagnosis reasonably certain ${ m M} \cdot { m F} \cdot { m C}$	35 11 25		2 1 2	i 1	4 1 3	5 1 4	í	6 3 2	3 7 1 5	4 1 4	4	1 1	3 1 2	1		
Other rural districts	1,227	17	34	21	56 17	80	131	151 56	17I 69	91	179 91	121 54	64 32	18	9	3
Females. Diagnosis reasonably certain $\{M, \}$ MINNESOTA.	698 248 426	10 7 3 5	24 8 17	17 1 15	39 12 32	55 16 39	77 23 52	95 30 69	102 32 61	81 34 34	88 41 34	67 18 36	32 18 22	12 6 9 5	3 6 3 5	2
Total	1,096	21	30	34	60	80	114	114	126	153	141	121	70	24	8	
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonal ly certain.} \\ \text{M}. \\ \text{F.}. \end{array}$	567 529 256 287	10 11 5 7	9 21 6 17	9 25 7 17	25 35 15 27	48 32 27 22	55 59 30 36	60 54 26 38	60 66 29 32	84 69 33 28	81 60 34 23	77 41 22 17	33 37 13 14	11 13 5 7	5 3 4 2	
White	1,092	20	30	33	60	80	114	114	125	153	141	120	70	24	8	
Females	566 526 256 287	10 10 5 7	21 6 17	9 21 7 17	25 35 15 27	48 32 27 2 2	55 59 30 36	60 54 26 38	59 66 29 32	84 69 33 28	81 60 34 23	77 43 22 17	33 37 13 14	11 13 5 7	5 3 4 2	
Colored		1		1					1			1			• • • • • •	
Females. Diagnosis reasonably certain ${M \choose F}$	3	1		1								1				
Olmsted County	99	1		4	8	4	10	16	12	= = 21	5	7	4	1		
$\frac{M}{Females}$. Diagnosis reasonably certain $\frac{M}{\Gamma}$.	62 37 52 28	11	1 5 1 5	1 3 1 3	8	3	6 4 6 2	12 1 12 4	7 5 7 4	13 8 10 6	3 2 1	4 3 2 2	2 2 2 1			
Other rural districts	997	20	21	3.)	52	76	104	98	114	132	136	114	66	23	8	
$\begin{array}{c} \text{Mules}, \\ \text{Females}, \\ \text{Diagnosis reasonably certain } {M \choose F}. \end{array}$	505 192 204 259	10 10 .5 6	\$ 16 5 12	8 22 6 14	17 35 8 27	11 32 21 22	55 21 34	45 50 14 31	53 61 22 28	71 61 23 22	78 58 33 23	73 41 20 15	31 35 11 13	10 13 5 7	5 3 4 2	
MISSOURI. Total	1, 155	30	35	31	59	62	121	126	144	157	175	116	73	15	10	1
$\begin{array}{c} \text{Male} \\ \text{Females} \\ \text{Diagnosis real onably certain}, \\ \left\{\begin{matrix} M \\ F \end{matrix}\right\}. \end{array}$	489 666 239 379	9 21 2 12	13 22 12 14	6 25 3 19	12 47 10 35	23 33 17 30	52 69 28 52	50 76 33 41	55 89 22 56	82 75 31 31	88 87 32 38	59 57 29 19	30 43 16 20	6 9 2 5	3 7 2 4	1

	1	11	[See note	at head	of this to	ble, p. 4	4.]								
					I	DEATHS I	ROM CAL	NCER (A.	LL FORM	S) AT AG	E OF-					un- ge.
AREA AND BASIS OF DIAGNOSIS	All ages.	25	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 61 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	\$0 to 84 years.	85 to 89 years.	years and over.	Deaths at unknown age.
RURAL PART OF REGISTRATION STATES -Continued. MISSOURI—continued.																
Total—Continued. White	1,112	29	32	30	57	57	116	120	140	153	170	, 112	70	15	10	1
Males	473 639	8 21	11 21	1 21	12 5	22 35	7() (v)	49 71	53 87	80 73	85 85	57	30 40	6 9	3 7	1
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	232 360	1 12	11 13	3 18	10 33	. 17 27	50	32 38	. 21 55	30 33	31 37	28 18	16 17	2 5	2 4	
Colored	43	1	3	1	2	5	5	f	4	4		4	3			
Males Females Diagnosis reasonably certain. {M F	16 27 7 19	1	1 1 1	2	. 2	3	2 5 2	1 2 1 3	2 2 1 1	2 2 1 1	3 2 1 1	2 2 1 1	3			
MONTANA. Total	141	2	7	! 5	, 9	15	15	15	27	9	13	12	7	1	1	
Males Females	68	1 1	3 4	3 5	4 5	7 8			14	6 3	6	5 7	3 4	i		
Diagnosis reasonably certain $\{ egin{array}{c} M \\ F \end{array} \}$	45 48	i	3 4	1 5	2 4	5	3 6	5 4	9 7	3	5	5 2	3 2	1		
White	137	2	7	8	9	15	15	14	26	8	13	11	7	1	1	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	67 70 44 47	1 1 1	3 4 3 4	3 5 1 5	5 2 4	7 8 5 7	3 6	7 5 5 8 5 8	13 13 7	6 2 3 1	6 5 4	5 6 5 2	3 4 3 2	1	i i	
Colored	4							1	1	1		1			*****	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & & \\ \mathbf{F} & & \\ \end{array} ight.$	1 3 1 1							1				1				
NEW HAMPSHIRE.					<u> </u>											
Total	269	1	5	11	8	20	30	30	35	24	40	30	22	9	3	I
Females . Diagnosis reasonably certain. ${M \choose F}$	181 37 105	1	5	7 1 6	1 7 1 5	16 3 12	24 2 19	21 2 13	23 6 14	8 16 4 6	15 25 4 11	16 14 6 5	14 4 5	3 6 2 4	1 1 1	i
White	268	1	5	11	8	20	30	30	35		40	30	21	9	3	1
$\begin{array}{c} \text{Males} \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \\ \end{array}$	88 180 37 105		5	4 7 1 6	1 7 1 5	16 3 12	24 2 19	9 21 2 13	12 23 6 14	16 4 6	15 25 4 11	16 14 6 5	8 13 4 5	3 6 2 4	1 2 1	1
Colored	1	· <u></u>											1			
Males Females(M.	. 1			1								1	·····i			
Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$. Rockingham County	- =	1		2	2											
Males	10						5	5	1 5	3	4	12	2	1		- : -
Females. Diagnosis reasonably certain. $\{rac{M}{F}\}$	41 4 23				2	3	5	5 3	53	3	4 2 2	2 3	2	1	2	
Other rural districts		. 1	5	9	6	17	25	25	29	21	32	18	20	8	1	1
Males	1 10	1	5	5	1 5	13	6 19	9 16	11 18	13	11 21	11 7 4	8 12	3 5	11	<u>i</u>
Diagnosis reasonably certain. ${M \choose F}$	33 ×2	1	3	1 4	1 3	11	2 15	10	6 11	5	21 2 9	2	4	4	1	1
NEW JERSEY. Total	797	11	12	19	31	61	\$3	96	120	115	110	68	50	17	4	
Males	314 483		3 9	4 15	10 21	16 45	27 56	34 62	58 62	51 64	48 62	29 39	19 31	6 11	1 3	
Diagnosis reasonably certain $\left\{ egin{array}{c} M \\ F \end{array} ight\}$	127 279	3 3 2	2 7	1 13	7 13	6 34	15 39	13 36	28 32	14	20 31	22	6 10	4 5	1	
White		11	12	17	31	60	82	94	116	114	105	67	49	17	4	
$\frac{\text{Males}}{\text{Females}}.$ Diagnosis reasonably certain. $\left\{\frac{M}{F}\right\}$	471	3 3 2	3 9 2 7	$\begin{vmatrix} & & 3 \\ 14 \\ & 1 \\ 12 \end{vmatrix}$	10 21 7 13	16 44 6 34	26 56 15 39	33 61 13 36	57 59 28 30	64 64 13 34	47 58 19 29	29 38 5 21	19 30 6 9	11 4 5	$\frac{1}{3}$ \dots $\frac{1}{1}$	
35030°—16——6																

						DEATHS	FROM (ANCIR (ALL FOR	MS) AT A	GE OF				T ₂	un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 31 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years	85 to 89 years.	90 years and over.	# B
RURAL PART OF REGISTRATION STATES—Continued.		-											-			
NEW JERSEY—continued. Total—Continued.										1						
('olored	18			2		1	1	2	4	1	5	1	1			
Males Femiles Diagnosis reasonably certain. {M	6 12 2 7			· 1		i	1	1 1	1 3	1	1 4 1 2	f	1 1			
Bergen County	101	2	2	2	1	12	13	14	14	13	16		1	2	1	
Males	62	2	2 1	2	1	4 8 3 7	3 10 2 6	3 11 1 6	7 5 3	8 5 2 2	6 10 1 5	5 3 1 2	1	1 1 1	i	
Burlington County	1		2	5	4	4	4	2	7	7	11	8	4	2		
$rac{ ext{Mates}}{ ext{Females}}.$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}.$	37 11		1 1	1 4	1 3 1 3	2 2 1 1	3 1 3	1	4 3 2 1	1 6	5 6 3 4	2 6	2 2 1 1	2 2		
Monmouth County	86	İ	2	2	4	6	6	6	14	13	16	10	4	2	1	
Males . Females . Diagnosis reasonably certain [M F	30 56 11 31		2	2	1 3	5	1 5	3 3 1	3 11 2 6	6 7 3 2	7 9 2 6	6 4 2 1	2 2 1 1	2	i	
Morris County	50			1	3	2	7	7	8	8	4	4	1	3	1	
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}.$	22 25 12	1		1	1 2 1	2	3 4 2 3	4 3 1 2	5 3 2 1	3 5	4	1 3	i	2 1 2	1	
Other rural districts	500	8	6	9	19	37	53	67	77	74	63	38	40	8	1	
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} {}_{\text{F.}}^{\text{M.}} \end{array}$	200 300 81 177	7 1 3 1	2 4 2 3	2 7 1 5	6 13 5 9	9 25 2 21	17 36 8 26	23 44 10 27	39 38 17 21	33 41 9 24	30 33 14 14	15 23 5 16	14 26 4 8	3 5 1 2	i	
NEW YORK. Total	2,286	27	47	53	82	135	206	249	311	318	345	276	149	58	25	, 5
Males	883	8 19	16	10	21	39	58	94	122	144	155	114	63	29	9 16	1
Females	1,403 438 870 2,263	11 27	31 7 26	43 8 32 53	61 13 50 81	96 25 83 135	148 40 112 203	155 45 103 244	189 53 114 310	174 67 96 314	190 69 95	162 48 71 272	86 31 45	29 17 17 58	9 12 25	3
Males	873	8	15	10	21	39	.56	92	122	143	154	112	63	29	9	
Females Diagnosis reasonably certain $\{M,, \{M\}\}$	1,390 436 863	19 6 11	31 7 26	43 8 32	60 13 49	96 25 83	147 40 112	152 44 102	188 53 113	171 66 94	188 69 93	160 48 71	86 31 45	29 17 17	16 9 12	3
Colored	23		- <u>1</u>				2	2	1	1	3	2				1
Female	13 2 7				1		1	3 1 1	1	3 1 2	2 2	2				
Cattaraugus County	53		1	1		3		3	3	9	9	7	6	3		
M des Females	15 38 9 23		1	1		1 2 1 2	2 6 2 4	32	3	7	3 6 1 3	7	2 4 1 3	2 1 2 1		
Chautauqua County		_ 1	1	2	1		4	б	12	10	9	7	4		1	
M de Fernales Diazno i rea on ibl. certain {M.	18 40 8 21	1	₁	2	1		 1 	2 4 2 3	3 9 1 6	3 7	5 4 2 3	5 1	2			
Delaw ne Cumty	60			1	1	6	5	7	9	6	12	to	3	1		
$\frac{\mathrm{Males}}{\mathrm{1~em~de}}$ Diagnosis reasonably certain $. \left\{ egin{matrix} \mathrm{M}_{-} \\ \mathrm{F}_{-} \end{array} ight.$	19 41 5 23		3	1	1	6	2 3 2 3	4 3 1	3 6 1 3	2 1 2	2	1 5	1 1 1	1		
Dutchess County			2	3	3	3	6	5	9	-	7	9	3	6		
$rac{ m M.de}{ m Females}$. Diagnosis reasonably certain $rac{ m M}{ m F}$.	26 37 12 23		1	3	3		5 3	1 4 3	5 2 3	2 2	3 3	3 3 3	1 2	3 1 3		

)				1	DEATHS F	ROM CAL	NCER (A)	LL FORM	S) AT AG	E OF					e.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	\$0 1) 84 years.	85 to 89 years.	90 years and over.	Deaths at known age.
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK continued.																
Erie County	71		1	3		3	5	11	15	9	9	4	6	4	1	
Males	32 39		1	1 2		1 2	1	3	5 7 2	6 3	2	1 3	3 3	. 2		
Diagnosis reasonably certain $\begin{pmatrix} M \dots \\ F \dots \end{pmatrix}$	15 22			1 2		1	2	1 6	2 4	3 2	2 3		2 2	1	·	
Monroe County	50		1	3	1	1	4	5	6	`	6	5	1	2	1	
Males	14			1				3 2	1 5	3 5	1 5	2 3	, 1	2		
Females Diagnosis reasonably certain. $\binom{M}{F}$	36 7 26		1	2 1 2	4	1	*	3	4	3	1 3	1 2		1		
Nassau County	78	2		3	3	1 7	4	10	13	13	10	10	1	1	1	
Males	39	1		1		5	1	5	6	10	1	3	1	1	1	
Females	39 15	i		2	3	2 3	3	5 2	7	3 3	6	7		i	····i	
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right\}$	20	1		2	2	1	2	3	4	2	3					
Oneida County	71	11	1	2	2	5	7	7	7	8	10	14	9		1	
Males	25 49	1	1	2	2	1	1 6	2 5	4 3 1	3 5 1	1 9	7 2	5 4 3			
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	10 32	i	1	2	2	2	5	3	2	3	6	4	1			
Onondaga County	62	1		2	2		4	6	10	9	11	8	8	1		
MalesFemales	26 36	1		2	1		4	4 2	4 6	3 6	6 5	2 6	5 3	·····i		
Diagnosis reasonably certain. ${M \dots \{F \dots F \}}$	13 22	1		2	1 1		2	1	1 4	2	2 4	1 3	3 2	1		
Ontario County	56	1			5	3	3	1	9	8	14	1	5	1	2	
Males	29 27				3 2	1	2	1	3	6	10	1	2	1		
Females. Diagnosis reasonably certain. ${M \choose F}$	13 16	1			3 1	2	1 1	3	62	2 3 1	6 2		3		2	
Orange County	55	5			6	5	5	7	5	2	7	9	2	1		1
Males	22 33	1			2 4	3 2	1	4	1 4	1	5 2	2 7	1			1
Females	9 17	1 3			1 3	2 1	4	3 1 1	1		3 2	1		ļ		
Rockland County	51	1	1		3	5	6	.5	5	12	4	4	5			
Males	28						2	1		7	3	3	4			
Females	23 19	1	1		2 1 2	2	4 2	4	1 3	5	1	1 1	1 3			
· ·	16		1		1	3	3	3	1	2	1		1		,	* * * * *
St. Lawrence County			1		2	2	9	4	1	7	12	1	1	2	2	
Males	21 29 11		1		1 1	, 1	2 7 1	3 1 3	2 2 1	2 5 1	5 3	3	1	1	2	
Diagnosis reasonably certain, $\left\{ egin{aligned} M \ldots \\ F \ldots \end{aligned} \right.$	17		1		1	1	6			2	2	1		1	2	
Steuben County	69			2	1	3	3	11	7	14	12	9	4	1	2	
MalesFemales	36			2	1	3	$\frac{1}{2}$	8 3	2 5	9 5	6	6 3		1	1	
Diagnosis reasonably certain. ${ m M}_{ m F}$	20 20			2	1	2		5 3	2 2	7 3	1 2	3 2	1 2		1	
Suffolk County	12	1	ţ.	1	1 6	6	11	10	16	10	11	q	1	2		1
Males	26 66		2 2		2	r	1 10	3 7	12	3 7	6 5	4 5	1 3	2		· · · · · i
Females	1 42	1	2	1	4	6	1 1 8		3	3 7 2 5	2	2	1	1		
Wayne County	59		2	2	3	1	-5	6	11	5	9	7	2	2	1	1
Males	13						٠	2	5	1	3	2	2			
Females	16		2	2	3		5		6 4	1	6 3	5		2		
(,	1		1	2		1 12	1 0	3	17	1.1	1 12	7	2 5	2	1	
Westchester County	106	2	6	5	2	12	9	12	7	14	1 2	- 5	-	-1		
Females	57 32	2	2 3	3 2	2	1 3	3 5	5	10	1 4 7	10	2	5	1 1	1	1
Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{H} \\ \mathbf{F} \end{array} \right\}$. 43	2	2	2	1	5	3	5	3	2	7	2	3	1	1	

			[See note	at head	of this to	ible, p. 4	4.]								-
					1	DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT AC	E OF-					at un- age.
ARFA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 41 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 61 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 81 years.	85 to 89 years.	yea s and over.	Deaths at known ag
RURAL PART OF REGISTRATION STATES Continued.				_					_	1]				
NEW YORK—continued.		10	0.0	00	1		100	100	100	107	107	150	77	29	10	2
Other rural districts Males	1,179	12		23	35	67	- 108	130	153	68	181	156	30 37	15	12	3
Females	734 221 160	7 4 3	16 3 13	18 3 11	2× 5 24	47 13 40	76 22 59	38 92 15 63	92 27 61	99 33 53	99 36 47	89 33 43	37 14 23	- 9 9	4	3
Total	119	5	6	5	13	12	23	21	29	17	7	4	1	2	1	
Males	35 111 19 76	2 3 2	1 5 1 5	2 3 1 3	2 11 1 0	1 11 7	4 19 1 17	13 6 12	7 22 4 9	7 10 2 5	2 5	1 3	1 3 1	2	1	
White	114	1	6	3	7	9	15	17	24	15	5	3	3	2	1	
$rac{ ext{Males}}{ ext{Females}}$. Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	27 87 15	2 2 2 2	1 5 1	1 2 1	1 6 1	1 8	1 14	6 11 5	4 20 2	6 9 2	2 3	1 2	1 2 1	2	1 1	
Colored	54 35	1		2 2	6	3	12	10	5	2	2	1	1			
Males Females Diagnosis reasonably certain. [M.	11 24 4	1		1 1	1 5	3	3 5 1	2 2 1	3 2 2	1 1	2	1	1			
оню.	22	1		1	5	3	5	2	1	1 200		1	120	60		
Total	2,072	- 21 - 18	$\frac{40}{17}$	65	30	112	179 — 59	222 	269 110	306	310 152	94	136	66	20	-
Females. Diagnosis reasonably certain. ${M \choose F}$.	1, 201 420 721	6 12 2	23 9 17	51 7 35	72 15 55	78 22 63	120 31 54	130 46 88	159 40 92	155 69 80	158 62 75	127 43 59	74 32 44	35 20 16	13	
White	2,039	24 ————————————————————————————————————	40	62	100	112	173	219 ————————————————————————————————————	110	302	307	92	135	66	19 7	
Females. Diagnosis reasonably certain- ${M \choose F}$	1,179 417 706	6 12 2	23 9 17	49 6 36	71 15 54	78 22 63	116 31 80	127 46 85	153 49 89	154 65 79	156 62 74	125 42 59	74 32 44	35 20 16	12	
Colored	33			3	2		- 6	3	6		3	1	1		1	
Males. Females. Diagnosis reasonably certain. \{ \begin{align*} M \cdot \\ F \cdot \end{align*}	11 22 3 15			1 2 1 2	1 1 1		2 4	3	63	3 1 1 1	1 2	2 2 1	1		i	
Hamilton County	54	1	4		4	3	5		4	1	10	4	5	2		
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain} \left\{ \begin{matrix} M \\ F \end{matrix} \right\}. \end{array}$	23 31 13 18	1	3 1 1		2 2 1 2	1 1 1	5 5 7	4 4 1 3	1 3 1 1	3	6 1 3	1 3	2 3 2 2 2	2		
Tuscarawas County		1			- 6	1	1 4	2	3	11 5	9	$-\frac{5}{3}$	2	$-\frac{1}{1}$		
Females	30 10 16	i	*****	1	4 1 4	3 3	3 2 2	3 1 1	1	6 3 1	5 1 2	2		1	1 1	
Other rural districts	1,962	22	36	64	92	105	167	209	262	291	291	90	129	63	19	
Females. Diagnosis reasonably certain- $\left\{egin{array}{c} M \\ F \end{array}\right.$	1,140 397 687	16 6 11 2	14 22 8 17	14 50 7 37	26 66 13 49	31 74 21 59	55 112 29 77	86 123 41 84	154 48 90	145 146 66 77	142 149 58 73	122 43 58	58 71 30 42	33 19 15	12	
Total	2,752	47	- 67	99	147	205	271	321	397	404	346	245	129	53	_15	3
Males Females Diagnosis reasonable coetain.∫M Fr	1,100 1,652 521 982	25 22 16 17	20 47 14 35	28 71 15 49	32 115 17 90	76 129 42 92	109 162 49 111	129 192 72 121	172 225 76 125	176 228 70 114	202	1)7 138 37 65	54 75 36 46	16 37 12 22	10	2 1 1
White.	2,703	47	- (in	93	143	197	265	316	388	400	3 13	213	129	_ 53	17	3
M des. 1 cm des. 16: m os is reasonably certain. M F	1,083 1,620 516 955	25 22 16 17	20 46 14 34	27 66 15 4 i	32 111 17 86	72 125 41 90	107 158 47 108	128 188 71 120	167 221 75 121	174 226 70 112	143 200 56 86	107 136 37 63	51 75 36 46	16 37 12 - 22	9 3	1 1
Colored	49		1	6	- 4	8	6	5	9	4	3	2	- · - ·		_1	<u>:</u>
M de Lem des Diazno i reasonably certain ${M \choose 1}$	17 32 5 27		i 1	1 5 3	4	4 4 1 2	2 4 2 3	1 4 1 4	5 4 1 4	2 2	$\frac{1}{2}$	22			. 1	

¹ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

					at head o		ROM CAN		L FORMS) AT AG	E OF-					-ia
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	\$0 to 84 years.	85 to 89 years.	y ears	Deaths at t known ago.
RURAL PART OF REGISTRATION STATES—Continued.	-			•												
PENNSYLVANIA—continued.													1			
Allegheny County	223	· <u>·</u>	6	12	17		29	30	30	31	22	17	4	2		-
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{F}_{-} \end{aligned} ight.$	143 32 94		3 3 3	3 9 3 7	15 2 11	16 2 9	12 17 2 13	10 20 6 17	11 19 4 8	15 16 6 9	16 16 2 10	9 8 3	1 3 1 2	1 1		
Berks County	66	1	1	2	2	5	7	9	10	7	9	9	2	2		_ :
Males. Females. Diagnosis reasonably certain \(\begin{array}{l} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	29 37 14 19	1 1	1	1 1	2	1 4 1 3	5	3 6 3 2	6 4 3 2	3 4	5 4 4	5 4 2 3	1 1 1	1		
Bradford County	68			3	3	5	4	10	8	13	9	5	4	4	·,	
MalesFemales	29 39			1 2	3	1 4 1	4	4 6 3	3 5 2	6 7	4 5 2	4 1 1	2 2 2	4		
Diagnosis reasonably certain. ${M \choose F}$	19 30 76	1	4	2 2	3 4	3	3	4 7	3 11	6 21	3	1 7	2		1	
Bucks County	26		1		1	1		3	5	8	5	1			1	-
Females Diagnosis reasonably certain. ${ m M} { m F}$	50 10 29	1	3	2	3	2 1 2	3	1 1	6 2 4	13 4 6	5 2 1	5	2			
Chester County	65		1	3	3	5	6	5	10	7	9	10	3	3		·
Males Females Diagnosis reasonabl y certain.\ H	19 46 11 21		····i	3	3	5 4	3 3 3 2	2 3 1 2	2 8 1 1	3 4 3 3	3 6 1 1	5 1 1	3	3		
Clearfield County	50			1	4	4	8	6	4	5	13	4				
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	20 30 10			1	4	3 1	4 4 3 3	2 4 2 4	1 3	2 3 2 1	6 7 1 2	2 2 2		1		
Delaware County	74	4	4	1	3	4	6	3	11	15	7	9	6	1		
Males	27	2 2		1	3	2 2	3 3	2	4 7	8 7 3	1 6	1 8	3 3			
Females. Diagnosis reasonably certain. ${M \choose F}$.	47 12 31	2 2		 	3	1 2	3	1	1 4	3 4	1 3	1 3	2 2	1		
Erie County	. 67	1		1	3	2	14	9	6	8	11	10	2			
$egin{array}{c} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} egin{array}{c} ext{M}. & ext{F}. & ext{.} & e$	24 43 16 30	i 1			3	2	3 11 2 10	4 5 4 1	3 3 3	3 5	6 5 3 2	3 7 3 6	1			
Fayette County	. 67	1	1	6	5	3	5	14	9	8	6	4	2	3		
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \end{array}$	31 36 10	1		3	2 3 1 1	2 1	4 1 1	5 9 2 5	6 3 3 3	2 6 1	4 2	1 3 2	1 1			
Jefferson County	. 18	3			. 2	3	8	3	7	7	8	5	1			
Males Females Diagnosis reasonably certain. [M.]	30 21 16		. 2		. 1	2 1	7 1 5	2 1 1	5 2 1	2 5	3 5 1	3 2 3		2 1 2		
Lancaster County	9 9			6	. 1	3	12	9	2 10	10	2 15	10	7	2	2	1
$\frac{\text{M-tles}}{\text{Females}}.$ Diagnosis reasonably certain. $\frac{M}{F}$	37 53 17			2 4	1 2 1	1 2 1	5 7 2	3 6 3	5 5	. 5 5 1	1 5 10 3	5 5	2 5 1	2	2	1 1
Luzerne County	.' 29		6	1 2	2	2 8	3	3 15	3 12	3 16	5 11	3	3			1
Males		2		2		4 4	3		6 6	8 8	5 6	2 2		9		1
Females Diagnosis reasonably certain ${M \choose F}$			6	2	. 2	3 4	3	2 6	4		2	1	. 1	2		
Montgomery County	95	2		1	3	7	10	10	26	10	10	7	5		I	-
$\frac{M}{\Gamma}$ des. $\frac{M}{2}$ Diagnosis reasonably certain. $\frac{M}{2}$. 47				. 2 1 1	5 2 3	4 6 2	5 5	15 11 7	1 3 5 3	5 5 4 2	5 2 1	1 4		1 1	

						DEATHS			LL FORM	IS) AT AC	GE OF-			VIII di direction		um-
AREA AND BASIS OF DIAGNOSIS.	All ages.	25	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at t known age.
RURAL PART OF REGISTRATION STATES—Continued.																
PENNSYLVANIA—continued.																
Northampton County	54 24	1	1	2	<u>6</u>	6	2	- 4 2		9		6	2			
Females Diagnosis reasonably certain ${M \choose F}$	30 4		1		4	5	1	2	å	5	3 1	1	1	2		
Schuylkill County	17 89	5	8		2	8	14	10	.; 10	9	8	5	4	1		
MalesFemales	35 54	1 4	3 5	1 4	1 1	4 4	8 6	3 7	5 5	4 5	3 5	5	2 2			
Diagnosis reasonably certain ${}^{f}_{\mathrm{F}}^{\mathrm{M}}$	33	3	3 4	1 4	1	3 4	4 1	1 4	1	2 2	2 1	3	2	i		
Washington County	75	2	1	5	1	4	6	15	16	8	9	4	1	2	1	
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain $rac{ ext{M}}{ ext{F}}.$	34 41 17 21	1 1	1,	2 3 1 2	1	2 2 1 2	4 2 2 2	8 7 5 5	12 3 5	3 5 1 2	5 4 1	3 1 1	1	·····2 ····1		
Westmoreland County	110	1	4	5	9	13	9	12	15	19	12	5	4	1	1	
Males	45 65	1	1 3 1	$\frac{2}{3}$	3 6	7 6 4	6 3 4	3 9 2	6 9 5	10 9 5	3 9 1	$\frac{1}{4}$	2 2	1		
Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	25 37	1	3	2	5	5	2	6 7	3	2)	6	1	1			
York County	22	2	1	1		8	2	4	2 5	2 7	5	2		1		
Females Diagnosis reasonably certain.	42 12 29	2 2 2	1 1	1	2	6	6 1 5	3 1	5 1 4	7 2 4	5 3 3	4		1		
Other rural districts	1,269	19	27	41	68	91	110	143	190	192	161	118	77	19	12	1
Males Females	495 774	10	11 16	10 31	13 55	34 57	37 73	57 86	82 108	81 111	67 94	51 67	32 45	5 14	5 7	i
Diagnosis reasonably certain $\left\{egin{array}{c} M \\ F \end{array}\right\}$	228 462	7 7	6 13	7 21	6 45	22 36	16 50	57	32 70	32 54	22 44	18 28	24 26	5	5 2	1
TotalRHODE ISLAND.	113	1	2	3	8	5	19	13	15	20	13	5	7	2		
Mules	41 72 16	·····i·	2	1 2 1	2 6 2	2 3	7 12	5 8 1	6 9	6 14	7 6 2	1	1 6	1		
Diagnosis reasonably certain. ${ m M}_{ m F}$	45	1		2	5	3	7	5	5	3 6	3	3	4			
White	41	1	2	3	8	5	7	$-\frac{13}{5}$		19	7	5		<u>-</u>	· · · · ·	
Fem des	70 16 45	1		1 2	6 2 5	3	12	8 1 5	5 2 5	13 3 6	6 2 3	4 1 3	1	1		
Colored.	2								1	1						
M.det Femiles	2						!		1							• •
Diagnosis reasonably certain $\left\{egin{array}{l} M_{++} \\ F_{-+} \end{array} ight.$																
7 st il	97	1	3	4		7	1.1	16	14	13_		8	3			• • • •
M des	49 48	2	1 2	2 2 2	1 2	2	8 6	10	11 3 1	3 10	7	4	2 1 2	,		
Drigno is rewonably certain, $\left\{ egin{align*} M_{\Gamma_{+}} \end{array} ight.$	12 20	2	1 2	2	2	3	1	17	2	3		1	1			
White	97	- 2	1	4/2	1	7	11	16 6	11	13	7	4	2			
Females . Drawno is tensorably certain $\left\{ egin{array}{l} M \\ b \end{array} ight.$	45 12 29	2 2	1 2	2 2 2 2	2	1 3	1 1	10 1 7	3 1 2	10	1	1	1 2 1			
lotal,	324	6	5	7	6	10	22	41	33	44	57	36	35	1+5	1	2
M de	130 191	2	;	3 4	1 5	2	3 19	15 26 5	14 19	22	27 30	15 21	19	7 9	2 2	1
Denote that one of the $\left\{ egin{array}{l} Y_1 \\ Y_2 \end{array} \right\}$	69 120	2	2	1 4	5	1 6	1 14	18	5 11	14 12	17 12	11	10 ,	3 .	2	I

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATES: 1914—Continued.

	1				at head	<u> </u>	-								<u> </u>	-
					I	EATHS E	TROM CA	NCER (A)	LL FORM	s) AT AG	E OF-					age.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85-10 - 89 - years.	90 years and over.	Deaths a known
RURAL PART OF REGISTRATION STATES—Continued.	1												5			
Total—Continued. White	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \left\{\begin{matrix} M \\ F \end{matrix}\right\}. \end{array}$	130 194 69 120	2 4 2 4	5	3 4 1 4	1 5 5	2 8 1 6	3 19 1 14	15 26 5 18	14 19 5 14	22 22 14 12	27 30 17 12	15 21 6 14	16 19 11 10	7 9 3 3	2 2 2 2 2	1 1 1
VIRGINIA.	747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} {M \choose F} \end{array}$	289 458 127 297	9 10 4 7	20 3 16	10 23 4 20	9 35 7 28	11 39 4 27	20 37 10 26	31 48 6 28	42 51 18 36	40 62 16 37	51 50 17 21	36 42 20 20	16 22 9 17	7 14 7 10	3 4 2 4	i
White	551		11	20	26 4	29	35	58 26	33	78	84	70	36	18	$-\frac{7}{3}$	
Females	313 112 196	3 3	2 7	12 4 11	22 3 17	22 2 14	21 8 15	32 6 19	35 16 24	46 14 28	39 17 13	36 20 17	21 8 16	11 7 8	4 2 4	
Colored	196	2	13	13	5	21	- 22 - 6	21	25	24	6	2	1	3		1
Females	145 15 101	6 1 4	12 1 9	9	13 4 11	17 2 13	16 2 11	16	16 2 12	16 2 9	8	6	1 1 1	3		
Total	372	9	8	9	22	34	55	48	53	42	35	28	22	4		3
$egin{array}{c} ext{Males} & . & . & . & . \\ ext{Females} & . & . & . & . \\ ext{Diagnosis reasonably certain.} & & . & . & . \\ ext{F} & . & . & . & . & . \end{array}$	195 177 94 117	6 3 5 3	3 5 2 5	3 6 2 5	8 14 4 14	12 22 5 18	25 30 15 21	28 20 14 12	33 20 17 10	26 16 7 7	12 23 5 12	16 12 7 6	18 4 8 3	3 1 1 1		1 2
White	368	9	8	9	22	34	53	47	53	42	35	27	22	4		3
$egin{array}{ll} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain} egin{array}{c} ext{M} & ext{F} & ext{.} \end{array}$. 193 175 . 93 . 115	6 3 5 3	3 5 2 5	3 6 2 5	14 4 14	12 22 5 18	24 29 14 20	28 19 14 11	33 20 17 10	26 16 7 7	12 23 5 12	15 12 7 6	18 4 8 3	3 1 1 1		2 1 2
Colored	. 4						2	1				1				
$egin{array}{ll} ext{Males} & . & . & . & . \\ ext{Females} & . & . & . & . \\ ext{Diagnosis reasonably certain.} & & . & . & . \\ ext{F} & . & . & . & . \\ ext{F} & . & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . & . \\ ext{The section of the section} & . & . \\ ext{The section} & . & . & . \\ ext{The section} & . & . & . \\ ext{The section} & . \\ ext{The sect$	2 2 1 2	1					1 1 1 1	i i								
TotalWISCONSIN.	1,273	21	17	25	54	72	128	147	156	196	191	134	89	33	9	_ 1
$rac{ ext{Males}}{ ext{Femules}}.$ Diagnosis reasonably certain. $\left\{ egin{matrix} M_{F} \end{array} ight.$	633 640 243 352	1 9 9 6	7 10 4 7	6 19 2 13	21 33 8 22	26 46 15 37	62 66 26 48	74 73 26 44	82 74 27 45	104 92 42 38	98 93 34 36	77 57 25 22	53 36 20 15	9 24 4 14	1 1 5	
White	1,266	21	17	25	5‡ 21	72	128	146	154	194	191	133	\$9 53	32	9	1
Females . Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	634 243 347	9 6	10 4 7	19 2 13	33 8 22	46 15 37	66 26 48	72 26 44	73	90 42 36	93 34 36	56 25 21	36 20 15	23	, 1	-111
Colored		. :				· - <u>-</u>		1	2 1	2		1		- 1	, . -	
Females Diagnosis reasonably certain ${M \choose F}$.	5							1	1	2		1		1		
Milwaukee County 1	. 59	1			4	.5	7	9	2	1I _	. 7	6	5	2		
$\begin{array}{c} \text{M.des.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} {M \choose F} \end{array}$. 41 18 26 11	1			2 2 2 2 2	1 1 2 1	3 4 2 2	6 3 1 3	2 1	. 9 2 8 1	6 1 5	2 2	1 2 1	· 2		:
Other rural districts	1,214	20	_ 17	25	50	_	121	138	154	1%5	184	128	84	31	9	1
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right\} \end{array}$. 592 622 . 217 . 341	11 9 8 6	4	6 19 2 13	19 31 6 20	45 11	59 62 24 46	68 70 25 11	80 74 26 45	95 90 34 37	92 92 29 36	73 55 23 22	49 35 18 14	9 22 4 13	1 1 5	1

¹ Includes National Military Home.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

ALES AND RIGHE OF LUMBARY 1964 1.6	-						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR			egistrati	
No. Property of the proper			Autore			Buccalo	eavity.				Stom	ach and	liver.				
The registration area 1,000 1,00	1	AREA AND BASIS OF DIAGNOSIS.		Total.	Lip.	Tongue	Mouth	Jaw.	of this	Total.				and gall blad-	Total.	neum and mesen-	
Male		SUMMARY.															
Females	1	The registration area	52,420	2,270	376	614	230	851	199	19,889	58	605	12,768	6, 458	6,745	485	4,055
Diagnost unknown P. 19,06 301 20 88 46 180 48 17.03 5 23 913 502 2000 132 501	2 3	MalesFemales	21, 282 31, 138											2,586 3,872			
Target substanting F 1.85 1.8	4		19,806							1,763	5	35	913		2,090		
Diagnosis unanown F	5		7,438							5, 485	3	71	3,375	2,036	1,109	104	993
Name	7	(= 1.1	3,894	1				1		2, 519	4	24	1, 465	1,026	643	65	566
Females Pemales Pema	8																
Diagnosis reaconably certains		Females	29, 798	376	28	84	45	174	45	9, 470	12	124	5, 535	3,779	3,733	297	2,346
Diagnosis unknown M			18,831	375	28	84				1,727	5	33	892	797	2,033	130	835
1.	12	Diagnosis uncertain	7,235 3,432							5,331 2,288	3 10	68 95	3,271 1,559	1,989 624	1,078 397	103	965 } 362
Males	13	· ·					2		İ								,
Diagnosis reasonably certain					2	8		22	3		4					3	27
Diagnosis uncertain M. 192	Ì		238	36	2	8			3	62	1	1	40	20	28		}
Diagnosis unknown M. 138	17	Diagnosis uncertain $\left\{ \begin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	192 ,	16	1		1	7	3	144		7	100	36	14	1	13
Males	18		135							98	2	2	63	31	10	2	6
Females 28,713 364 26 82 46 169 42 9,007 9 122 5,356 3,00 3,563 282 2,286		Registration states 1	48, 259	2,090	355	548	216	787	184	18,370	50	536	11,781	6,003	6,261	451	3,782
Diagnosis uncertain. \(\begin{array}{c c c c c c c c c c c c c c c c c c c			19,546 28,713														
Diagnosis uncertain. \(\begin{array}{c c c c c c c c c c c c c c c c c c c	1	Diagnosis reasonably certain. ${M \choose F}$.								2,256 1,620			1,604				
Diagnosis unknown F 3,520		Diagnosis uncertain $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	6,538 7,038							4,904 5,192	13 2	194 65	3,384	1,313 1,925	667 1,068	54 100	603 958
Males		(-	3,520	1		*******		1		2,113		23	1,437				
27 Females. 27,639 351 25 79 44 163 40 8,832 9 116 5,189 3,528 3,477 279 2,192 28 Diagnosis reasonably certain \bigg\{M} = 9,677 1,697 327 459 171 601 139 2,218 16 141 1,580 481 1,637 84 501 29 Diagnosis uncertain \bigg\{M} = 6,373 5,64 2 2 2 3 2 2 2 2 2 2																	
Diagnosis reasonably certain, F 17,396 350 25 79 44 162 40 1,500 4 32 8.23 7.32 1,879 120 770	27			351	25	79											
Diagnosis uncertain F		130	17,396							1,590	4	32	822	732	1,879	120	770
Colored		Pragnosis uncertain F	3,050							5,056 2,030	9	62	3,107 1,385	1,885	1,042	99	935
Males		(1		1 1	· · · · · · · · · · · · · · · · · · ·	10			1	2,196	3		1,260	911	556	60	487
Diagnosis reasonably certain, {M. 168 29 2 7 17 3 38 1 1 24 12 21 5 5 35 Diagnosis uncertain. {M. 165 177 126 124 1 6 87 30 12 1 11 13 13 1 13 1 13 14 14	32	Males	446	29	2			17		245		9	163	69	42	3	21
Diagnosis uncertain F 759 13 1 3 1 6 2 30 2 16 15 41 1 13 13 1 13 1 13 1 1				1			1	1	3			6				3	54 ,
Diagnosis unknown. M 113		14	759 165			3	1		2	30 124		6	16 87	12 30	41 12	1	13 11
37 Cities in registration states 1	36		113							8.3		2	52	27	9	2	5
10	37	Cities in registration states 1		1,060	118	361	99	391	91						ļ ,	1	
40 Diagno is reasonably certum. (M. 5,536 894 110 317 \$\frac{1}{2}\$ 312 73 1,410 15 122 976 297 1,024 54 424 41 Diagno 1 uncertain. (M. 3,158 515 55 18 1,010 2 24 535 41) 1,258 81 555 41 Diagno 1 uncertain. (M. 3,158 515 55 10 132 1,531 642 325 27 292 1 2,358 4 41 1,620 923 576 61 596 12		1 1					82 17	312 79	73 18		3.5		3,276 2,895		1,579 2,196		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	40	Diagno is reasonably certum. M_{ij}	5,566	894			82	312	73	1,410	15	122	976	297	1,024	54	424
13 White			3,158						1.3	2,315 2,584	10	132 41	1,531 1,620	642 923	325 576	27 61	292 506
A,000 A1				·····i				1					769	313	230	20	205
	\$1	White															
11 Mate 10,247 877 110 311 82 302 72 4,738 31 308 3,185 1,214 1,552 98 910 15,646 15,646 161 8 41 17 78 17 4,703 5 73 2,789 1,836 2,142 176 1,348		· · · · · · · · · · · · · · · · · · ·			~	41	17	78			31 5	308 73					

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and are shown in Table I, p. 21.]

are sno	WII III I	sole 1, ρ.	#1.j	-																
						DEAT	HS FROM	CANCER	AND OTE	HER MALI	GNANT	TUMORS	oF—							
Peritor intestin rectum	ies, and		Female	genital or	gans.			1				Other o	rgans or	of organ	is not sp	ecified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skim.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	1
2.171	34	8, 152	451	7, 470	154	47	. 5, 423	1,957	7,954	341	371	ñ×ti	538	754	1.014	111	497	121	3,491	1
1,064 1,107	10 24	8, 152	451	7,470	184	47	5,335	1,212	5,049 2,935	279		36 s 318	281 277	784	718 296	76 65	259 238	121	1,954 1,537	2 3
1,052 1,098	1 9	7,988	310	7,460	194	34	5,332	1,242 715	3,230 1,527	279 61	\$3 35	216 132	145 118	311	352 107	34 25	109 94	121	1,580 952	} 4
5	8 5	72	56				1		1,045 771 774	1	71 40	97 122 55	\$3 \$3 53	314 159	197 108 169	15 21 24	79 77 71		171 283 203	} 5 } 6
2,110	32	92 7,544	438	6, 887	173	5 46	5, 223	1,925	7,733	330	365 365	660	51 521	764	993	19	67 479	121	302	7
1.042 1.068	10 22	7, 544	435	6,887	173	46	5, 136	1, 229 696	4, 890 2, 843	272 58	206 159	352 308	270 251	764	700 293	71 65	247 232	121	1,887 1,477	8 9
1,032 1,060 7	1 8 8	7,385	301	6.877	173	34	5, 133	1,229 696	3,132 1,482 1,011	272 57	82 38 86	206 127 95	138 116 81	302	340 105 193	33 25 16	107 93 73	121	1,531 921 160	}10
6 3 2	1 10	71	55 82	2		4	2		754 747 607	1	71 38 50	121 51 60	86 51 49	155	108 167 80	21 22 19	73 67 66		273 196 283	}11 }12
61	2	608	13	583		1	200	32	251	<u>11</u>	6	26	17	20	21	5	18		127	13
22 39 20	2	608	13	5\3	11	1	199	13 19	159 92 98	4	3 3	16	11 6		3	5	12 6		67 60	14
38	1	603	9	583	11		199	19	45 34 17	4	1	10 5 2	2 2 2	7	12 2 4	2	1 6 4		49 31 11 10	}16 }17
2		4	3			1			27 30	1	2 3	4	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4	2	2	1		7 19	18
2,001	7	7,334	409	6,710	172	43	5,075	1,850	7,279	318	334	325	472	717	919	125 68	451 231	111	3,215	19
977	20	7,334	409	6,710	172	43	4,993	667	2,695 2,940	261	147 75	292 193	230 123	276	269 317	57 31	220 96	111	1,423 1,457	21
1,008 5 5	8 5 5	7, 154	280	6,701	172	31	4,990	667	1,411 967 709	56 1	33 79 64	122 85 115	108 73 78	20 ×	99 188 98	22 16 21	71 72		853 157 260	}23
$\frac{4}{2}$	1 7 25	82 6,869	76 400	6, 263	169	4	2		677 575 7,079	200	33 50	47 55	46	143	145 72	21 14	64 60	111	178 280	}24
968 988	7	6, 869	400	6, 263	163	43	4,913 4,532	$\frac{1.827}{1.175}$ $\frac{1.175}{652}$	4, 463 2, 616	255 53	329 185 144	314 285	233 233	702	900	122	222 214	111	1,742	25 26 27
961 982	1 7	6,722	274	6, 254	163	31	4, ×29	1,175 652	2,869 1,374	255 52	75	186 119	224 117 106	271	266 307 97	31 22	91	111	1,373 1,422 558	}28
5 4 2	5 4 1	6×	53	7		8	1		935 694 656	1	79 64 31	\$5 114 43	72 76	291	184 98 143	14 21 20	66		147 252	29
2 45	7 . 2	79 465	73	2 447	9	4	2 162	23	548 200	10	47	52	42	15	71 19	14	59		173 263 100	
18 27	2	465	9	447	9		161		121 79	6 4	2 3	11 7	9 6	15	16 3	3	9		50	32 33
16 26	· · · · · · · · · · · · · · · · · · ·	462		417	9		1 161	15	71 37 29	6 4		7 3	6 2		10 2 1		2 1		35 25	101
1 2	i		3						15 21 27		2 . 3	1 4 3	2 2		²		4			\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
1,175	18	4, 125	290	4,026	94	18	2,530	666	4, 297	226	231	403		415	197		269	61	1.715	
552 623	13 13	4, 125	290	4.026	94	. 18	2, 784	401 265	2,706 1,591	193 33	125 106	207 196			119	39 39	133 136		962 736	
545 616 3	6 3	4,332	201	4,022	94	15	2,782	401 265	1,791 840 518	193 32	53 21 50	1.22 	113	150	220 70 104	15 9	,56 54 39	61	7×7 4×3 1-9	140
3 5 4 2	1 1 3	42 54	38	3		2	1 1		413 397 388	1	41 22 38	(7) 20 11	15 29 28		59 95 39	13 14 S	45 38 37		1.9	12
1,146	- 16	4,143	283	3,755	×7	18	2.739 1		1.184	221	226	389	289	404	- %? 	×0	263	61	1,665	43
5.0 607	5 11	4.113	253	3, 755	87	15)	2,694	397 257	2,638 1,546	190	123 103	101	146 143	404	412 175	41 39		61	935 730	44

Table 2. -DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

					ee note a				ER AND O	THER M	 ALIGNAN	T TUMORS	6 OF-			
					Buccale	avity.		-		Stom	ach and	liver.	-		eum, inte	
	ARLA AND BASIS OF DIAGNOSIS.	gate.	:										Liver	-	Perito-	\
	•		Total.	Lip,	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-ynx.	Esoph- agus.	Stom- ach.	and gall blad- der.	Total.	neum and mesen- tery.	Intes- tines.
	SUMMARY Continue l.			_						1						
	Cities in real trait in Late 1 = Contd. White Continued.			110	0.11		200	70	1 12 7		100	Das	26.0	1 010	-	403
1	Diagnosis reasonably certain $\left\{ egin{array}{l} M, \\ F \end{array} \right\}$	5, 461 10, 196 3, 074	877 160	110	311	17	302 77	72 17	1,385 989 2,248	14 2 9	122 22 126	961 524 1,487	288 441 626	1,010 1,230 319	54 80 26	421 544 287
3	Diagnosis uncertain	3,513 1,712							2,504 1,105		38 60	1,559 737	907 300	561 223	60 18	494 202
4	Colored	1,937 902	22		9		1 11	2	1,210	. 4	13	706 197	488 83	351 81	36 6	310
5	Males	258	17		6		10	1	141	1	8	91	38	27	3 3	11
6	Females	644 105	5 17		3 6		10	1	157 25	1	6	106 15	45 9	54 14	3	33
8	Diagnosis reasonably certain. ${M \choose F}$.	456 84	5		3		1	1	21 67 80	i	6	11 44	8 16 16	28 6 15	1 1	11 5 12
9	Diagnosis unknown $\begin{cases} M \\ F \end{cases}$	103 69 85							49 56	2	3 2 1	61 32 34	13 21	7	2	3 10
10	Rural part of registration states	21, 464	1,030	237	187	117	396	93	8,631	10	141	5, 610	2,870	2, 486	171	1,480
11 12	MalesFemules	9, 041 12, 423	832 198	219 18	149 38	89 28	306 90	69 24	4,394 4,237	6 4	98 43	3, 149 2, 461	1,141 1,729	1,119 1,367	68 103	615 865
13	Diagnosis reasonably certain. $\{{}^{M}_{F}$.	4,279 7,503	832 198	219 18	149 38	49 28	306 90	69 21	846 610	2 2 3	20 10	628 303	196 295	634 662	30 40	172 228
14	Diagnosis uncertain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	3,380 3,422							2,589 2,608	2	62 24	1,853 1,580	671 1,002	342 492	27 39	311 452
15	Diagnosis unknown, ${M \choose F}$.	1,392 1,498							959 1,019	1	16 9	668 578	274 432	143 213	11 24	132 185
16	White	20,846	1,010	234	156	116	354	90	5, 429	10	140	5, 477	2,802	2, 439	171	1,449
17 18	Males	8,853 11,993	820 190	217 17	145 38	\$9 27	299 85	67 23	4, 290 4, 139	6 4	97 43	3, 077 2, 400	1,110 1,692	1,104 1,335	68 103	605 844
19	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	4, 216 7, 200	520 190	217 17	148 38	\$9 27	299 85	67 23	\$33 601	2 2	19 10	619 298	193 291	627 649	30 40	170 226 305
20	Diagnosis uncertain. $\begin{cases} M & \cdot \\ F & \cdot \end{cases}$ Diagnosis unknown. $\begin{cases} M & \cdot \\ F & \cdot \end{cases}$	3,299 3,345 1,338							2,532 2,752 925	3 2 1	62 21 16	1,810 1,548 648	657 978 260	336 481 141	27 39 11	441 130
21	(,	1,445	20	3	1	1	12	3	986 202		9	554 133	423 68	205	21	177 31
22	Colored	188	12	2	1		7	2	104		1	72	31	15		10
21	Females	430 63	12	1	1	1	5	1 2	98		1	61	37	32		21
25	Diagnosis reasonably certain. ${M \choose F}$	303		1		1		ĩ	9 57			5 43	4 14	13		6
26	Diagnosis unknown\{\mathbb{M}_{\mathbb{F}}\}	74 44 53							56 34 33			32 20 24	24 14 9	11 2		11 2
25	Registration states,1 exclusive of	47,986	2,0%	354	547	216	755	151 1	18, 285	50	534	11,733	5,968	6, 234	447	3,768
20	North Carolina. Mules Females	19, 474 28, 512	1,724 362	328 26	465 82	171 45	618	142	9, 216 9, 049	#1 9	413 121	6, 405 5, 328	2,377 3,591	2, 690 3, 544	168 279	1,533 2,235
30	Diagnosis reasonably certain. $\{M, \dots \}$	9,810 15,010	1,724 361	325	465 \$2	171 45	618	142	2,246 1,608	17	142 34	1,597 833	490 737	1,652 1,912	83 120	595 751
32	Diagnosis uncertain, $\left\{ egin{array}{c} M_{++} \\ \Gamma_{} \end{array} \right\}$	6,517 7,006 3,147		40					5, 169	13	193 61	3,376 3,185	1,305 1,918	666 1,061	54 99	602 952
33 }	Diagnosis unknown\\ \f\	3,496	1			015	1		2, 103 2, 272	3	78 23	1,432 1,310	582 936	372 571	31 60	336 502
31 3	White	46,549 19,047	2,045	352	137	215	762 601	179	9,004	37	519 404	6,249	2,314	6, 108 2, 649	165	3,693 1,512
35	Diagnosis reasonably certain. $\{M, \dots, M\}$	27,502 9,672	349 1,696	25 327	79 15×	171	161 601	40 139	8, 802 2, 212	9	115 141	5, 168 1, 576	3,510 479	3, 459 1, 632	276 83	2, 181
35	Diagnosis uncertain. F Diagnosis uncertain. F	17, 306 6, 357 6, 834	348	25		41			1,580 4,768 5,037	12 2	32 187	3, 292 3, 096	725 1,277 1,878	1, \72 654 1, 035	119 53 98	768 591 929
394	Drugno isunknown $\{F,\}$	3,035	.: .:.						2,021 2,185	2 9 3	t 1 76 22	1,381 1,253	558 907	363 552	29 59	331 484
40	Colored	1,437		_ 2	10	1	23	5	479	4	15	316	144	126	6	75
41	M.J.c	1,010	28 13	1	7	1	17 6	3 2	2.32 2.47	4	6	17.6 160	63 81	85	3 3	21 54
43	Diagnosis reasonably certain. {	158 1 160	28	1	j	1	17 6	3 2	34 28 119	1 1	1 2 6	21 14 84	11 12 28	20 40 12	1	5 13 11
15	Duma i in known M.	172 109							132 79	2	3 2 1	89 51	40 24	26 ; 9	1 2 1	23 5
	(1)	134		1	1 Includ			olumbia			1	57	29 []	19	1 (18 j

,			A. Mar-10.			DEAT	HS FROM	CANCER	AND OTH		ANANT		OF -	100					1
Perito intestu rectum			Female	genital or	gans.							Other or	gans or o	of organs	not spec	eified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
534 601 3 4 2 2	1 5 3 3 1 3 2	4,049 42 52 2×5	196 , 35 49	3,751 3 1 271	7	15 1 2	45 2,692 1	397 257	1,747 819 507 405 384 322	190 30 1	53 24 50 44 20 35	126 *1 46 68 26 42	\$5 75 33 42 28 26	178 147 79	215 68 103 59 94 48	18 18 9 13 14 8	55 53 36 45 37 36	61	766 470 83 133 86 127
13 16	2	255	7	271	7		1 90	4 8	65 45	3 2	2 3	9 5	4 4	11	7 3		5 2		27 26
11 15 1 1 2	1	2\3	5	271	7		90	4 8	44 21 11 8 13	3 2		6 2 1 3	3 1 1	3	5 2 1		3		21 13 4 6 2 1
826	9	2,906	119	2,684	78	25	2, 245	1, 184	2,982	92	103	214	175	302	322	45	1 182	50	2 7 }
434 392 432	2 7	2,906	119	2,684	78	25	2, 209 36	782 402 782	1,878 1,104 1,149	6% 24 68	62 41 22	118 96 61	92 83 35	302	241 91 97	27 18	95 84 40	50	\$30 667 670 \
392 2	2 2 1	2,852 26	79 15	2,679	78	7	2,208	402	571 449 296 280	24	9 29 20 11	39 39 46 18	32 40 35 17	145	29 84 39 50	4 7 8	34 32 27 26		400 { 70 } 121 } 90 }
810	9	2,726	25	2,508	76	25	2,174	1, 173	237	\$7	103	210	168	298	313	42	23 174	50	146 /
429 381 427	2 ,	2,726	117	2, 508	76	25	2, 138 36	778 395 778	1, 825 1, 070 1, 122	65 22 65	62 41 22	116 94 60	87 51 32	298	222 91 92	24 18 13	91 80 39	50	807 643 656 \
381	2 2 1	2,673 26	15	2,503 4	76	7	2, 137	395	555 431 289 272	22	9 29 20 11	39 46 17	31 39 34 16	114	29 81 39 49	5 8 6	34 30 23 25		656 388 64 119 87
16	4 '	150	24	176	2		71	11	226 87	5	12	10	7	4	23	3	23		136 f
5 11 5		150	1 2	176	2		71	4 7	53 34 27	3 2		2 2 1	5 2 3	4	9 		4		23 24 14 }
11		179	1	176	2		71	7	16 18 7 8			1	1 1 1 1	4	3	2	2 4 1		12 { 6 } 2 } 3 }
1,992	27	7,247	406	6, 629	170	42	5,052	1,838	7,244	318	333	617	467	716	915	123	448	111	3, 196
982 1,010 973	20	7,247	406	6,629	170	42	81 4,971 81	1, 177 661 1, 177	4,566 2,678 2,930	261 57 261	157 146 75	325 292 193	239 228 121	716	648 267 316	66 57 29	229 219 95	111	1,784 1,412 1,453
1,003 5 5 4 2	8 5 5 1 7	7,097 68	53	6,620	170	\$;	4,968 1 2	661	1,403 964 707 672 568	1	33 79 63 33 50	122 55 115 47 55	107 72 78 49	297 143	155 98 114 71	22 15 21 21 14	71 72 63 60		259 }
1,949 965	25 7	6,824	399	6, 220	163	42	4,897	1,816	7,053	308	328	599 314	452 230	701	- 897 	120 63	433	111	3, 104
984 958 978 5	5	6, 824	399			30	4,816 81 4,813	1,169 647	2,605 2,862 1,369 935	53 275 52	143 75 79	285 186 119	115 105	271	264 307 96 184	57 29 22 14	213 93 86 66		1,420 } 56 }
4 2 2 43		68 79 423	53 . 73	2			1		693 651	10	63 31 47 5	114 43 52	76 44 41	11)	94 142	21 20 14	68 61 59		252 / 170 260 92
	2				7				118 73 65	6 1	2 3	11 7	Ų		15 3 9	3	9 6		48 44
25	1	420			7		155	14	34 29 14			3	2 1 2 2	7	2 4	····· ₂	1 5 4		33 1 22 1 10 } 7 }

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS FR	M CANO	CER AND	THER M	AALIGNA?	TT TUMOR	S OF -			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	eavity.				Ston	ach and	liver.		Peritor	eum, int	estine n.
		gate.	Total.	Lip,	Tongue	Mouth	Jaw.	Others of this class.	T∋tal.	l'har- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Inte
	SUMMARY-Continued.										·-					-
	Registration rities in other states.	4,161	180	21	66	11	64	15	1,519		69	987	455	484	31	2
	Males Females	1,736 2,425	152 25	15	, 60	13	52 12	9 6	849 670	1 3	8	590 397	193 262	205 279	15 19	1
	Diagnosis reasonably certain. ${M \choose F}$	904 1,651	152 28	18 3	. 60	13	52 12	9 6	268 143	2 1	22	191 75	53 66	129 170	12 11	
	Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$ Diagnosis unknown $\begin{cases} M \\ F \end{cases}$	425 400 404							308 293 273	1 1	20 6 19	214 175 185	72 111 68	42 41 34	1 4 2	
	White	374 3,776	170	21	64	13	58	14	234 1,418	1 8	65	147 916	85	68	33	
	Males	1,617	145	18	59	12	47	9	790	5	60	550	426 175	195	15	
-	Females	2,159 834	25 145	18	5 59	1 12	11 47	5	628	3 2	22	366 175	251 45	256 122	15	1
	Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$ Diagnosis uncertain	1,435 401	25	3	5	1	11	5	137 288	1 2	19	70 201	65 66	154 40	10	
	Diagnosis unknown $\begin{cases} M \\ F \end{cases}$	374 382 350							27 5 258 216	1 1	6 19 1	164 174 132	104 64 82	36 33 66	2	
	Colored	385	10		2	1	6	1	101		1	71	29	33	1	
	Males Females	119 266	7 3		1 1	1	5 1	1	59 42		1	40 31	18	10 23		
	Diagnosis reasonably certain. $\{^{ m M}_{ m F}$	70 216	7 3		1 1	1	5		24 6			16	8	7		
	Diagnosis uncertain $\left\{\begin{matrix} M \\ F \end{matrix}\right\}$	27 26							20 18		1	5 13 11	1 6 7	16 2 5	1	
	Diagnosis unknown $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right\}$	22 24							15 18			11 15	4 3	1 2		
	All registration cities 1	30,956	1,240	139	427	113	455	106	11,258	48	464	7, 158	3,588	4, 259	314	2,5
	MalesFemales.	12, 241 18, 715	1,046 194	128 11	377 50	95 18	364 91	82 24	5,728 5,530	40 8	377 87	3, 866 3, 292	1,445 2,143	1, 784 2, 475	116 198	1, 0
1	Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \\ \ldots \end{array} \right\}$	6, 470 12, 303	1,046 193	128 11	377 50	95 18	364 90	82 24	1,678 1,153	17	144 25	1, 167 610	350 515	1, 153 1, 428	66 92	
	Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$.	3,586 4,016 2,185				·			2,623 2,877 1,427	12 1 11	152 47 81	1, 745 1, 795 954	714 1, 034 381	367 617 264	28 65 22	
	Diagnosis unknown $\begin{cases} M \dots \\ F \dots \end{cases}$	2, 185 2, 396	1	100			1		1,500	4	15	887	594	430	41	
	White Males	29,669	1,022	139	416 370	91	438 349	103	10,859	36	368	6, S90 3, 735	3,476 1,389	1,747	307	2,
	Females	17, 805	1,022	11 128	46 370	18 94	89 349	22	5, 331	5	81	3, 155	2,087	2,398	194	1,
1	Diagnosis reasonably certain. {M. F. J. M. Diagnosis uncertain	6, 295 11, 631 3, 475	185	111	46	15	319	81 22	1, 629 1, 126 2, 536	16 3 11	144 23 145	1,136 594 1,688	333 506 692	1, 132 1, 384 359	66 90 27	
	Diagnosis unknown	3, 887 2, 094 2, 287	i						2,779 1,363	1 9 4	44 79 14	1,723 911	1, 011 364	597 256	64 20	
	Colored	1, 287	32		11	1	17	3	1,426	4	15	838 268	570 112	417	40 7	:
	Males. Females.	377 910	24 8		7 4	1	15	1 2	200 199	4 ,	9 6	131 137	56 56	37 77	3 4	
	Diagnosis reasonably certain. $\{ {}^{M}_{F} $	175	21		7	1	15	1	49	1		31	17	21		
	Diagno is uncertain	672 111 129	s				2	2	27 87 98	1	2 7 3	16 57 72	9 22 23	44 % 20	2 1 1	
	Diagnosi unknown ${\cal N}_{{\rm F}_{++}}^{{\rm M}}$	91 109							64 74	2	1	43	23 17 24	13	2	
	REGISTRATION STATES.										-		=====			
	California	2,701	133	19	36	1	56	15	1,042	2	35	698	307	343	19	
	Females. Diagnosis reasonably certain.	1, 278 1, 423 7 11	115 18 115	1 1 1	6 36	i	44	12 3 12	627 415 214	22	33 2 10	253 150	147 160 52	168 175 114	11 5	1
	White.	1,004 2,649	18	1 19	6 42	1	55	13	1,013	2	2	53	44	112	7	
	Males.	1,211	112	15	36		17	10	604	2	33	433	296 138	339 165 c	17	
	Females. Dia, norms reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$.	1,405 715 991	18 112 18	1 18	6 36	- 1	17	.3 10	409 205	2	2 9	219 147	158 47	174 114	11 5 7	1

					<u></u>	PEAT	HS FROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS ()F—							
Peritor intesting rectum-	es, and		Female a	genital or	gans.							Other or	gans or o	f organs	not spec	ified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Lerynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- retals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	t r
170	7	818	42	760	12	4	348	1.7	705	23	37	69	(ii)	67	95	16	46	10	276	
75 92	3 4		12	760	12	4	6 342	59 48	465 240	18 5	22 15	43 26	26 27	67	65 27	1	1.	10	162 414	
75 90	1	804	30	759	12	3	6 342	59 45	290 116	15 5	5	22 10		35	35	30 00	13		123	1
2 2 1	3	4	3	i					62 97		501717170	12	10 10 7	16 16	9 10 24	3	51-1		14 23 25	1
154	7	675	35	621	10	3	310	95	62 654	22	36	61	7 64	62	9.3	5 14	1 13	1)	210	1
74 80	3 4	675	35	621	10	3	3.14	54 44	427 227	17 5	21 15	38 23	• 1	6.2	(st)	0 ×	15	1,	145 104	
71 78		hh3	, 27	623	10	3	6 304	51 44	263 108	17 5	5	20 8	21 10	31		2 3	1)	10	1 ()	111
2 2 1	3	3	, 2	1		 ,			73 60 91		5	10	10	1n 15	10 24	2 2 5			13 21 23	,11
16		9 143	9	136	2	1	35	9	59 51	1	3 1	8	2	5	2	2	3		20	'
4 12			4	136	2		35	5 4	3%	1	1	.;	2	5	2	2			17 10	
4 12		141	3	136	2		38	5 4	27	1	1	3 2	1	4	2	1			6	}10
	· · · · · · · · ·	1	i						5 2 6			2	1	<u>1</u>		1	1 2		1 2 2 2	
1,345	25	5, 246	332	4,786	106	22	3,178	773	5,002	249	268	472	363		 692	(6)	315	71	2 1,994	,
630 715	8 17	5, 246	332	4,786	106	22	52 3, 126	460 313	3, 171 1, 831	211	147 121	250 222	159 174	4×2	487 205	19 17	161 154	71	1, 124 870	
1 620 706	1 7	5, 136	231	4,781	106	18	52 3, 124	460	2, 081 956	211	61 29 57	155 93	110 86	218	255 78	21 21	69	71	910 552	}25
5 7 5	6 4 1	46	11	4		1	1		596 475 494	1	51 29	58 76 37	43 53 36	166	113 69 119	11 13 17	47 50 45		101 162 113	}-1
1,300	6	64	321	4,379	97	3 21	3,049	752	400	243	41 262	53 450	35 353	100	680	13	305	71	156	
613 687		4,818	321	4,379	' = '' = 97	21	51 2,998	451 301	3, 065 1, 773	207	144 118	236 214	153 170	4t/6)	478 202	47	153 152	71	1.080	
605 679	1	4,712	223	4,374	97	18	51 2,996	451	2,010 927	207 35	, 60 29	146	106 85	209	248 76	20 21	68 59	71	875 533	100
5 6 3	6 3		40	4		i	' · · · · · i		380 465		57 51	36 75 34	42	163	112 69	11 13	43 50 42		96 154 109	}29
2	. 6	61	55	1					381		38	50	33	16		13	10		147	31
1		42%								4		1 14	6		9	2	-		11	32
15		424		407				9 12		1			4	9	7	1	1		35	134
'i	· · · · · · · · · · · · · · · · · · ·	1	1 1						16 10 19			1 3	1 1	3	1		1		5 %	100
-	===	. 3	2	======	-	1			19		.5	3	2	-	1		-		9	jot
		356		333		1			418	19		40	27	45	11	15	17	11		
. 69 : 58 69	i		1 22	333			5		2×0 129 209	11 5	13	1 ‡	1.3	4.5	3.3 11 17	6	9 %		63	3
, 58		355	15			,	294	26	97	5	3	1 ‡	1 ,	15		1	3		1	1 41
69		360		327	-	_	1	71	284 128	13	13	2.	1;	15	-	1	`	11	114 63	42
69		352				1 1	5 1 290	74	2 €	11	*	1 +	\ \	21	17		5	11	100 53	}44

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						101.A	THS FRO	M CANC	ER AND	OTHER M	IALIGNAN	T TUMOR	< 01-		-	
		Aggre-			Buccale	eavity,		(Stom	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-ynx.	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.	_			-		-									
1	California—Continued.	52	3				1	2	29		2	16	11	4	2	2
3	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	34 18 16	33				1	2	23 6 9		2	12 4 3	9 2 5	3 1	2	1 1
5	Colorado	13 530	22	 3	5	2	12	1	1 245	2	4	164	1 75	1 58	4	1 29
6 7	MalesFemales	232 298	22	3	5	2	12		138 107	2	4	101 63	31 44	24 34	2 2	10
8	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	133 199	22	3	5	2	12		52 31]	1	41 13	10 T 18	17 23	2	5 9
9	White	230	22 22	3 3	5	2	12		239	1	4	160	74 .	58 - 24		29
11 12	Female . Diagnosis reasonably certain. M .	287 133 194	22	3	5	2	12		102 52 31		1	59 41 13	43 10 18	34 17 23	2	19 5 9
13	Colored	13			f				6	1		4	1			
14 15	Males	2 11							1 5	1		4	1			
16	Diagnosis reasonably certain, ${\bf r}$	5 1,040	48	5	17	5	18	3	331			03.4	100			
18 19	Males	394	40	3	14	5	15	3	164		5	118	109	158	3	43
20	Females Diagnosis reasonably certain. $\left\{ egin{array}{c} M & \dots \\ F & \dots \end{array} \right.$	199 412	8 40 8	2 3 2	3 14 3	5	3 15 3	3	167 46 37		3	96 35 19	68	94 31 40	1	69 12 18
21	White	1,022	48	5	17	5	18	3	326		8	209	109	155	7	111
22 23 24	Males. Females Diagnosis reasonably certain. [M]	390 632 198	40	3 2 3	14 3 14	5	15 3 15	3	166 45		5 3 3	114 95 34	41 68 8	64 91 31	3 4 1	43 68 12
25	Colored	400 18	8	2	3	· · · · · · · · · · · · · · · · · · ·			37 5			19	18	38	1	18
26 27	Males	1 1 1						-	4 1			4 1		3		· i
25	Diagnosis reasonably certain $\binom{M}{F}$.	12												2		
30	Indiana Males	2, 199	98	$\frac{22}{20}$	16	15	33 7	5	382	2	- 11	513 249	338 122	226 97		138
31 32	Females	I,378 433 817	19 79 19	2 20 2	3 13 3	6 9 6	7 33 7	1 4 1	482 80 82	i i	2 1 1	264 49 42	216 29 39	129 73 59	11 4 4	88 26 25
33	White	2, 162	97	22_	15	15	40	5	854	2	. 11	507	334	222	14	138
34 35	Males	1,350 429	75 19 78	20 2 20	12 3 12	9 6 9	33 7 33	1	382 472 80	2	$\begin{bmatrix} 9 \\ 2 \\ 1 \end{bmatrix}$	249 258 49	122 212 29	97 125 73	10 4	50 58 26
35	Diagnosis reasonably certain, ${M \choose F}$.	830	19	2	1	6	7	i	82 10	·	1	42	39	56	1	25
35 (Males	9 28	-1		1			''								
40	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	17	1		i								: :::::	. 3		
41	Kansas	1,095 t	59	26 - 25	7	1	19	-6 -4	442 241		5	275	162	117	10	82
13	Females. Diagnosis reasonably certain.	591 257 364	53 I	1 25	6	1	17 2 17	2	201 67		1 2	167 108 48	70 92 17 27	59 58 30	6 4 5	40 42 12
\$,	White	1,064	58	1 26	7	1	18	6	431		5	268	27 158 ¦	29 115	10	13 81
16 47	Male	496 568	52	25 1	6	1	16	4 2	236 195		4 1	163 105	69 89	59 56	6	40 41
45	Diagno i rea onably certain, $\{1, \dots, 1, 2, \dots, 1, 2, \dots, 1, \dots$	254 349	52 6	25	6 1	1 :	16 2	2	66 44		2	47 17	17 27	30 25	5 4	12
50	Colored.	31	1				1	-	<u>-</u> 5	·		7	1	2		1
51 52	Diagnosis reasonably certain. (M.	23 3 15	1				1		6 1 1			3 1 1	3	2		1

						DEAT	THS FROM	f CANCEL	AND OTE	HR MALI	GNANT	TUMORS	0F—						
Perito: intestin rectum	ies, and		Female	genital or	gans.	•						Other or	rgans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Prostate.	Blad- der.	Brain.	Bota - (except jaw).	Tes- tes.	Others of this class.
1		6		ħ			4		6	2		1					1		2
		6					4		1	1 1 1	: .	1					. 1.		· 2
25		6 81	4	7.1	3		*.3	11	57	3	6	- i	ī	t)	3	2	1	1	23
12 13 12 12		81	4	74	3		2 51 2 51	10 1 10 1	36 21 30 10	3	2 1 1 1	. 3	2 7 1 2	б	1 2 1 1	1 1 1 1		1	14
25		40	4	73	3		50	13	35	3	_6 ,	4	6!	6	3	2	1	1_	23
12 13 12 12			4	73	3		2 1 2 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	10 3 10 3	35 20 30 10	3	2 4 1	3	2 4 1 2		1 2 1 1	1 1 1 1 1	1	1 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
		1 1		1			3	1				<u>1</u>	1 i						1
20		1 158	7	1 145	5	1	3	1 33	191			1.0							}10
18 21 18			7	145	5	1	120	19 14 19	106 85	3 ,	1		4 3	23	32 21 11	2	3	1	40 15
0.7	1	155 152	5	145 139	5	1	120	19 14 32	62 38 191	3	$\begin{bmatrix} 1\\2 \end{bmatrix}$	5 4 16	1 	23	9 3 32	1 2	1 2	1	31 \20 23 \21 83 21
18 19 18 19		152	7	139	5	1	1 117 1 117	19 13 19 13	106 85 62 38	3 5	1 4 1 2	5 11 5	4 1	23	21 11 9 3	. 2	3 1 1 2	1 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
2		6		6		····	3.1	1						· · · · · · · · · · · · · · · · · · ·					
2		b		6			3	1 1											27
72	1	3.75	15	331	6	3	229	138	259	<u> </u>		39	24	20	41	2	14	4	130 29 73 3°
29 13 29	1	355	15 11	331	6	3	3 226 3 226	94 44 91 44	166 123 104 67	6 2	4 2 2	1\ 21 9	16 . 4 6	20	25 16 7 4	1	6 3 2	4	$\begin{array}{ccc} 73 & 3' \\ 57 & 31 \\ 38 & 42 \end{array}$
69			15	322	6 	3	226 3	137 94	280 158	·6	3	37 17	- 23 - 7	20	40		12 ,	4	127 33 70 34
26	1		15	322	,	3	223 3 223	43 94 43	122 101 66	2 6 2	4 2 2	20 9	16 3 6	11	16	1 1	6 2	4	57 35 57 1,35 42 }
3	····	9		. 9	-		3	1 - 	8	i	<u></u>	2 1 1	1		1	······································	2 .		3 37 38 39
3		9			 	****	3	1 46	3 1 179	1		1 11	1		15		1	3	1 140 /
13 12 13		112	10	129	3		2 10× 2		113 66 69	- 1	1		3 3 2	19	11 11 4 7	2 1 1	10	3	56 42 48 43 37 144
24		138	10	128	3		108	10	28 175	1		13	2	19	2 15	3	13	3	18 1
13 11 13		133	io	120	3		105 2 105 2 105	36 9 36 9	111 64 68 28	. 1	. 1	7 6 6	3 3 2 2	10	11 1 7 2	2 1 1	10 3 3	3	101 45 54 46 47 47 36 148
. 1		9	·		3		3	1		· 		1	és .						18 J 3 49
		9 9		9			3	i	2 2 1			1 :							2 50 1 51 1 152

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

		1		~	· ~			A MA		OTHER :	MALIGNA:	NT TUMOR	as of—			
		Aggre-			Buccale	avity.				Stom	ach and	liver.			eum, inte	
1	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION STATES—Con.			1				-						-	1	
1 2	KINTUKY	1,081	58	10	11	- 21 - 15	12	-	366 183		1	209	156 77	101 42	3	24
3 4	Males. Females Diagnosis reasonably cortain. {M	693 16.2 416	12 46 12	1 9 1	3 8	6 15 6	10 10 2	1	183 26 23			104 12 10	79 14 13	59 15 27	3	40 1 10
5	White	959	55	10	10	20	11	4	328		1	188	139	93	3	58
6 7 8	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M & \dots \\ F & \dots \end{array} \right.$	356 603 155 382	45 10 45 10	9 1 9 1	S 2 8 2	15 5 15 5	9 2 9 2	1	165 163 25 21			94 91 11 10	70 69 14 11	40 53 18 25	3	22 36 1 10
9	Colored	122	3		1	1	1	<u>-</u> ',	38_	 		21	17	8		6
10 : 11 : 12 :	Males Females	32 9 1 7	1 2 1		i	1	1		20 1			11 10 1	10	6		2 4
13	Diagnosis reasonably certain, $\left\{ \begin{matrix} M \\ \Gamma \end{matrix} \right\}$	61 821	33		7	3	11		300	1	5	180	2 114	129	6	86
14	MalesFemales	293	25	11	6	1 2	6	1	132 168	1	4	79 101	48 66	57 72	2 4	37 49
16	Diagnosis reasonably certain. $\{H_F^M : F_F^M	122 308	25 . 8	11	6 1	1 2	6 5	1	20 16		1	14	5 9	24 30	· ····i	6 10
17	White	819	.33	11	7	3.	11	1	299	1	5 -	179	114	128	6	85
15 19 20	Male	292 727 122 308	25 S 25 S	11	6 1 1	1 2 1 2	6 5 6 3	1	131 168 20 16	1	1 1	78 101 14 6	66 5 9	57 71 24 30	1	37 48 6 10
21 22	Colored	2		Ė		-:			1	" <u>.</u> .		1	· · · · ·			1
23 24	Females Diagnosis reasonably certain, $egin{cases} M & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots &$													1		1
25	MARYLAND	1,092	44	7	15	3	-	5 -	389	1	10	225	153	129	9	77
26 27 28	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	401 691 215 457	35 9 35 9	7	14 1 14 1	2 1 2 1	9 5 9 5	3 2 3	185 204 71 39	1 i	8 2 3 1	125 100 35 14	51 102 12 24	55 74 33 43	5 2 3	29 48 11 19
29 30	White	947	40	$-\frac{7}{7}$	13	3	12		342	1	7	200	135	120 53	9	69
31 32	Females	582 199 378	31 9	7	1 12 1	1 2 1	5	3 2	163 179 47 34		3 1	89 33 12	46 89 11 21	67 32 41	5 2 3	11 11 17
33	Colored	145 36	4		2		2	1 	22	1	3 2	25 	18	9 2		8
35 36	Pemales. Diagnosis reasonably certain. ${M \choose F}$.	109 16 79	1		2		2		25 4 5	1	1	11 2 2	13 1 3	2 7 1 2 2		2
37	Males	3,649 1,324	150	24	46	15	37	11	1, 151	1 3	33	722 365	375	240	32	160
39 40	Diagnosis reasonably certain. ${M \choose F}$	2,325 6×3 1,475	23 127 23	2 22 2	16 6	11 4	11 37 11	11	609 136 106	1 2 1	17 17 4	357 91 52	234 20 49	426 139 213	24 3 6	300 64 107
41	White	3,613 1,310	148 126	21 22	50 45	15	37	11	1, 138 533	1 3	49 32	714 358	371 140	239	32	159
43	Diagnosis reasonably certain. ${M \choose F}$.	2, 303 678 1, 457	22 126 22	2 22 2	5 45 5	11 4	11 37 11	11	605 134 105	1 2 1	17 17 4	356 89 52	231 26 48	124 138 211	24 3 6	299 63 106
45	Colored	36	2	-	2	· · · · · ·			13	- :	$-\frac{l}{1}$	7	<u>4</u>	3		1
45	Diagnosis reasonably certain. ${\mathbb{F}}_{\mathbb{F}_{+-}}^{M}$	22 5 18	1 1		1 1 1				1 2 1			1 2	3	2 1 2		1 1 1
4+	Минибах	2, 395	118	23	22	10	51	12	974	1	19	638	316	272	27	165
50 51 52	Males Femiles Diagnosis reasonably certain, {M.	1,015 1,380 198 854	89 29 89 29	22 1 22 1	15 7 15 7	2 8 2	35 16 35 16	9 3 9	509 465 128 83	1	15 4 3	369 269 91 43	125 191 34 39	128 144 79 69	11 16 6 10	71 94 27 25

						DEAT	-		AND OTH		-		.F					
Peritor			Famala	genital a-	7075	DENT				The said			rgans or	of organs	not snee	rified		
rectum			remale	genital or	gans,							Other of		or organs	nov spec			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and Vulva.	Others of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain. (exce	t tes-	Others of this class.
31		216	10	196	9	1	116		166	3	ŧ	11	15		13	3	7 1	98
18 16		216	10	F.92		1	2 1! ŧ	.:3	\$2 \$1		1 3	1 7	- 5	8	5		1 4	49 49 26
17 16 32			9	196 156	g'	1	2 111 106	25 54	27 32 149	2 1	3	1 3	13	²	13	3	3	20 }
18 14		174		156		i	101	31 23	73 76	1	3	1 7	1 9	7	5 2	3	1 4	. 44 ,
14			7	156 40			101 10	31 23 4	34 28 17		1	3	1 2		2		3 4	10
			1					2 2	9	1 1	1		1				i	5 10
		42	1	40 138				2 2 28	3 1 96	1 1 2	1	· · · · · · · · · · · · · · · · · · ·	1 2	6	13	2	3 2	5 1: 2 }1: 54 1:
18 19		112	1				93	21 7	58 38	1 1	1 3	6 2	1 1	6	10		$\frac{1}{2}$ $\frac{2}{1}$ \cdots $\frac{2}{2}$. 27 1:
18 19 37			1	138			0.0	21 . 7 28	3° 12 96	1 1 2	1	3	2	6	13	2	3 2	22 \10 \10 \54 \1'
18 19		142	1		1			21 7	58 38	1 1	1 3	6 2	1 1	6	10 3 2	2	2 2	27 1
18		142	1	138	3		93	21 7	32 12	1	1	3		2				. 10 12
• • • • • • • • •		1																2
13		186	11	171	3	1	132	35	177	11	6	17	10	12	26	5	3 1	-6 2
22 21		156	11	171	3	i	131	19 16 19	106 71 76	9 3 8 3	2 4 1	7 10 7	5 5 4	12	21 5 11	3 2	9 1 5 1	. 57 (2)
21		181	6	171 124	3	1	131 113	16 33	38 162	3	6	7	3	12	3 25	5 1	22 1	. 20 12
21		137	10	124	2	····i	1 112 1	18 15 18	99 63 70	7 2 7	2 4 1	5 9 5	5 4	12	21 4 11	3 2	s 1 4 4 1	$\frac{31}{30} \frac{3}{\sqrt{3}}$
21			6	124	1	1	112 19	15 2	34 15	2 2		6 3	3		1		1	. 19)"
L		49	1	47	· · · · i		19	1 1 1	7 8 6	1		2 1 2	1		1		i	3 13
172	2	48 576	39	47 518	16	3	19 436	94	576		33	36	30	68	68	5	1 6	253 3
72 100 72	2	576	39	518	16	3	4	55 39 55	356 220 222	26 4 26	13 20 5	15 20 12	12 18 8	68 ₂₀	52 16 21	1 2	9 9 5 5 9	
95	2	569	39	518	16	3	432	94	571	30	23	30	30	67	68	5 4	9 4 9	249 4
72 (19) 72	2	569	39	513	14	3	4 426 4	55 30 33	353 218 221	26 1 26	13 20 5	16 20 12	12 15	67 26	52 16 21	$\frac{1}{2}$	9 9 5 9	$\frac{114}{107} \frac{43}{4}$
97	2	555	25	513	2	3	6	39	5	4		10		1			9	4 4
ii		7		5	2		6		3 2 1									. 2 4 2 4 . 1 }4
80		360	14	341		2	214	114	313	9	10	31	13	38	36	5 3	1 4	170
46 34 46		360	14	341		₂	210 4	75 39 75	210 133 123		3	16 15 8 8	2	15	26 10 12	2 1	2 4 2 1 6	. ≤0 5 66 1 _%
31	3;	=== 356 5030 °== 1	10	311	5	2	210	31	68	. 4		ŏ	3		1		6	10)

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

_			1		ee note a											
			1			DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	S OF -			
					Buccale	avity.				Stom	ach and	liver.	ļ	l'eriton ar	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.				1					1		Liver		Perito-	
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	and gall	Total.	neum and	Intes- tines.
								class.		Jan	agao.	Cooke a	blad- der.		mesen- tery.	V223031
	REGISTRATION STATES-Con.	_				i							' - I			
1	MICHIGAN—Continued. White	2,379	, 118 (23	22	10	51	12	968	1	19	634	314	269	27	162
2 3	Males	1 010 1,369	S9 29	22	15	8 2	35 16	9 3	507 461	1	15 4	365 266	124 190	128 141	11 16	71 91
4	Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	495 830	89 29	22	15 7	8 2	35 16	9 3	127 82	1	3	90 42	34 39	79 69	6 10	71 91 27 25
5	Colored	16							6			4	2	3		3
7 8	Males. Females Diagnosis reasonably certain. {M.	11 3							2 4 1			1 3 1	1	3		3
9	MINNESOTA	1,701	70	16	14	3	31	6	804		20	611	173	213	13	127
10	MalesFemales	\$29 872	59 11	14 2	12 2	3	26	4 2	452 352		17	376	- 59	107	7	62 65
12	Diagnosis reasonably certain. $\{F,\}$	406 519	59 11	14 2	12 2	3	5 26 5	4 2	125 71		3 6	235 108 44	114 11 27	106 70 69	6 4 2	28 32
13	White	1,696	70	16	14	3	31	6	801		20	610	171	213	13	127
14 15 16	Males. Females. Diagnosis research!- certain [M	828 868 106	59 11 59	14 2 14	12 2 12	3	26 5 26	2 4	452 349 125		17 3 6	376 234 108	59 112 11	107 106 70	7 6 4	62 65 28
17	Diagnosis reasonably certain. ${ m M \over F}$.	519 5	11	2	2		5	2	71			41	27	69	2	32
18 19	Males	1														
20	Females. Diagnosis reasonably certain. $\{F: G^{M}\}$	4							3	****		1	2			
21	Missouri	2,326	120	25	32	16	37	10	882	3	27	561	291	228	15	129
22	Males Females	978 1,348 534	104 16 104	25 25	27 5 27	13 3 13	32 5 32	7 3 7	438 444 101	3	19 8 5	301 260 68	115 176 27	102 126 69	11	48 81 22
24	Diagnosis reasonably certain. $\{F\}$.	870	16		5	3	5	3	75			42	33	73	4	30
26	Males,	945	116	24	27	16	35 30	7	855 421	3	19	288	284	99	14	123
27 25	Females Diagnosis reasonably certain. ${M \choose F}$	1,288 518 827	15 101 15	21	5 27 5	3 13 3	5 30 5	2 7 2	434 98 74	1	5	254 66 41	173 26 33	120 67 72	4 4	76 21 30
20	Colored	93	1	1			2	1	27	ļ <u></u> .	1	19	7	9	1	6
30 31	Males	33 60	3 1	1			2	····i	17 10		1	13 6	4 3	3 6	1	1 5
32	Diagnosis reasonably certain, $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	43	3	1			2	1	3			2	1	1		1
33	Montana	107	14	3	3			1	93		3	65	25	17	3	16
35 36	Females Diagnosis reasonably certain. ${M \choose F}$.	116 67 74	1 13 1	3	3		1 6 1	1	41 19 6		2	24 15 3	15 4 2	11 16 8	1 2 1	6 9 3
37 '	White.	218	14	3	3		7	1	91		3	64	24	26	3	16
38 39	Males Females	106 112	13	. 3	3		6	1	52 39		1 2	41 23	10 14	16 10	2 1	10
40	Diagnosis reasonably certain, $\{F,, F\}$	66 72	13		3		6	1	19		1	15 3	2	15 7	2	. 9
12	Colored	$-\frac{5}{1}$							2			1	1	1		
13	Females. Diagnosis reasonably certain. {M {F	4 1 2							2			1	1	1 1		
45	NEW HAMPSHIRE	442	13	2	4		7		132		1	67	64	86	2	63
46 - 47	M des Females	142 300	12	2	4		6		60 72		1	32 35	27 37	29 57	1 1	21 42
44	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	64 187	12	2			6		11 6			6 3	5 3	11 27	1	12
19 50	White	440	13	2	4		7		130		1	66 32	63 26	86	- 2 1	63
51	Females. Diagnosis reasonably certain. $\{^{M}_{F}\}$.	299 + 63 187	1 12	2	4		6		71 10			34 6	37 4	57 11	1 1	42
	(F.,	157	1				1		6			3	3	27	1	12

						DEA:	THS FROM	1 CANCER	R AND OTH	HER MALI	GNANT	TUMORS	OF—						
Peritor intestin rectum	es, and		Female g	genital or	gans.		ţ					Other or	gans or	of organs	not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain,	Bones (except jaw).	Tes- tes.	Others of this class.
80		358	[†] 14	339	3	2	213	114	339	9	10	34	13	38	36	5	24	4	166
46 34		358	14	339	3		4 209	75 39	207	5 4	7 3	16 18	9	38	26 10	3 2	12 12	4	87 79
46 34		354	10	339	3	2	209	75 39	121 68	5 1	3	8 8	2 3	18	12	î	6	4	64 43
		2		2	1		i		3 1										3
		2		2		1	1		2				1						2
38		193	16	174			119	57	245 164	9	15 8 7	18	15	25	29	3	- 22 16	5	50
35 38 35		193	16	174	3		115 4 115	14 43 14	81 105 48	1 8 1	3 1	8 3	8 8		6 16 3	3 2	6 9 2	5	43 38 34
73 38		193	16	174	3		119	57	243 163	9 8	15	18	23	24	29	6	22	5	92
35 38 35		193 191	16	174	3		115 4 115	14 43 14	105 80 105 48	8 1	8 7 3 1	7 8 3	8 4	8	6 16 3		6 9 2	5	42 38 34
									2					1		·			1
									î										1
83	1	378	18	349	9	3	221	156	341	10	8	25	31	32	43	12	_15	4	161
43 40 43	i	379	18	348	9	3	11 210 11	101 55 101	222 119 145	2	6 2 3	20 5 11	15 16 9	32	35 18	6 6 3	3	44	89 72 75 45
39 81	1	372 350	12 18	348 320	9	3	210 211	55 154	69 328	2 10	1	3 25	30	31	41	12	14	4	153
42 39 42	i	350	18	320	9	3	11 200 11	100 54 100	213 115 141	S 2 8	6 2 3	20 5	14 16 8	31	33 17	h.	7 . 3	4	84 69 71
35		344 28	12	320	9	3	200	54	68	2	1	11 3	5	13	4	2	4		71 44 8
1 1		28		25			10	1	9				1	1	2				5 3
1		28		28			10	1	7 1				1	1	1				4
5				26		1	1	4				3	1			_	- 2	4	7
5		31		26 26			1		12 14 9			1	1	4			I	4	5 4 5
7	· <u></u>	31	2	26	2	_ 1							1					-4	11 7
3 4 3		31	2	26	2	1	1 17 1 17	3	11 14		1	3	1 1	4		. 1	1	4	4
2									1										1
1									1										1
1		83							1	2			2		9			1	29
		83					-	13	27 30	2	2	3 2	2	6	4				8 21
1 +		×2 ×3		. 79	1	2	53	, 4	14	2		1	1 2				1		12
								13		2	-						1	1	20
11		83 82		. 79		2	1 1 -3	13	16	2	1	0					i	1	12

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS FR	OM CANO	CER AND	OTHER 1	MALIGNAY	NT TUMOR	s of—			
		Aggre-			Buccal	eavity.		1		Ston	nach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.		Esoph-	Stom-ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION STATES—Con. NEW HAMPSHIRE—Continued. Colored	2					-		2			1	1	_	1	
2 3 4	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\}. \end{array}$	1 1 1							1 1 1			1	1			
5	New Jersey	2, 223	80	- 12 	31	<u>12</u> 9	23	2	849 405	3	19	549 283	277	335	26	201
8	Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right.$	1,364 370 808	15 65 15	111	27 4	3 9 3	7 16 7	2	444 73 67	1	3 1	266 53 42	174 17 24	201 69 102	21 3 9	121 17 34
10	White	2, 163	65	12	27	9	23 16	2	398	3	19	27%	102	132	5	79
11 12	Females. Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$. Colored.	1,318 366 774 60	15 65 15	1 11 1	27 4	3 9 3	7 16 7	2	434 73 66	1	3 1	259 53 41	171 17 24	193 68 97	21 3 9	117 17 33 5
14 15 16	$rac{ ext{Males}}{ ext{Females}}$. Diagnosis reasonably certain. $\{rac{ ext{M}}{ ext{F}}\}$	14 46 4							7 10	1		5 7	1 3	2 8 1		1 4
17	New York	34 8, 907	339	37	124	34	113	31	3, 250	19	159	2,051	1,021	5 1,319	115	1 765
18 19 20	Males Females. Diagnosis reasonably certain. ${M \choose F}$	3,568 5,339 1,863 3,359	283 56 283 56	33 4 33	109 15 109 15	31 3 31 31 3	\$5 28 85 28	25 6 25 6	1,618 1,632 414 268	17 2 8	117 42 51 11	1,077 974 275 138	407 614 80 118	572 747 386 421	39 76 22 27	321 444 157 176
21	White	8, 791	336	37	123	34	111	31	3, 212	18	157	2, 026	1,011	1,305	115	755
22 23 24	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \text{M}_{-} \\ \text{F}_{-} \end{matrix} \right. \end{array}$	3, 536 5, 255 1, 853 3, 298	281 55 281 55	33 4 33 4	109 14 109 14	31 31 31 3	83 28 83 28	25 6 25 6	1,602 1,610 413 265	16 2 8 1	115 42 51 11	1, 067 959 274 136	404 607 80 117	567 738 384 415	39 76 22 27	317 438 156 172
25 26	Colored	116	3		1				38	1	2	25	10	14	 	10
27 28	Males. Females. Diagnosis reason obly cert un. {M	32 84 10 61	2 1 2 1		1 1		2		16 22 1 3	1	2	10 15 1 2	3 7	5 9 2 6		6 1 4
29 30	NORTH CAROLINA!	273 72		1	1		2		85 37		2	48	35 16	27	1	14 3
21 32	Females. Diagnosis reasonable out on $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	201 35 145	2 2 2	1	. 1		2		10 12		1	25 7 5	19 3 7	19 6 8	3 1 1	11 1 2
33	White Males								24		1	13	10	7	1	3
35	Diagnosis for a like Gertinin (F	1.37 25 90	2 1 2		1		2		40 6 10		1	21 4 3	18 2 7	18 5 7	3 1 1	11 1 2
37 35 30	Colored. Males. Females.	\frac{\frac{\frac{3}{19}}{64}}	- 1; 1;	1					$-\frac{21}{13}$			7 7	6	1 1		
40	Diagnosis reasonably certain. $\{F, F\}$	10	1	1					1 2			3 2	1	1		
41 42	Ohio	4,176 - 1,600	174	26 24	38	22	- 75 - 62	13 10 (1,635 800	3	39	998	588 228	487 207	$-\frac{36}{16}$	268
41	Females Dirgo is a cornily action $\left\{ \begin{matrix} M \\ P \end{matrix} \right\}$.	2,516 813 1,603	31 143 31	2 2 1 2	8 30 5	5 17 5	13 62 13	3 (10 , 3	\$35 185 173	i	7 16 3	468 124 90	360 44 80	280 122 156	20	156 39 50
45 16	White	1,030 1,032	172	26 24	38	22 17 ₁	74 61	12 10	781	3	45 t	974 519	579 222	4×1 205	36	266
17	Figure 4. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$		142 30	2 24 2	8 30 8	5 17 5	13 61 13	10	818 183 170	ii	6 16 2	455 122 89	357 44 79 1	2 0 121 154	20 6 4	155 39 50 2
1+ 50	Colored	28	1			-	1	1	34 17			24	 6 3	6 2 1		
52	For desc Diagnosis reasonably certain ${M \choose F}$				• • • • • • • • • • • • • • • • • • • •		i i	1	17 2 3 L,000 or ov	•••	1	13 2 1	i.	1 2		

Uncludes only municipalities having a population of 1,000 or over in 1910,

						I+I'AT			AND OTH				OF-				-		
Peritor intestin	es, and		Female	genital or	gatis.							Other or	fs 11× 1L 11	र्व लड्ड्याइ	1,61 (20)	1 +1		-	
Pag	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina	Others of this	Breast.	Skin.	' Total.	".atvnx	Lung and pleura.	OFFICE	Kid- neys and supra-	Prostate.	Blad-der.	Brain.	Hones (except	Tes- tes.	Others of Paragraphic
					· - · -							: 	:						
108		317	20	259		:	232	66	344		21		27		4.2	7	. 26	1 4	146
49 59		317	20	2×9	······································		3 229	40 20	201 138	12	10	13	12	- ; ;1	27 15	;	12 14	4	79 67
49 59			10	2×7 270		1	229 227	45 20 66	114 70 336	12 3	1 21	1 1 22	27	. 9 	14 to	1 2	2h		61 42 }
4% 55		297	20	270			3 224	46 20	201 135	12 5	10	13 9	12	34	26 14	2	12 11	i	76 155
ລ້ວ		285	10	268 19	1		3 224 5	46 20	111 67	12	1 3	1	3 6		1.3	1 2	3	1	59 \ 40 5
1 4		20		19	· — — — i		;		5 3 3			 			1 1	1		1	3 2
423	16	20	92	19	1 42		1,035	215	1,457		96	106	49	125	223	12	80	24	$\begin{pmatrix} 2 \\ 2 \end{pmatrix}$
207 216 206	5 11	1,262	92		42		1,017	107 88 157	920 537 605	73 10 73	61 35 27		, 35 26	125	150 73 83	5 7 3	39 50	24	340 270 278 1-8
214	1 4	1,225 1,229	62	1,115	12	1 6	1,015	245	286	10 83	10 96	105	20	123	27 221	11	17 89	21	178 } 606
206 213 205	5 11 1	1,229		1,091		8	1,001	157 88 157	911 534 600	73 10 73	61 35 27	51 54 22	30 37 25	123	148 73 82	4 7	39 50 20	24	338 268 276 \
212	4	1,192 33	- Tq.	1,0%	41	6	8(14		251	10		20	19	2	27	1			177
1 3 1		31		29	<u>-</u>		16		9 3 5			1	1 1	2	2	1			2 2 1
2	1	33 \$7	"	29	1 2	, 1	16 23	12	35		1		5	1	4	2	3		1 /
4 5 4				si	2	i i	1 22 1	6 6	18 17 10		1		3 2 2	1	2 2 1	5			11 4 1
, 5 7	l	45	3	43		1	22 16	11					. I	1	3	2			11
3 4 3				4.2		11	16		11		11		$\frac{2}{2}$		2		. 1		5 2 t
2		4.2			2				9			J	1		1		. 1		
1		42	1 2	35		1 1	6	1							i				2 1
150		633	(585	`	ā		199			36	55	'	63	71	11			253
78 102 17 102			1.				1 425 5 425	105	400 218 253 105	. 6	11 5	30 25 10 4	20 15	21	17	,	8	9	127 1
102		- 603		556	` <		420	199	_	31	15	54	12	5.2	71				247
100 76 100		Lot.4		556		5	415 5 415	94 105	392 212 250 102	5 26	1 5	2) 25 1\	1 + 1 >		47 24 17	· ·	20 22 3	1	144 103 125 6)
3	1	30	1	29	·		10		14	1	1	1	1	1				1	- ' 3 :
1 2 1	1	30	11	. 29			10		6			i	1				. 1		2 1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEA	THS FR	OM CAN	CER AND	OTHER	MALIGNA	NT TUMO	RS OF—			
		Aggre-			Buccal c	avity.				Ston	nach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines
	REGISTRATION STATES—Con.		Na. W													
2	Pennsylvania. Mules.	5,997 2,304 3,693	294	36 34	57 46	28	99	30	2,345	6	45	735	810	723	75	160
3 4	Females. Diagnosis reasonably certain ${M \choose F}$.	3,693 1,131 2,325	57 237 56	2 34 2	11 46 11	28 3	28 99 27	13 30 13	1,258 221 214	2	14 12 5	735 164 115	507 44 94	429 160 249	49 8 26	251 46 95
5	White	5,807	287	36	53	31	123	42	2, 277	6	56	1,422	793	701	74	400
6 7 8	Males. Females. Diagnosis reasonably certain $egin{cases} M & & & \\ F & & & & \\ \end{bmatrix}$	2, 241 3, 566 1, 108 2, 233	231 56 231 55	34 2 34 2	44 11 44 11	28 3 28 3	96 27 96 26	29 13 29 13	1,054 1,223 219 208	4 2 1	44 12 12 4	712 710 162 111	294 499 44 93	285 416 153 240	26 48 8 25	157 243 45 91
9	Colored	190	7 6		$\frac{2}{2}$		3	1	68	·	3	48	17	22	1	11
11 12	Females. Diagnosis reasonably certain. {M	127 23 92	1 6 1		2		3 1	1	33 35 2 6		1 2	23 25 2 4	8	9 13 7 9	1	3 8 1 4
13	RHODE ISLAND	539	28	4	5	4	11	4	161		4	106	51	86	4	56
14 15 16	Males. Females. Di ignosis reasonably certain. {M F	196 343 102 220	24 4 24 4	4	5	4	9 2 9 2	2 2 2 2 2	73 88 15 11		3 1 2	54 52 11 5	16 35 2 6	39 47 23 21	3 1 1	23 33 9 8
17	White	530	28	4	5	4	11	4	156		3	102	51	85	4	55
18 19 20	Males Females Diagnosis reasonably certain. { M F	194 336 101 218	24 1 24 4	4	5	4	9 2 9 2	2 2 2 2	73 83 15 11		3 2	54 48 11 5	16 35 2 6	38 47 23 21	3 1 1	22 33 9 8
21	Colored	9 2							5		1	4		$\frac{1}{1}$		1
23 24	Females. Diagnosis reasonably certain. ${M \choose F}$.	7 1 2							5		1	4				1
25 26	UTAH	190	-3		1		2		102	1	2	81	18	13		7
27	Males. Females. Diagnosis reasonably certain. {M F	94 96 41 61	3		1 1		2		63 39 16 8	1	2	51 30 14 6	10 8 2 1	9 1 6		3 4
29	White	185	3		1		2		97	1	1	77	18	13		7
30 31 32	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array}$	91 94 40 61	3 3		1		2		60 37 15 8	1 1	1	49 28 13 6	10 8 2 1	4 9 1 6		3 4
33	Colored	5				[†]			5		1	4				
31 35 36	$rac{ ext{Males}_{*}}{ ext{Fenr dos}}.$ Diagnosis reasonably certain. $\left\{ egin{matrix} ext{M}_{*} & \cdot & \cdot \\ ext{F}_{*} & \cdot & \cdot & \cdot \end{aligned} ight.$	3 2 1							3 2 1		1	2 2 1				
37	VERMONT	397	17	5	3	5	2	2	131		1	88	42	57	2	29
39 10	Males. Females. Diagnosis reasonably certain. (H	150 (238 88 (145)	14 3 11 3	1 4 1	3	3 2 3 2	2	2	58 73 14 8		1	40 48 11 4	17 25 3	31 26 22 11	2	14 15 5 2
41	White	396 158	17	5	3	5	2	2	58		1	40	42 17	57	2	29
41	Diagnosis reasonably certain, $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	238 57 145	3 14 3	1 1	3	2 3 2	2	2	73 14 8			48 11 1	25 3 4	26 22 11	2	15 5 2
15 16 17 18	Colored	1														
40	Virginia	1,051	40		y	4	18	3	326		4	214	108	78	2	49
50 51 52	$\begin{array}{ccc} \text{Males.} & & \\ & \text{Females.} & \\ & \text{Diagnosis reasonably certain } \left\{ \begin{matrix} M \\ I \end{matrix} \right. \end{array}$	390 661 189 440	27 13 27 13	5 1 5 1	2 7 2	3 1 3 1	9 9 9	3	166 160 21 11		1 3	112 102 15 3	53 55 6 7	36 42 24 16	1	21 28 10 3

						DEATE	es from	CANCER	AND OTHE	ER MALIG	NANT T	UMORS ()F—						
Perito intestin	neum, nes, and —Con.		Female	genital or	gans.						_	Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
234	3	943	44	881	15	3	649	222	821	38	28	84	52	81	110	18	55	9	346
107 127 106 127	1 2	943	44	881	15	3	11 635 11 635	144 78 144 78	531 290 358 165	33 5 33 5	12 16 6 4	37 47 21 16	25 27 14 11	81 24	\$5 25 48 13	9 9 6 3	31 24 14	9	209 137 183 100
225	2	897	41	835	15	3	627	220	798	38	27	83	51	78	105	18	13 52	9	337
101 124 100 124	1	897 879	44	835 835	15	3	11 616 11 616	114 76 114 76	516 282 350 159	33 5 33 5	12 15 6 4	36 47 20 16	25 26 14 11	78	80 25 45 13	9 9 6 3	29 23 14 12	9	205 132 180 95
9	1	46		16			22	2	23		1	1	1	3	5		3		9
3 6 3	1	46 46		46 46			22	2 2	6		1	1	1	1	3		1		5 3 5
26		95	5	87	3		72	15	82	5	1	9 7	3 2	8	12	2	3 2		39
13 13 13		95 95	5	87 87	3		72 72	6 9 6	31 31 11	1 4	1	2 3 1	1 1	3	4 3 1	2	1 		19 17
26 13		94	5	86	3		71	15	81 50	3	1	9 7	3 2	8	12	2	3 2		38
13 13 13		94	5	86 86	3		71 71 1	6 9	31 30 11	1 4	1	3 1	1	3	4 3 1	1	ĩ		19 16 8
		1		1			1		1										1
6		1 27		1 25	1	1	1 13	5	27			3		3	1	1		1	13
1 5		27		25	1	1	13	3 2 3 2	21 6			2	1	3	1	1	2 2 2	1	10
5		27 27		25 25	1 1	1	13	2	18 5 27			2 1 3	1	3	1	1	1 4	1	10 3
1 5		27		25	1	i	13	3 2	21 6			2 1	1	3	1	1	2 2	1	10
5		27	 	25	. 1	·····i	13	3 2	18 5		· · · · · · · · · · · · · · · · · · ·	2	1	1	1		2	1	10
	······································																		
26 17 9		70	2	63	5 5		30	9 7	76 47 29	1 2	2 2	3 6	1 3	10	5	1	2	1	22 15
17 9		69	i	63	5		30	9 7	29	1 2	, 1	1 2	3		2		1	1	20
17	ļ		2	63			30	16	46	3	2	2		10			3	1	37 22
9 17 9	1	70 69	1	63	5 5		30	7 9 7	29 25 17	2 1 2	2 1 1	6 2	3	2	2		1 :	1	15 20 9
									1 1			1							
27		249	5	239	1 4	1	105	65	188	7	5	16	11	15	20	3	6	2	103
13 14		219	5	1			105	11 21 41 21	1 76	5 2 5 2	3 2	9 7 4	7 1 4	15 6	14 6 4	3	2 4	2	60 43 50 19

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

				~		DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMOR				
		Aggre-			Buccal	eavity.				Stom	ach and	liver.	,		eum, inte id rectun	
	AREA AND BANK OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph-	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES-Con.		-			,						_	1			
1	Virginia Continued. White	707	35	1 5	9	4	14	3	251		4	156	91	62	2 ,	36
2 3	Males	321 443 165	26 9 26	5	7 2	3 1 3	8 6 5	3	133 118 20		1 3	86 70 15	46 45 5	31 31 22	1 1	17 19 0
4	Diagnosis reasonably certain.	280	9		2	1	6		10		1	3	(1	14		3
6	Colored. Males	284	- 5	1			1		33			26	7	16		13
7 8	Females. Diagnosis reasonably certain. ${M \cdot M \cdot$	215 24 154	1 1 ,	1			3 1 3		42 1 1			32	10 1 1	11 2 2		9
9	WASHINGTON	871	33	10	8	5	9	1	386		5	293	88	100	6	61
10	Miles. Females	446 425 212	26 7 26	9 1 9	7	2 3 2 3	8 1	····i	251 135 91		1 2	200 93 73	47 41 16	51 49 39	2 4 2	31 30 19
12	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	300	7	Ì	í		8 1	1	43		1	27	15	34	3	6
13	White		25	10	- 7 6	2	9 8	1	384			198	88 47	100	6 2	31
15 16	Females	423 240 295	7 25 7	1 9	1 6 1	3 2 3	1 8 1	1 ¹	135 90 43		1 2	93 72 27	41 16 15	49 39 34	4 2 3	30 19 16
17	Colored	6	1		1				2			2				
18 19	Males	4 2														
20	Diagnosis reasonably certain. ${H \choose F}$	2 2													•••••	
21 22	Wisconsin Males	1,985	69	18	18	3	35	4	973 550	1	33	420	261 102	234	6	65
23 24	Females	1,037 394 540	11 69 11	18 2	1 17 1	1 2 1	28 7 28	4	423 104 81	1	5	258 86 37	159 15 42	115 76 55	5 4 1	65 82 24 26
25	White	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147
26 27	Males	947 1,029	69 10	18 2	17 1	2	28 6	4	549 422	1	28 5	420 258	101 158	119 115	6 5	65 82
28	Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	394 590	69 10	18 2	17	1	28 6	4	104			86 37	15 42	76 55	4	24 26
21	Colored	9														
31 32	Females. Diagnosis reasonably certain. $\begin{cases} M \\ F \end{cases}$.		1				1		1				1			
	REGISTRATION CITIES.	t i	. 1				1				*******				******	
	ALABAMA, ¹			1	,									1		
33	Registration cities	159	- 4 3	- 1					13		1	21	11 4			12
35 36	Females Diagnosis reasonably certain.	106 11 51	1 3 1	1 1	2				23			16 4 3	2	6		5 2
37	White	115	4	2	2		1		28		1	18	9			8
35	Males	~ 1	3 1	3			1		11 17		1	7	3	4		4 4
40	Diagnosis reasonably certain.		3	1					6 6		1	3 2	2 4	7		3 2
42	Colored	9		. ~					- S			- 1	2 1	4		- 4 2
43	Females Diagnosis telisonably certain, M	35 7 26							6 1			1	1	2 2		2 2
15	Burningham	77	3	2	1				19		1	12	f _r {	. 8	= =	5
16,	Male	26 51	2 1	1 I					11		1	5 7 2	2 4	6 2 5		3 2
15	Diagnosis reasonably certain. $\binom{M}{F}$	Nonrag	2	1					1		I	1	1	5		1

 1 Nonreg is tration state; cities shown below only those with effective local ordinances.

		7.				DEAT	HS FROM	CANCER	AND OTE	ER MALI	GNANT '	rumors	oF-						
Peritor intestin	ies, and		Female	genital o	rgans.				,		(Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
24 13 11		139	4	131	3	<u>I</u>	76	37 20	147 97 50	5 3 2	3 1	7 4	7 3 1	- <u>13</u>	15 10 5	2	1 1 3	2 2	53 31
13		137	3	130 108	3	1	76 29	37 20 8	60 20 41	3 2 2	1	3 1 5	1	2	1 1	1	1 2	2	11 }
1 2 1 2		110	1	108	1		29 29	4	23 18 16 5	22	1	2 3 1	3	1	1 ;	1	1		12 6 5 }
18 15 18 15 18	·	111	11 11 10	100			73 1 72 1 72	$-\frac{27}{\frac{20}{7}}$	97 44 65 27	4 2 4 2 2	5 5 2	10 3 10 1	11 - 3 1 2	18 18 9	11 7 6 5	1 1 1 1 1 1	9 4 5 2 2	1 1	58 35 1 23 1 29 14 }1
33 18 15 18 15		109	11 11 10	98			73 1 72 1 72	27 20 7 20 7	96 41 65 27	6 4 2 4 2 4 2	5 5	13 10 3 10 1	8 3 1 2	18 18	18 11 7 6 5	1 1 1 1	8 3 5 2 2	1 1 1	$ \begin{array}{c c} 58 & 1 \\ 35 & 1 \\ 23 & 1 \\ 29 & 14 \\ \end{array} $
		2		2					1								1		1
76 48 28 48	<u>-</u> .	219	20	185 185	12		1 1 1 1	72 10 32 10	245 169 76 104	6	10 	18 12 6	24 13 11 7	35	27 20 7 10	3 1 2	15 12 3 4	6	101 2 57 44 49
76 - 48 28	1	212	20	183	12 12 12	2 - 2	1 160 1 159 1 158	32 72 - 40 32	45 244 169 75	6	9	3 18 12 6	5 21 13 11	35	4 27 20 7	3 1 2	15	6	101 2 101 2 57 41 2
15 25		210	14	183	12	i	157	40 32	104 45		1	7 3	7 5	14	10 4		1 2		31 }2
		2		2			3		1		1			1			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		j
		53 53						6	21			3	2	2 2	2	-	2		10
1 4		53 34 —	3	30	1		. 9	\$	21		1	2 2	· 1 - 4	2	2		. 2	1	12
1		31	3	30	1		5	1 3 2	17 7 13 4				2 2 1	2	2		. i		
		19 19		19			1	1 1 1 1	4 3 3 1			. 1							2 1
3		30	· · · · · · · · · · · · · · · · · · ·	27 27			$\frac{1}{2} \cdot \cdot \cdot \cdot \cdot \frac{3}{3}$	2 2	4 6			1 ., i	2 1 2	1	1				

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=						DEAT	THS FRO	OM CANC	ER AND	OTHER M	IALIGNA	NT TUMOF	RS OF-			
	AREA AND BASIS OF PIAGNOSIS.	Аддте-			Buccal c	avity.				Stom	ach and	liver.		Periton	eum, int	estines,
	ANDA AND DASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION CITIES—Con. ALABAMA 1—continued. Birmingham—Continued. White	56	3	. 2	1				16	,	1	10	5	6		2
2 3 4	Males	20 36 14 28	2 1 2 1	1 1 1 1	1				7 9 4 4		1	5 5 2 1	1 1 1 3	4 2 3 1		1 2
5 6 7 8	Colored, Males, Females, Drignosis reasonably certain $\{M, \dots, M\}$	6 15 5 12							1 2			2	1	2 2		2 2
9 10 11 12	$\begin{array}{c} \text{Mobile} \\ & \text{Males} \\ & \text{Femules} \\ & \text{Diagnosis reasonably certain.} {M \atop F} \end{array}$	52 21 31 18 23	1		1				11 4 7 3 2			3 6 2 1	2 1 1 1	7 4 3 4 1		- 6 3 3 3 3 1
13 14 15 16	White	20 21 17 17	11						8 3 5 2 2			6 - 2 - 4 - 1 1	$-\begin{array}{ccc} & \frac{2}{1} \\ & \frac{1}{1} \\ & \frac{1}{1} \end{array}$	6 4 2 4 1		5 3 2 3
17 18 19 20	Colored	11 10 1 6							1 2 1			3 1 2 1	······································	1		1
21 22 23 24	$\begin{array}{c} \text{Montgomery 2}, \\ \text{Males}, \\ \text{Females}, \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M, \\ F \end{matrix} \right. \end{array}$	30 6 24 4							- 6 - 1 - 5			3	3 1 2	1		1
25 26 27 28	White	18 18 19 14 3	- 1									2	2 1 1			
29 30 31	Diagnosis reasonably certain M . Colored	10 12 2 10							2			1	_ 1 _ 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1
32	Diagnosis reasonably certain. ${M \choose F}$. CALIFORNIA. Registration cities	1,754	77		31				060		26	422	210	226	14	127
34 35 36 37	Males females. Diagnosis reasonably certain, $\left\{ egin{align*}{c} M \\ F \end{array} \right.$ White.	7 \ 2 972 464 684 1,720	67 10 67 10	10 1 10 1 11	27 4 27 4	1 1	23 4 23 4 26	6 1 6 1	384 276 148 63	2 2	25 1 7 1	260 162 103 34	97 113 36 28	99 127 70 82	5 9 2 5	53 74 27 33
38 59 40	Males Fernance Drayno is reasonable certain. {M	761 979 456 674	65 10 65 10	10 1 10 10 1	27 4 27 4	1	22 4 22 1	5 1 5 1	371 273 144 63	2	25 24 1 7 1	254 160 102 34	91 112 33 28	96 126 70 81	3 9 2 5	52 73 27 32
12 11 44	Males Females Dragno is reasonably certain. {\mathbb{K}}	21 13 8 10	2 2 2				$-\frac{1}{1}$ \vdots \vdots	1 1	13 3 4		1	8 6 2 1	7 6 1 3	3 1	2	1 1
45 46 17 18	Males Petnales Diagnosis reasonably certain.	172 271 109 180 Nonregist	29 18 2 18 2	3 3	5 1 5 1	:- ::::•	11 10 1 10 1		77 77 77 32 16	-	5 3	94 53 41 25 6	55 19 36 4 10	58 22 36 15 20	1 3 1	36 14 22 3 7

						DEATI	IS FROM	CANCER	AND OTH	ER MALIC	NANT 1	UMORS	OF—						
Periton ntestine	es, and		Female	genital or	gans.							Other o	rgans or	of organ	s not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad-der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
						i							-	1					
3		19	2	16	1		2	1	9	·	· · · ·		3	1	1	ļ			4 2
3		19	2	16	·····i		2	1	6 3				1 2	, j					1 1
3		19	2	16	ii	.,	2		i										2
		11		11			1		3			- 1		:		_			1
		ii		. 11				i	1 2			i							1
		11					1 2	2	15			. 1	1		L	1	. 2		9
		14	1	13				. 1	11			. 1					. 2		6 3
i		14					2	1 1	4 9 3						1				6 2
1		14							11		,		. 1		1	1	. 2		
1								. 1	111				ı ₁	-	1	1	. 2		-1 2
i		9					i	. Î	9				l i		1				. 2
		. 5		;			. 1	,	1				<u></u> <u>.</u>			·····			. 1
							i		· · · · · · · · · · · · · · · · · · ·										
							i												
		9		1		1	4						3	-					
				1				3		2			2						1
		9		i ::::::::::::::::::::::::::::::::::::	8			3		i			i						
		6		1	5 '					1			1	·· · · ·					
	.1			i	5 ,			3 2 . 2		i			1						
		€		1	5			2 2					9			,			1
		3			3			2 1		3 			1						
			3 ,		3			2 1		1			1						
,			3		3			2 1		1			1					,,,,,,,	
		25		18 2:	27	4	3 20	0 5	1 25	15	3 .	BO 1	29	18	29	31 1	3	4	9 115
	11	_ '	_	` _				2 3	3 19			id (d)		11 7		7	9	7	9 to
.4	11	25			27 27	4		98 1° 2 3 98 1	3 1	14 1	9	7 3		6	15	14 1	3 3	5 3	3
	45	0.4			21	4						20	29	15	29				9 11
4	41							2 3 96 1		94	3	10	20 9	11 7	29	7	9 4	7	9 i 4
1 4	44 41 44	24 23			$\begin{bmatrix} 21 \\ 51 \end{bmatrix} \dots$		-	$\frac{1}{2}$ $\frac{1}{3}$ $\frac{1}{96}$ $\frac{1}{1}$	1	4 <u>2</u> 67	9	3	15 9	6	15	14 4	3 3	4 3 .	' 3
·	*2*2		ti .		61	1		2	1	4	1 .							1	
					ti			3		3 1	1 .					'		1	
1					· · · · · ·			3		1	t					·· ···		 =	<u>.</u>
,	18				62			53		NO)	4			3	6		1		3
			0	7	62			33		48 . 32	1 3	4	5 3 3	1 2 1	6	2	1	4.	.3
1	7		 .: 1	4	62	1	1		1	27 21 4	3	2	3	1 1		i IIII		3 1	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	THS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
		Aggre-			Buccal	avity.				Stom	ach and	liver.			eum, into	
	ARLA AND RASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-	Esoph-	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES -Con.															
	CALIFORNIA—continued.								1							
1	Los Angeles—Continued. White	436	19	3	6		10		152		5	93	54	57	3	36
2 3 4	$\begin{array}{c} \text{Males}\\ \text{Females}\\ \text{Diagnosis reasonably certain.} \Big\{^{M}_{F}\Big\} \end{array}$	167 269 106 178	$\begin{array}{ c c } & 17 \\ & 2 \\ & 17 \\ & 2 \end{array}$	3 3	5 1 5 1		9 1 9 1		75 77 31 16			52 41 25 6	15 36 3 10	21 36 15 20	3	14 22 8 7
5	Colored	7	1				1		2			1	1	1	1	
7	Mules	5 2	1				1					1	1	1	1	
8	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	3 2					1		1			· · · · · · · · · · · · · · · · · · ·	1			
9	Oakland	170	5	1	1				64		1	42	21	24	2	13
10 11 12	Males Females Diagnosis reasonably certain. {M F	61 109 39 75	1 1	1 1			2 1 2 1		25 39 9 10		1	19 23 7 9	5 16 1	12 12 9 7	1	5 8 3 3
13	Pasadena	53	1						20		1	17	2 1	7		4
14 15 16	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M.} \\ \text{F.} \end{matrix} \right. \end{array}$	17 36 10 24	1				1		12 3 2		1	6 11 2 1	1 1 1	2 5 1 5		3
17	Sacramento	65	4	1	1		1	1	28		1	20	7	6	1	2
18 19 20	Males. Females. Diagnosis reasonably certain. {M F	32 33 20 23	4	1 i	1		1 1	1	17 11 10 1		1	12 8 6 1	4 3 3	3 3 1 3	1	1
21	San Diego	75	3		3				30		1	20	9	13	3	5
22 23 21	Males. Females. Diagnosis reasonably certain. ${M \choose F}$	39 46 17 35	3		3			1	20 10 5 2		1	13 7 4 1	6 3 1 1	4 9 2 6	3	3 2 1 1
25	San Francisco	570	33	5	16	1	6	5	211	2	13	137	59	72	4	37
26 . 27 25	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{^M_F\right\} \end{array}$	292 281 186 208	28 5 28 5	4 1 1	13 3 13 3	1	6	4 1 4 1	139 72 56 17	2	13	90 47 39 8	34 25 14 9	39 33 34 19	2 2 2 1	15 22 10 9
29	White	563	32	5	16	1	ń	4	206	2	12	136	56	72	4	37
30 31 32	Males Femates Diagnosis reasonably certain. (M.)	286 277 183 203	27 5 27 5	1 1 4 1	13 3 13 3	1	6	3 1 3	136 70 55 17	2	12	90 46 39	32 24 13 9	39 33 34 19	2 2 2 2	15 22 10 9
33	Colored	13	1					1	5		1	1	3			
31 35	MalesFemales	6 7	1					1	3 2		1	1	2			
31,	Diagnosis reasonably certain, $\left\{ egin{align*}{c} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right\}$	7 3 3	1					1	1				1			
37 38	Other cities	362	11	_ 1	4		5	1	153		4	92	57	46		. 30
, Uo	Mules	169 193 83	9 1	1	4		3 2 3	. 1	98 55 33		3 1 1	67 25 20	25 29 12			13 17 4
10	Diagnosis reasonably certain. ${R \choose F}$	139	2			****	2		15		1	8	6	22		10
41	COLORADO. Registration ettles	293	17_	i	4	2	10		115	2	4	82	30	32	2	16
42	Female (M	123 170 76	17	1	4	2	10		52 26	2		50 ' 32	10 20	12 20 9	2	11
11	Diagnosis rea on ally sertain, $\left\{ \frac{M}{L} \right\}$	121	,				10		17			21 7	10	14	2	2
1	Winte. Males	281	17	1	4 4	2	10		112	1	4	78	29	32	2	16
17	Female. Diagno is reasonably certain. (M.)	150 76 117	i7	1	4	2	10		65 47 26 17 ··		1	50 25 21 7	10 19 4 10	$\frac{12}{20}$ $\frac{9}{14}$	2	5 11 2 6

		 .		<u> </u>	-	DEATE			at head of)F						Ī
Perito intestir rectum	ies, and	1	Female	genital or	gans.							Other or	gans or	of organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	112. 441.	Bones except jaw).	Tes- tes.	Others of this class.
15		69	7	61	1		53	_	78	3	8	8	1 3	· .	1	1	,	3	34
7 11 7 11		66	7	61 61		1	53	7 1 7 1	47 31 36 20 2	1 2 1 2 1 2 1 1 1	4 4 2	5 3 3 3	1 2 1 1	6	2 2 1 1	1	4 4 3 2 2	3	20 14 18 11
9				1 1 21	1		24	11	1 1 1 1 20	1	, 1	1	2	2	1		1	1	12
5 5 6 3		22	2	21 21 5	1 1 1		1 23 1 23 7	6 5 6 5	13 7 10 7		. 1	1	3 1 1	2 1 3				1	6 5 6
1 2 1 2 2 3		8 8 12	2	5 5 12	1		7 5	2 1 2 1	4 3 3 1 9	1	1		1	3 2	1				7
3 3 5		12 12 6	1	12 12 5			5 3 15		S 1 5 1 15		1	1	, 1	1 1	1				6 1 4 1
1 4 1 4 31		6 78	1 i	5 5 72			15 15 (4	13	10 5 5 5 5 5	i	7	1 15	7	7	1 12	12	5	2	5 5 3 5
22 9 22 9		78 76 73	4	72			1 60 1 60 1 61	13	78 30 60 25 106	7	2 2 2	12 3 10 3 15	5252	7 3	8 4 4 3 12	3 3	3 1 1 1	2 2	23 11 22 11
22 9 22 9		71					1 (9)	E)	25	7	. 2	12 3 1) 3	5 2	3	. 3		a part part	_	21 11 21 11
 F6		5 . 56	2	50				* * * * *	1 49										
4 12 4 12				50			35	3	1 3 13 24	. I	1 2		1	4	Fr.				1
14			4	47		· · · · · · · · · · · · · · · · · · ·	1 33 1	1 2	12 12 17	2	2 2 1		2 4	2		1 1 1 !			9
		. 50						2 6	20 11 17	2	21 21 1	1	3		1 2 1	1		 	; 1

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

					ee note a	t nead o	or this t	able, p.	88. J							
		,				DEAT	HS FRO	M CANC	ER AND C	THER 1	MALIGNAN	T TUMOR	s of—			
	AREA AND BASIS OF PLAGNOSIS.	Aggre-			Buccal c	eavity.			1	Ston	ach and	liver.		Peritor	neum, in	testines, m.
	ARLA AND BANK OF PLAGNOSIS.	gate.	Total.	Lip.	Tongue.	Mouth	Jaw.	Others of this class.	Total.	Phar- ynv.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
*	REGISTRATION CITIES—Con. colorado—continued. Registration cities—Continued. toroted.	12						,	6	1		4				
2 3 4	Males	2 10	• • • • • • • • • • • • • • • • • • • •						1 5	1		4				
5	Denver	222	16	1	4	2	9		90	2	2	6.7	19	22	1	12
6 7 8	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}. \end{array}$	94 128 55 92	16 16	1 1	4	2	9		51 39 18 13	2	2	41 26 14 6	6 13 4 7	8 14 6 10	1	4 8 2 5
9	Other cities	71 29 ;	1						28		2	15	11	10	1	4
11 12	Females. Diagnosis reasonably certain. {M F CONNECTICUT.	42 21 29					'		13 8 4		1	6 7 1	3	4 6 3 4	1	1
13	Registration cities	717	31	4	11	4	9	3	232		6	153	73	107	4	75
14 15 16	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M \ldots \\ F \ldots \end{array} \right.$	271 446 136 290	28 3 28 3	3 1 3 1	10 1 10 1	4	8 1 8	3	120 112 38 32		5 1 3	85 68 28 18	30 43 7 14	42 65 21 28	2 2 1	29 46 9 11
17	White	699	28	3	11	4	9	3	227		5	148	73	104	4	74
15 19 20	Females. Diagnosis reasonably certain. M.	432 135 278	28 3 3	1 3 1	10 10 1	4	8	3	116 111 37 32		1 3	81 67 27 18	30 43 7 14	42 62 21 26	2 2 1	29 45 9 11
21	Colored	18							5 4			5 4		3		1
23 24	Females. Diagnosis reasonably certain ${M \choose F}$	14 1 12							1 1			1 1		3		1
25 26	Bridgeport	97	4		2		2		31		3	18	10	19	1	16
27 28	Females	57 19 27	4		2		2		16 3 3		1	10 8 2 2	3 7 1 1	11 2 2	1	9
29 30	Hartford	56	9	1	3	1	3	1	39		1	30	3	8		6
31 32	Females. Diagnosis reasonably certain. ${M \choose F}$	76 37 57	9	1	3	1	3	1	17 12 12		1	12 10 10	5 1 2	11 4		8 2 3
33 34 35	Males	57 107 30	5 2 5	1 1 1	2 1		1	1	29 25 12		1	35 20 15 8	18	17 4 13 3	2 1	9
36]	Diagnosis reasonably certain ${M \choose F}$	73 57	2 1	î	Ĩ (1	1		19			3	6	5		1 10
38 39 40	Males . Females . Diagnosis reasonably certain $\left\{ egin{array}{l} M & \\ F & \end{array} ight.$	22 35 8 21	1			1 .	1		9 10 1			5 1	5	6 4		4 6 2 1
41	Other cities	267	9 (1	3	2	2	1	89		1	59	29	40		26
42 43 44	$\begin{array}{c} \text{Mathes} \\ \text{Fem.de} \end{array}.$ Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	96 171 42 112	9		3	2	2	1			1 i	31 28 7 3	13 16 2 4	16 24 8 14		11 15 3 5
45	DELAWARE. ¹ Wilmington	81	4	1 '	1		2		29		1	19 /	9	14		9
46	Males.	33 48	4	1	1		2				1	12 7	3 6	8 .		5
48	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	38	4	1	i		2 .					3	4	2 1		3

							[5	ee note :	it nead of	this table	, p. 88.								
						DEATE	IS FROM	CANCER	AND OTHE	ER MALIG	NANT T	UMORS (•F—						
Perito intestin rectum	ies, and	F	emale ge	nital orga	ns.						()	her org.	ans or of	organs no	ot specifi	ed.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
		1		1			3		2 1 1			1 k	1 1						1 2 3
		1		1			3						-		-				} 4
9 4 5	···· <u>-</u>	37	3	34			28 28	4 2 4	15 15 11	2	-3 -2 1 1	2	1 2	1	$-\frac{3}{1}$	1			5 6 7 5
5	1	36	1	13		· · · · · · · · · · · · · · · · · · ·	2× 6	2	10		1	······································	3	1	1 	1			4 9
3 2 3 2		14	1		1		1 5 1 5	2	6 4 6 2		1		$\begin{array}{c} 1\\2\\1\\1\end{array}$	1		1			4 10
28		117	5	109	3	·	73	21	136	8	3	13	5	16	24	2	10	_1	54 13
11 17 11 17		117	53	109			1 72 1 72	9 12 9 12	71 65 39 28	6 2 6 2	1 2 1 2	4 9 4 3	3 2 1	16	17 7 7	2	2 8 2		$\begin{bmatrix} 21 & 14 \\ 33 & 15 \\ 16 & 17 \end{bmatrix}$
26		111	5	103	1		70	20	136	8	3	13	5	16	24	2	10	1	34 17
11 15 11 15 2		111	5	103	3		1 69 1 69	9 11 9 11	71 65 39 25	6 2 6 2	1 2 1 2	4 9 4 3	3 2 1	16	17 7 1	2	2 5	1	$\begin{bmatrix} 21 & 19 \\ 33 & 19 \\ 16 & 17 \end{bmatrix} 20$
2	· · · · · · · · · · · · · · · · · · ·	6		6			3	1											25 23 24
2		9		8	1			3	23	1 2	1	2	1	l	4		3		1 20
1 1 1		9		8	1		1 7 7	1 2 1 2	11 12 5 4	1 1 1 1	1	1 1			1 2		3		5 25 4 26 1 326
2 3		22		22				1 3 1	- 31 - 16 15 11		1	1 1 1	1 1 1 1	3	1				6 30 12 31
5	d. <u>.</u> .	22	2	22 26	1		19	6	32	-	1		1	5	1	_ 2	2	··· ·	\ 33
1 1 1		29	2	26	i 1			3 3 3	16 7		1	1	1	3	3 2	1	1		5 38 2 3 3 36
1 6		13		13		- <u>-</u>	2		6 2 2			1 1		. 2	1		1		2 38 2 38 2 340
1 1.		1 44	2	40	1		315		11	3	<u>-</u>	5	1	. 2	10		4	1	6 4
		41 42	3	40	1	1	36	4 4	11	1 2		3 2			2 2		1	1	4 34
					-		7							-					4 4.
	3 2 1	17		16	1	1:	· 7	1	, 3			. : . :			2	· ·		1	$\begin{cases} 1 & 4 \\ 2 & 1 \end{cases}$

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

		-				DEAT	THS FRO	OM CANO	ER AND	THER 1	MALIGNA	NT TUMOR	s of—			
		Aggre-			Buccale	eavity.	•			Stom	ach and	liver.		Periton	eum, int	estines,
	ARLA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom-	Liver and gall blad- 'der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.						-							_		-
1	Wilmington—Continued.	7.5	4	1	1		2		27		1	17	9	13		s
3	Mal's	31 44	4	1	1				15 12		1	11 6	3 b	8 ,		5 3
4	Diagnosis reasonably certain $\left\{ egin{array}{l} M \ldots \\ F \ldots \end{array} \right\}$	36 36	4		1				7			3	4	1 4		3
5	Colored			-							100	2				1
8	Females. Diagnosis reasonably certain A_{F}^{M} .	1 2							1			1 1		1		1
9	Washington	355	18	2	6	1 1	7	2	112		3	63	40	48	5	30
10 11 12	Males. Females. Diagnosis reasonably certain $egin{cases} M & & \\ F & & \\ \end{bmatrix}$	1 44 211 73 137	14 4 14 4	2	4 2 4 2	1 1	6 1 6 1	1 1 1 1	60 52 15 5		3	30 33 8 4	27 19 7	14 34 6 19	1 4 1 3	7 23 2 10
13	White	271	14	2	(1	1	3	2	79		3	43	33	39	4	27
14 15 16	Males Fermales Diagnosis reasonably certain. {M F	112 153 61 104	11 3 11 3	2	4 2 4 2	1		1 1 1 1	43 36 13 3		1	20 23 7 3	20 13 5	30 4 18	1 3 1 3	6 21 2 10
17 18	Colored	84	4				4		33			20	13	- 9	1	3
19 20	$\frac{\text{Males}}{\text{Females}}$ Diagnosis reasonably certain $\frac{M}{F}$.	32 52 12 33	3 1 3 1						17 15 3 2			10 10 1 1	7 6 2 1	5 4 2 1	1	1 2
21	Registration cities	72	4		2		1	1	15			11	4	4		2
22 23 24	Males Females Diagnosis reasonably cortain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	26 45 15 38	. 1 3				i	1	- 8 7 3					2 1 1 2		1 1
25	White	58	4				1	1	12			8	4	3		1
25 27 28	$\begin{array}{c} \text{M des.} \\ \text{Femal \sim} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	3 35 16	3 1 3 1					i	7 5 3			5 3 3	2	1 2 1 2 1 2		1
29	Colored	14							3 !			3		_ 1		1
30 31 32	Male	$-\frac{3}{11}$							1 1			1 2 1		1		1
33	Regulation sites	156	9	2	3	1	2		45		1	25	19	18		12
34	Miller	E ₁ (1)	- 4	1	3	1	3		21		1	12		7		
35 36	Females	120 41 85	1 8 1	1 1 1	3	i i			24 6 1		i	13	11	11 4 8		6 3 3
37	White,	139	7	2	3	1	1		37		1	19	17			11
38	Male Leucile .	52 57	6	1	3	1	. 1		17 20		1	10	7	7		6 5
40	Dirmor resonably er at (1	31	6	1	3		. 1	. 1	1		1		1	3 5		3
11 42	Colore I	47 14	2			-	· 2 2		1			- 6 3	2	. 5		1
43	Fem.le . Dragno i te i onably cert in $\left\{ egin{align*} M \\ \Gamma \end{array} \right\}$.	33 10 27	2				. 2		4 2	-		3 1 = : :	1 1	1 3		
45	Atlanta Malor	- 106 - 36	- 3	2	-? -2		<u>.</u> _		26 15			16	10	11 5		9 1
17	Penals Ou, no r reasonally entain (M	70 22 54	1 3 1	1	2				11 4 1			5 2	6 2	5 6 4 3		5 3 2

						DEAT				HER MALIC									
Perito	neum,		Formal	conital -	70.72	DEAT	L.O. PROBL	CHAT ER	., ., ., ., ., .,	LUIC MALIC				far	mot .				
rectum	es, and —Con.	_	Female;	genital or	gans.]			Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.		Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
5	٠	16		15	1		7	2	6						3			, , ,	3 1
3 2 1 1		16		15			7	1 1 1 1	3 3 1 1						1 2				2 1 1 1 }
		1 i 1		1 1				1 	1										i
13		54					36	9 b	- 7× - 49 29	5	2	3	6	12	13	_ 1 _ 1	6 3		25
		54 34	2 2				35 1 35 - 29	3 6 3 9	30 17 67	5	2	5 3 2 7 —	_	9	13	1	3 1 1 6		15 10 }
6			· · · · · · · · · · · · · · · · · · ·				1 28 1 25	6 3 6 3	42 25 26 15	4 4 	1	3 4 3 1	3 2 2 2 2	3		1	3 3 1 1		12 6 9 5
4 1 2 1		20							7 1 4 2		 :!			3 					2 3 2 1
2 1 1 1	· <u>·</u> · ·			20	1	· <u></u>	12	2 1 1 1	14 12 2 8			2 2 2	 	· · ·	3 - 3 		2		7 2 5 2 2 5
1 2 1 1 1		21 15 	· · · · · · · · · · · · · · · · ·		1	 . <u>.</u> . ::::	9 	1 2 1 1	1 13 11 2			2	-		3		1		5 2 2
		15 6		6	1		9 3	1 1	$\frac{1}{1}$	· · · · · · · · · · · · · · · · · · ·	· <u>· ·</u> ·						1		5 1 }2 2
6		6	3	6	1		3 3	 	35		1			3	3		4		18 3
1 5 1 5		53	3		1		15	1 1 1	23 15 16	<u>-</u>	. 1	2 1 1	2 2 2 1	3	- ² 1 2		3 1		9 3 9 3 6 }3
. 2 . 2		36 36	1	35		: _	. 10 . 10	6 1 6 1	- 29 17 12 12 5		1	3 2 1 1	3 2 1 1	2 2 2	3 2 1 2		3 ¹ 2 1		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
1 3 1		17		14	1		5	1 11	- 9 6 3				1 1	1 1			1		6 41 3 4
3 2	· -	= 16 33	1	31	1		11	 -	- 3 16		1	1	2	2	1		1	-	3 }1
1 1 1		32	1	31			ıı ii	1 1 1	9 7 7 5		1	1 · i	2 1	2 2 	1		1		3 4 5 4 3 }4
9	35030°-	-16	-8			² Nonre	egistratio.	n state; i	ncludes J	acksonvil	le, Key	West, a	nd Pensa	cola.					

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	HS FRO	M CANCE	R AND O	THER M	ALIGNAN'	T TUMORS	OF-			
		Aggra.			Buccal c	avity.				Stom	ach and	liver.			eum, inte	
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-ynx.	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
1	REGISTRATION CITIES—Con. GEORGIA 1—continued. Atlanta Continued. White.	82	4	2	2				20			12		_		8
2 4	Males	29 53 17 40	3 1 3 1	1 1 1 1	2				11 9 2 1			8 4 1	3 5 1 1	1 4 3 2		4 4 3 2
6 7 8	Colored. Males. Females. Diagnosis reasonably certain. (M.	7 17 5 14							4 2 2			3	1 1 1	1 2 1 1		
9 10 11 12	Other cities :	30 50 19 31				1 1			19 6 13 2		1	9 1 1 8	9 4 5 1	-5		3 2 1
13 14 15 16	White	23 34 14 18	3		1	1	1 11		6 11 2		1	7 1 6	9 4 5 1	5 2 3 		3 2 1
17 18 19 20	$\begin{array}{c} \text{Males.} \\ \text{Femules.} \\ \text{Diagnosis reasonably certain.} \\ \end{array} \\ \begin{array}{c} M \\ F \end{array}$	23 7 16 5	2 2 2				2		2			2	<u></u> ,	2		
	ILLINOIS, ¹	13							****		1 1			2		
21 22 23 24	Registration cities	2,338 1,033 1,305 497 826	89 12 89 12 89 12	8	39 4 39 4	3 1 3 1	35 31 4 31 4	8 3 8 3	985 549 436 167 93	5 1 2	50 8 18 1	388 268 119 54	106 159 28 38	271 116 155 73 96	7 11 5 5	61 90 23 40
25 26 27 28	White	1,003	100 \$\frac{1}{2}\$	- 5	3× 4 3×	4	35 31 4 31	11 S 3 8	963 536 427 160	5 1 2	50 8 18	638 37, 261 114	261 104 157 26	265 114 151 71	18 7 11 5	60 55 22
29 30 31	Colored		1 12		1 1	' 1		3	22 13 9			52 18 11 7	$\frac{37}{\frac{4}{2}}$	93	5	$\frac{39}{\frac{3}{1}}$
32 33 31	Diagnosis reasonably certain ${M \choose F}$ Chicago	2, 197	93 82		42	1 	29	10	901	6 5	57	5 2 600 	2 1 248 	2 3 239 104	17	130
35 36 47	Penn des Diagnosis reasonably cer^t and $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$. White	1,159 452 724 2,059	11 82 11 92		4 41	1 3 1	3 26 3	3 7 3 10	395 154 79 881	1 2 6	8 18 1 57	244 108 47 584	142 26 31 234	135 64 83 235	10 5 5 17	75 ; 20 ; 31 ; 128 ;
18 79 10	$\begin{array}{c} M_{\rm oles} \\ {\rm Fermales}, \\ {\rm Diagno~is~reason~oldy~certain}, \left\{ \begin{matrix} M_{\rm ole} \\ F_{\rm ole} \end{matrix} \right\} \\ \\ {\rm Colored}, \\ {\rm colored}, \end{array}$	926 1,133 135 704 48	\$1 \$1 \$1 11	`.	37 4 37 1	3 1 3 1	26 3 26 3	7 3 7 3	494 387 117 76	5 1 2	49 18 1	346 238 103 45	94 140 24 30	103 132 63 81	7 10 5 5	54 74 19 31
12 13	$\begin{array}{ccc} & & & & & & & & & & \\ & & & & & & & & $	22 26 17 2.)	1		1				12 8 7 3			10 6 5 2	2 2 2 2 1	1 3 1 2		1 1 1
15	Spring ell M.de. Female Diagno i reconsbly sertum, (M., (F.,)	- 62 20 42 10 26	- 2 2				2 2		21 11 13 2 3			17 7 10 2 2	$\frac{7}{4}$	3 5 3 4		5 5

 $^{^{\}dagger}$ Nonregistration state, cities, hown below only those with effective local ordinances.

		 				DEATI			AND OTH				0F—						1
Peritor	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterns.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
		26	1	25			7	õ	12		1	1	1	2	1		1		5 1
2		26	1	25			7 7	4 de de de de de de de de de de de de de	7 5 5 3		i	1	1	2	1		1		$\begin{bmatrix} 2 & 2 & 2 \\ 3 & 3 & 3 \\ 2 & 2 & 4 \end{bmatrix}$
1 1 1 1 1		1 7		6			4 4	3	2 2 1 2 2 2 2 2 2 2	1		2	1 1						$\begin{bmatrix} 1 & 6 & 7 \\ 2 & 7 & 7 \\ 1 & 2 & 8 \end{bmatrix}$
	· · · · · · · · · · · · · · · · · · ·	20	2 2 1	18			4	3	14 8 9 3			2	2 2 1 1 1	1	1 1 1 1		2 1		$\begin{array}{c} & & & & \\ & & & & \\ 4 & & & \\ 5 & & \\ 2 & \\ \end{array} \right\} 12$
2	;	10		10			3	2	17 10 7 7 7 2			2	2 2 1 1		1 1 1		1 1		7 13 4 14 3 15 4 16
2		10	2					1 1	4 1 2 1			·····		1	***		1		3 17 2 18 1 19 1 20
95 45 50 45	3 4	362	23	334	2	3 - 	192 3 189 3	22 23 22	254 128 143	14 2 14	25 13 12 3 5	28 20 8 10	38 22 16 10	39 39 15	63 44 19 22	6 3 3 1	26 15 11 q	7	134 21 77 22 57 23 52 24
50 92 44 48 48	7 3 4	356	23	333	2 2	3 3	189 187 	23 45 22 23 22	57 372 246 126 135	15 13 2 13	i	28 20 5	$ \begin{array}{r} 5 \\ \\ 38 \\ 22 \\ 16 \\ 10 \end{array} $	39	43 19 21		26	7	127 28 72 26 55 27
3 1 2 1		16	18	317 16		3	154 	23	57 10 8 2 2	1 1	5 1 - 1	3	5		1				$= \frac{30}{5} \int_{2}^{20}$ $= \frac{7}{5} \frac{20}{30}$
-2 -39 17		318	21	292	²	3	172 172 3 169	37 19 18	347 234 113	14 2	——————————————————————————————————————	25	36 21 15	37	58 41 17		22 12 10	6	117 33 69 34 48 35
39 47 54 39 45	$\begin{bmatrix} \vdots & \vdots & \vdots \\ -\frac{6}{3} & \vdots \\ \frac{3}{3} & \vdots \end{bmatrix}$	312 306 306	16 21 21	280	2 2	3 3	3 169 169 3 166	37 19 15	130 52 339 - 226 113	11 2 15 13 2	23 	25 18 7	36 21 1 21 15	37	57 100 17	, 3	$\begin{array}{c} & \frac{6}{3} \\ & \frac{22}{10} \end{array}$	6 	112 33 64 38 48 38
39 45 2 		300	16	279	2	3	3 166 3 	19 (122 52 8	13 2	2 5 1	9 3	9 5	. 15	1	ł	3	· · · · · · · · · · · · · · · · · · ·	5 41 5 41 5 42
$\frac{3}{3}$		12	· · · · · · · · · · · · · · · · · · ·	12			3	3	10				1	1	1		2		5 }4- 5 4- 1 4- 4 4- 4 4- 5 4-
3		i1		11	l	,	q 1	3	s August	******	rannah.			F	1		2		1 1

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

	-			are er		DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s or—			
		Aggre	П		Buccal c	avity.				Stom	ach and	liver.		Periton an	eum, into	estines,
	AREA AND BASIS OF PLAGMOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
{	REGISTRATION CITIES—Con. ILLINOIS continued.															
1 2 3	Other cities 2	-169 -65 104	5		1		3	1	32 28		1	39 25 11	20 6 14	24 9 15	1	16 6 10
4	Females Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ INDIANA.	35 76	5 1		1		1 3 1	1	11 11			5	2 6	6 9	1	3 5
5	Registration cities	765	21	3	8	4	9				7	162	101	94	8	59
6 7 8	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	243 522 130 330	19 5 19 5	3	6 2 6 2	2 2 2 2 2	8 1 8 1		112 158 30 25		6 1 1	77 85 21 12	29 72 8 13	34 60 24 29	$\begin{array}{c} \frac{1}{7} \\ \frac{1}{2} \end{array}$	21 38 11 12
9	White	739	23	3	5		9		261		7	77	97	92	1	59
11	Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right]$	501 128 319	5 18 5	3	2 5 2	2 2 2 2	1 8 1		149 30 25		1	80 21 12	68 8 13	58 24 28	6 1 2	38 11 12
13 14 15 16	Colored	5 21 2							9			5	4		1	
17	Fort Wayne	- <u>11</u> - <u>69</u>			1	=	-==		24			16	8	13	1	6
18 19 20	Males Females Diagnosis reasonably certain. [M [F	25 44 16 21	1		1				12 12 4 1			7 9 3	5 3 1	5 8 5 3	1	1 5 1
21	Indianapolis	265	8	1	1	1	5		79		2	47	30	32	4	25
22 23 24	Males Females Diagnosis reasonal ly certain (H F	84 181 53 120	6 2 6 2	1 1	1	1 1	4 1 4 1		31 48 11 9			22 25 8 5	8 22 3 4	12 20 8 8	4	10 15 6 5
25 26	White	250	5	1		1	- 5 4		73		1	45	26 8	31 12	4	25
27 28 28 29 1	Females Diagnosis reasonably certain. ${M \choose F}$	169 51 114	5 2	1	1	1	1 4 1		42 11 9			23 8 5	18 3 4	19 8 7	2	15 6 5
30 31 32	Males Females Diagnosis reasonably cert, in [M]	3 12 2 6	1		1				6			2	4	1		
55	Terre Haute	52				1			21			17	3	6	1 2	3
1.4 36	$\begin{array}{c} \text{Mode} \\ \text{Femule} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array}$	-75							10 11 3 2		1	8 9 2 2	1 2 1	3 3 2	2	2 1 1
₹7 00	Other attes	379	15	2	6	3						82	60	43	r 1	25
38 34 40	Modes Lemmb . Diagnets responsely certain ${M \over F}$.	O.T.L.	12 3 12 3	2	4 2 4 2	2 1 2 1	4		59 87 12 13			40 42 3	15 45 3 9		1	8 17 3 7
1.	KANSAS. Registration cities	282	9	2	2		3	2	104		1	61	42	39	4	26
12	Males Lem de Diagnosi rea onably cestain LE	171 62	8 1 8	2			3	1 1 1	53 16		1	34 27 10	17 25 6	14 25 5	3 1 3	8 18 2 8
1	White (F.	116 263	1 8	2			2	2	98		1	10 55	11 39	15 7	1	8 25
#: 12 45	Males	108 155 61 107	7 1 7	2 · 2	2		2		50 48 16 20		1	33 25 10 9	17 22 6 11	14 23 8 14	3 1 3 1	8 17 2 8

						DEATI	HS FROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS (A 400 TO TO TO TO TO TO TO TO TO TO TO TO TO				=
Peritor intestin rectum	es, and		Female	genital or	gans.		1					Other or	gans or o	of organs	not spec	ified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast,	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
6 3	1	33	2	31			16	3	25		1	3 2	1	1	3		1	1	7 5	2 3
3 3 3	1	33	2	31			16	3 2 3 2	9 10 4		1	1	1		1 1	1	1 1 1	ii	5 3	$\frac{3}{4}$
27	· ·	150	5	141	3	1	84	26	117	2	2	22	10	9	15		10	3	44	5
12 15 12		150	5	141	3	1	83	13 13 13	64 53 43	2	1 1	10 12 7	10	9	11 4 3		5 5 2 2	3	23 21 20 13	6 7
15 15 26		148	3 5	141	3	1	83 81	13	27	2	1 2	6 21	10	9	14		9	3	13	} \$ 9
12 14		144	5	135	3		1 80	13 12	60 53	2	1 1	9 12	10	9	10		4 5	3	22 21	10
12 14		142	3	135	3	1	3	13 12	42 27 4	2	1	7 6	4	6	3 1		2 2 1	3	19 13	}12 13
i		6		6			3	1	4			1			1		1		1	14 15
i		6		6			3	1	1										1	}16
3		9	1	8			3	1	17 6		1	1	3	3			2		7 2	17
3 3 3		9	1	8			3	1 1 1	11 5 5		1	1	32	3			2		5 1 1	19 }20
3		54	1	53			32	10	50	2		9	4	1	7 5		5	2	19	21
1 2 1		54	1	53 53			32	5 5 5 5	30 20 23 10	2		6 2 4	4	1	2 3		1 2	2	7 11 5	22 23 }24
2		51	1	50			31	9	48	2		9	4	1	7		5	2	18	25
2 2		51	1	50			31	5 4 5	28 20 22	2		3 6 2	4	1	5 2 3		1 2	22	11 7 10	26 27 }28
1		3	1	. 3			31	1	10			4	1				1		5	29
·····i		3		3			i 1	1	2								1		1	30
i 1		3 12	1	3			1 9	1	4			1	1	1						33
1		12	1	11			9		1 3					1						34 35
1	*****				1		1		;;		1	i i	1							36
6		75	2		3		1 20	7	27		. 1	6		1	6 0		2		9	37
11 6 11		75				1	39	7 7 7 7	19 15 9			5 4 1					1	1	6	}40
9		47	3	43	ţ	 	25	10	45	1		9		7	3	2	1		25	41
3 6 3		47	3	4.3	j		25	7 3 7	31 17 23			5 4		7	1 2 1	1	1		9	13
6 8		45 42	3					3 9	6 45			1 8			1	i	1		,)	}41 45
3 5		42						7 2	30 15	1		4 4		7	1 2	1 1	1		15	46 47
3 5					1	lude 1	21	7 2	23 6	1		. 4			1	1			11 3	}48

² Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-					=	DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	S OF -			}
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, int	estines,
	AREA AND BANIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con. KANSAS continued.								1		,	-				
1	Registration cities—Continued.	19	1 1				1		6			3	3	2		1
3	MalesFemales	3 16						,	1 5			$\frac{1}{2}$	3	2		1
4	Diagnosis reasonably certain. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	1 9					1		1			i		1		
5	Kansas City	61							26			18		9	1	4
6 7	MalesFemales	28 33 17							15 11 8			9 9 4	6 2 4	3 6 2	·····i	1 3
8	Diagnosis reasonably certain. $\{ { m F} : { m C} \}$	21							5			5	4	4	1	1
9	White	55 26			1				24			16	8	8	1	4
10	Males	26 29 17							14 10 8			, 8 8 4	6 2 4	3 5 2	1	3
12	Diagnosis reasonably certain. $\{ { m F} : { m C} \}$	17							4			4		3	1	1
13	Colored Males	6				,			² 1			1	******	1		
15 16	Females Diagnosis reasonably certain. (M.	4							i			i		1		
17	`	52	2		1			1	1 15			11	4	1 7	1	
18	Topeka	21 31	1		1				9			7	2	2	1	1
19 20	Females	12	1		·····i			1	6 2 2			4	2	5 2	1	1
21	White	24	2		1			1				2 11	3	4	1	3 5
22	Males	21	1		1				9			7	2	2	1	1
23 - 24	Female. Diagnosis reasonably certain. $\{rac{M}{F}\}$	28 12 23	1		1			1	5 2			4 1 2	1	5 2 4	·····i	1
25	Colored	3							1				1			
26 27	Males.	3														
28	Females. Diagnosis reasonably certain. {M F	1							1				1			
29	Wichita	50	ļ						16			9	7	7	2	4
30 31	MalesFemales	25 25							9 7			7 2	2 5	5 2	2	2 2
32	Diagnosis reasonably certain ${M \choose F}$	16 21							2 5			2 1	4	4 2	2	$\frac{1}{2}$
33	Other cities	119	6	2			3	1	17	·	1	23	23	16		13
31 35	MalesFemales	37 82	6	2			3	1	18 29		1	11 12	7 16	, 4 12		4 9
36	Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right\}$	17 50	6	2			3	1	9			3 2	7	5		2
17	KENTUCKY.	328	13		6		')		110		1	5.77	61	31	1	21
35	Registration cities	109	9		4	2	3				1	32	32	10	1	7
.(9 40	Females $\{M, B\}$ Diagnosis reasonably certain $\{M, B\}$	219 39	4 9		2 4	2 2	3		54 13			25 6	29	21	1	14
11	Winte	152 291	11		5	2 4	2		11		1	49	57	13	1	21
(2)	Male:	Gt)	8		1	2	2		58		1	28	29	10		7 :
1.3	Diagnosis reasonably certain. $\binom{M}{F}$	195 36 133	3 8 3		1 4	2	2		49 13 11			21 6 4	28 7 7	21 4 13	1	14 1 6
1 -	Colored	37	2		1		1		12			8	4			
31,	Male	13	1				1		7 5			‡	3			
1;	Female \dots Diagnormals certain $\}_{\Gamma}^{M}$.	21 3 19	1		1 i		1		5				1			
	, .					-	-									

								see note	at head of	tnis tabi	.e, p. 88	·! 							
						DEATE	IS FROM	CANCER	AND OTHE	ER MALIG	NANT T	UMORS (OFC-						
Peritor intestin rectum	ies, and		Female g	enital org	ans.							Other of	rgans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	C'terus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	l'an- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
				3															
1		5		5			1	1	3			1							2 1
		5		5			1		2										
i		5					1	i											} } 4
14							3	1	14							1	<u>·</u>		7 5
2 2 2		7		7			3	i	6 5			2				1			- '/
2				7 5			3	1	13		1	4		2					1 /°
2								1	7			2		2					3 10
1 2								1	6 5 2			2 2		2		1			3 11 1 }12
1		2							1										1 13
1		2		2					1										I 14
1		2																	
1		12	1	11			4	2	10			1							
_i		12	i				4	1 1 1	8 2 6			1			1				7 18 I 19 6 has
i			i	11				î											
1		12	1				4	1	9 8			1	- 						7 21
1		12	1					1	6			i				.t .t			6 \24
1		12	1	11	1		1	1											1 25
														-					26
																			1 27
1		10	1	9			4	3	10	1		1		3	2		1	l	2 29
1		10	1	9			4	3	. 2			1		3	2		1		2 30
1								3	7 1	1					i				2 }32
	<u></u>	-		16	1		14	1	14										8 33
3	3	18	· i	16	i		14	2 2	7			. 1		1					3 34 5 35
1	3	17		16	1		14	2 2	3	*****		î							2 36
1	9	73	5	67	1		34	12	46	1	3	4	3	2	6		2	2	23 37
-		73		6,7	1		34	. 3	22 24	1	1 2	4	3	2	3 3		1 1		
, (3	73	5	67	. 1		34	9	10	1				1	1			2	. J. 140
	9	1361		54	1		30	10	_		2	1	3				2	-	21 41
	3 6	ėn	5	54	· · · · i		30	18			. 2	4		2 1	. 3		1 1	2	10 42 11 43
i	3 6					1	30	`	`	, .		2	2	1				-	5 44
				13	-	1						-		** ·		<u>-</u> -		-	2 45
				13 . 13			4	1	1	. 1						1			1 1/46
	=	13		13		<u></u>	=	1			=			·	=		-		

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-			1	A	D	EATHS	FROM CAN	CER AND	OTHER	MALIGNA	NT TUMO	RS OF—			
		Aggre-			Buccal cavity	·-			Ston	ach and	liver.			eum, int	
	AREA AND RASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue Mou	th Jaw	Others of this class.	Total.	Phar-ynx.	Esophagus.	Stom- ach.	Liver and gall blad- der,	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.		(1					
1	KENTUCKY continued.	187	7		3	1	3	73			38	35	21	1	17
2 3	MalesFemales	64 123	6		2 1		3	41 32			24 14	17 18	7 11	i	7 10
4	Diagnosis reasonably certain ${M \choose F}$	19 83	1			1	3	8 6			6 2	2 1	1 9	1	1 5
5	White	168	5				2	66			32	34	21	1	17
7	Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	59 109 18	5 ₁				2	38 28 8			22 10 6	16 18 2	14 1	1	10
9	Colored	73 19	2	.	1 1			7			2 6	4	9	1	5
10 11	MalesFemales	5 14	1 1		1		1	3			2	1			
12	Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	10	1 1		1		i'				4				
13	Other cities	141	,6			3		46		1	19	26	10		4
14 15	Males	45 96 20	3		1	1 2 1		24 22 5		1	8 11	15 11 5	3 7 3		4
16	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$ White.	69 123			1	2		5			2	3	4		1
17 18	Males	37	3		2	1	· · · · · · · · · · · · · · · · · · ·	20		1	6	13	3		4
19 20	Females. Diagnosis reasonably certain. ${M \dots \{H \dots \{H \dots \{H \dots \{H \dots \{H \dots \{H \dots \{H \dots \{$	86 18 60	3 3		2	1		21 5 5			2	10 5 3	· 7		4
21	Colored	is						5			2				
22 23	Males. Females.	8 10	 					4			2	2			
24	Diagnosis reasonably certain. ${f M}$	9													
25	New Orleans	355	24	1	9	5	7 2	112	. 2	4	65	41	37	4	21
26 27	Males Females	154 201	19 5	1		5	2 2	68 44	2	4	42 23	22	11 26	3	5 16
25	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	115	19 5	1	8		2 2	23 4	1	1	18	4 2	15	3 1	6
29 30	White	257 		1		1	1	80	2	3	47	28	31	4	18
31 32	Females. Diagnosis reasonably certain. {M	143 67	3 17	1	8		1	45 35 15	2	3	28 19 12	14 14 2 2	10 21 6	3 1 3	5 13 1
33	Colored	96	3 '		1		1 1	32	1	1 !	1 18	2 13	12 6	1	5
31 35	Males	40 61						23		1	14 4	 8 5	1 5		3
36	Diagnosis reasonably certain ${M \choose F}$	21 49	2 2 2 2		····i			8			6		1 3		1
37	MAINE. Registration cities	212	1		1		3	75		2	46,	27	33 1	2	20
38 39	Males Females	65 147	1		1 1			33		1	25	7	14		8
10	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	26 96	3 1 3		1	;		42 8 8		1 1	21 5 3	20 3 4	19 1 7	2	12 1 2
11	White	212	1		1	. 3		75		2	46	27	33	2	20
42 13	Males	65 147 ± 26 [1 3 1	:	1	3	17	33 42 S		1 1	25 21 5	20 3	14 19	2	8 12 1
11	Diagnosis reasonably certain $\left\{egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	96	3			2				l	3	1		1	2

 $^{^{\}rm I}$ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

											, p. ,								
						DEAT	HS FROM	CANCER	AND OTH	IER MAL	IGNANT	TUMORS	OF-						
intestir	nes, and nes, and n -Con.		Female	genital or	gans.					_		Oth	er organs	or of org	gans not				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.		Others of this class.		Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	, Bones (except jaw).	Tes- tes.	Others of this class.
3		42	. 4	37	1		14	1	26		2	3	3	2	3		, ¹ 1		12
			4	37	1		14	4	10 16				3	2	2		1		5 7
3		····	4	37			14	4	4 7			1	2	1					3 4
		35	4	30	1		13	3	25		. 2	3	3	2	3		1		11
3		35	l, 4	30	1		13	3	9 16 4		2	3	3	2	2		1		4 7 3
3		35	4	30	1		13	3	7			1	2		1		1		4
	<u></u>	7		.1 7			1	1	1							1			1
		7.					1	1											
6		31	1	. 7			20	1	20		1				3		1	2	11
3									12	1	1				1		<u>-</u> -	2	7
3 3 3		31	1	30			20	3 5 3 5	6	i		1			1		1	2	4 2
€		25				1	17	, 7	17			1			3		1	2	10
3		25	i	24			17	2 5	9	,					1 2	1 : :	1	2	6
3		25	1				17	2 5	5 1		· · · · · · · · · · · · · · · · · · ·	1			1			2	2
		- 6		. 6		·	3	1	3	1	, 1							· · · · ·	1
	· · · · · · · · · · · · · · · · · · ·	6		6			3	1	3	1	1								1
		6	.	. 6			3	1	1										
19	2	79	2	76		. 1	29	12	65	l L	1	9	5	9	6	3	4	1	23
3	3						1		-	2	1	6	4	9	5	2	3	1	15
0.00	3	79	2				25 1 28	7 5 7 5	17 31 11	2		3 3	1 2	7	1 2	1	1 1	1	12
ć)	43	1				21	11		4	1	6	4	6	5	2	3	1	19
	2	43	i				1 20	6	35			1 0	3	6	1 1	1	2	1	12 7
	2				.,		1 20	5 6 5	22 10	2		. 1		4			i 1	. t	10 6
	3	36	1	31		. 1	9	1	14	, <u></u>			1	3	_1	1	11	· · ·	4
	1 2	:58)	i	34		. 1	s 8		. 1					3					1
	1							.' 1	9			2		31					
1.	1	49	1	47	. 1		25	1	22	1	2	2	1	1	1 3	1	l	1	10
-	6						- 	3	14	1	1	2		. 1	3	1		1	+
	5 6 5	49		47	$\begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$. 3	7	1	. 1		. 1					1	3 2
	5 1	49	1			,	. 20	!			2	2	1	1				1	10
-					7		25	3	8		1	2	1	1	1 3	1		1	1 6
		19		47			25	3	7	ji	. 1	2	1		,			1	3

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-		,				DEAT	HS FRO	M CANC	THER M	LALIGNAN	T TUMOR	S OF				
		Aggre-			Buccal c	avity.		1		Ston	nach and	liver.	1		eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.		5 -													
1	MAINE continue l. Portland	,, -	1	ı	1			i	1.0		1	0				
2	Males.	65 22	1		1				18		1		2			3
3	Females. Diagnosis reasonably certain.	43	, 1		1		1		10			3	6	1	i	
5	Other cities	32 117	3				3		3 57		1	37	19	1 22	1	15
6	Males	13							25		1	19	5	7	1	5
7 8	Females	104 17	3				3		32 8			18 5	14	15 3	1	10
	MARYLAND.	61	į 3,				3		5			3	2	7	1	2
9	Registration cities	653	23	5	11	1	4	2	238	1	9	133	95	78 !	7	44
10	MalesFemales	211 412	22	5	10	1	4	2	109	1	7 2	75	26	34	3	17
12	Diagnosis reasonably certain. ${M \choose F}$	138 271	22 1	5	10	1	4	2	129 38 26	1	2 2 1	58 25 8	69 10 17	20 29	4 1 2	27 7 14
13	White	567	21	5	10	1	3	2	210		6	117	87	71	7	38
14 15	MalesFemales	219	20	5	9	1	3	2	94 116		5	65 52	24 63	33	3	17 21
16	Diagnosis reasonably certain. $\{M, \dots, M\}$	127 224	20	5	9	1	3	2	34 22		2 1	23 6	9	38 19 28	1 1 2	7
17	Colored	×h	2		1		1		28	1	3	16	8	7		6
18 19	Males Females	22	2				1		15 13	1	2 1	10	2 6	1 6		 ĝ
20	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	11 47	2		1		1		4	i		2 2	1 2	1 1		
21	Baltimore	589	17	3	9	1	2		213	1	9	121	82	76	7	43
22 23	MalesFemales	220 369	17	3	9	1	2	2	99	1	7 2	69 52	22 60	32 44	3 4	16 27
21	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	126 245	17	3	9	1	2	2	35 24	i	2	22	10 15	19	1 2	7 14
25	White	510	17	3	9	1	2	2	185		6	105	74	70	7	37
26 27	Males	201	17	3	9	1	2	2	S4 101		5 1	59 46	20 54	32 38	3 4	16 21
25	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	115 200	i7	3	9	1	2	2	31 20		2	20 6	9	19 28	1 2	7 13
29	('olored	79							28	1	3	16	S	6		6
30 31	Males	19 60							15 13	1	2 1	10	2 6	6		6
3.2	Diagnosis reasonably certain $\left\{ egin{array}{l} M_{++} \\ F_{-+} \end{array} \right\}$	45 45							7	1		2 2	* .1			
33	Other cities	64	6	2	2		2		25			12	13	2		1
33	Mules Females	21 43	î 1	2					10 15			6	4 9	2		1
36	Diagnosis reasonably certain ${M \choose F}$	12 26	5 1	2	1		2		3 2			3	2	1		
37	White	51	4	2 ,	11		ı.		25			12	13	1		1
35 39	Males	18 39	3		1		1		10 15			6	4 9			1
\$11	Diagno i re complet con an IV.	21	3				. 1	<i>:</i>	3 2							
-11	('olored	7	2				1						1	1		
13	Male Femile	3	2				1	: 1								
11	Duzno i tea onably certain $\{ egin{array}{l} W_{t}, \\ F_{t} \end{array} \}$	3 2			1		1									
4	MAS ACHIE LITES.						1						:			
4.	Log trator citie	2,781	116 .	19	36	- 12	11	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	862	4	39	536	283	518	24	364
4	Mules	1,006 1,775 535	94 22 94	17 2 7	31 5 31	8 4	30 11 30	8	400 462 110	$\frac{3}{1}$	26 13 14	264 272 75	107 176 19	198 320 117	6 18 3	134 230 56
1-	Drigno i tov drivey cort un. $\frac{M_{\odot}^{-1}}{4L_{\odot}}$	1, 144	22.1	21	.1	4	11		90	i	2	43	119	164	5	89

	-					DEAT	[See note at head of this table, p. 88] DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												
Perito: ntestin	es, and		Female	genital or	gans.		:		D. C.		01	ther orga	ns or of o	organs no	ot specifi	ed.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	I'r :- tate.	Blad- der.	Brain.	Bones (except	Tes- tes.	Others of this class.
5	,	14		11			14	1	6 }		1	1			1	i 1			2
4		14		11			14	1	. 5 1			1			1	1			2
4		1 1 1		11			14	1	3			1							2
6		35	1	33	1		11	3	16	1	1	11	1	1,	2			1	8
2 4 2		35	1	33	i		11	2 1 2	9 7 4		1	<u>1</u>	1	1	2	1		$\cdots \frac{1}{i}$	2 6 1
4		35	1	33	1		11	1	2							1			2
		117	10	105	1	1	72	11	114	10	4	15	6	9	21	3		•	39
14 13 12		117	10	105	i	1	72	ช 5 กั	70 44 52	8 2 8	1 3 1	8 7	4 2 4	6	16 5 8	2 1	5 2 4		15 21 14
13 26		113 88	9	105	1		72 61	5 9	25 107	9	4	6 12	6	9	3 20	3	7		11 37
13 13		88	9	78		1	61	5	67 40	7 2	1 3	5 7	4 2	9	16	2	5 2		18 19
11 13		85	6	1		1	61	ā 4	49 23	7 2	1	5 5	4 2	6	8 2		1		14
1		29	1	27	1				7 3	1		3			1				2
i		29	1	27 27	1 1		11	1 1 1	4 3 2	ii		1 2			1				2
26		101	10	92	1	1	6.5	10	104	10	4	15	6	9	20	3	7		30
13 13 11		104	10	92	·· ····	i i	65	6 4 6	66 58 49	S 2 8	1 3 1	7 8 7	4 2 4	9 6	15 5 8	2			15 15 11
13 26		100 76	6	92 66	1	1	65 55	4	49 23 99	. 2	4	6	2	9	3 19	3	1 7		9
13 13		76	 	66			55	 3	63 36		1 3	- 5	4 2	9	15	2 1			15 15
11 13		73	6	66		·····i	5.5	5 3	46 21	7 2	1	5	4 2	6	05/21		1		11
		28	1	26	1		10	2	5	1		3		· · · · · · · · ·	1				
		28	1	26 26			10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2			-2							
1		10					7	1											ŧ
1		13					7	1	6									'	3 6 2
				13		• • • • • • • • • • • • • • • • • • • •			2										2
								1	4						1			-	.3 4
		12		12				1	3										2
				1						·								_	,
1		; .		1					2										2
		1 .	1	1		* * * * * 1	1	ŧ				·							
		450	.;}	401	11	2	.25)) 38	447	23	21	35 15	24 10	57 57	50 30	5	- 1:	7	1 1 11
71 58	1			401	11	2	325 3 3 325	22 15 22	273 174 173 82	20 3 20 3	11 3 2	15 20 11 10	14	4 22	14 15 4		17 20 3	7	1 "

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-	1	1	ri .		ee note a	t nead (abie, p.	88.]							
			1			DEAT	HS FRO	M CANC	ER AND C	THER M	IALIGNAN	T TUMOR	s of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	eavity.				Ston	ach and	liver.			eum, int id rectun	
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.		٠,					_								
	MASSACHUSETTS -continued,															
1	Registration cities—Continued. White	2,749	114	19	34	12	41		850	4	38	529	279	515	24	362
2 3 4	$rac{Males}{Females}$. Diagnosis reasonably certain. $rac{M}{F}$	994 1,755 531 1,128	93 21 93 21	17 2 17 2	30 4 30 4	8 1 8	30 11 30 11	8	392 458 108 89	3 1 2 1	25 13 14 2	258 271 73 43	106 173 19	197 318 116	6 15 . 3 . 5	133 229 55 88
5	Colored	32	2		2				12		1	7	43	162		2
6	MalesFemales	12 20	1		I I				8	******	1	6	1 3	1 2		1
8	Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	16	Î		1 1				2			2	1	1 2		1
9	Boston	871	33	3	10	3	12		255	1	15	149	90	169	7	120
10 11	Males. Females.	347 524 196	30 3 30	2 1 2	10	3	10	₅	136 119	1	11	84 65	40 50	71 98	1 6	53 67
12	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} ight.$	377	3	1	10		10 2		32	1	9	27 15	11 16	38 61	3	21 35
13 14	White	854 340	33	<u>3</u>	10	3	12	- 5	250	1	14	145	90	167	7	118
15 16	Females Diagnosis reasonably certain.	514 193	30	1 2	10	3	2 10	5	131 119 46	1 1	10 4 9	80 65 25	40 50 11	70 97 37	6	52 66 20
17	Colored	368	3	1			2		32 5		1	15 4	16	60	3	34
18	Males	7							5		1			1		1
19 20	Females	10 3 9							2			2		1 1		1
21	Brockton	55							19		1	13	5	12		6
22 23	Males Females	15	1						15			3	1 4	5		2 4
24	Diagnosis reasonably certain $\left\{egin{matrix} M & \cdots \\ F & \cdots \end{matrix}\right\}$	9 19	1			1			1 2			1 1	i	5 3		2
25	Cambridge	111	4		1		3		34		2	25	7	17	1	10
2 6 27	Males Females	39 72 27	3 1		1		2		16 18		1 1	13 12	2 ,	5 12	1	4 6
28	Diagnosis reasonably certain. $\left\{egin{matrix} M \dots \\ F \dots \end{array}\right\}$	46	1		1		1		7		1	1	1	3 7		2 2
30	Fall River	70	2			1 .		1	16			- 10	6	15	1	10
31 32	Femal s. Diagnosis reasonably certain. \{\begin{align*} M \\ F \end{align*}	51 11	1			1		1 1	5 11			2 8	3 3	$\begin{bmatrix} 3 \\ 12 \\ 2 \end{bmatrix}$	1	9
33	Lawrence	36	1 0	1	2		2		2			2		8		6
34	Males	17	4	1	2 .			- 1				17	- 8	12	1	1
35	Fem : $\{M, \dots, M\}$ Diagnosis reasonably certain $\{M, \dots, M\}$	43 7 24	2 4 2	i	2		2	1	16 2 4			7 2 2	7	10	1	6
37	Lowell	95	2	1	1				43		2	23	18	12	1	6
38 39	Males Lemales	34 (4)	2	1	1				19 24		1	11	7 11	5	1	2 4
40	Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	11 34	2	1	i				1			ī	1	3 +	1	1
41	Lynn	91	7	2		2	2	1			2	20	7			9
4.2	Males	28 63 13	5 2 5	2 .		2	2	1	16		2	10 10 2	1 6			2 7
11	Diagno is reasonably certain, \(\begin{picture} M \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	40	<u>.</u> .			2 .		1	1			3 1		2		1
15	New Bedford	93					2		_			5	10	20	3	15
47	Pineno i rea onably certain M	67 ¹ 15	3 .				2		20			14	6	12 6	1	6 9 5
49	Somerville	40 71			1 .							3	3	5 17	1 2	2 11
50 51	Males Lemdes	21 50	1						5			5				3
52	Transfer on the ortain (M.,	50 1	1				1		16			13	3	$\frac{12}{2} \parallel 5$	2	3
									_			A 1.		()		0

	-					DEAT			AND OTH	ER MALIC		-	or—						
Peritor intestin	es, and		Female	genital or	gans.		1					Other or	gans or c	f organs	not spec	ified.		-	
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
128		443	33	396	12	2	324	60	443	23	21	35	24	56	50	5	37	7	185
58 70 58	1	443	33	396	12	2	3 321 3 321 3 321	38 22 38 22	271 172 173	20 3 20 3	7 14 3 2	15 20 11 10	10 14 7	56 22	36 14 15	4 1 2	17 20 3	7	99 86 83
1		432		396 5			4		4 2					1			9		49 {
1 42		7	14	5 127	2 2		108	14	1 148	12	= -9-	<u>- 12</u>	8	19	15	2	7	<u> </u>	1 64
17 25 17 23		141	14	127 127			108	10 4 10 4	100 48 70 28	11 1 11 1	5 1 1	6 6 4	5 3 3 1	19	12 3 6 1	2	3 4 1 1		38 1 26 1 33 19 }1
17 25 17		139	14	123	2		106	10 4 10	99 46 70	12 11 1 11	9 4 5 1	12 6 6 6	5 3 3	18	15 12 3 6	2	3 4 1		38 1 24 1 33 }1
23		5		123	1		2	4	3	1	1	4	1	1	1	·	1		18 5 ¹
6		⁵		4 3	1 1 1		2		1 11			1		2	2		2	1	$\begin{bmatrix} 2 \\ 1 \\ 3 \end{bmatrix}$
3 3 3 3		4		3	1				5 6 2 2			1		2	1 1		2 1	1	1 2 2 2 1 1 }2
5 1 1	1 1	13	2	10		1	19 	3 1 3	20 12 8 11		1	<u>1</u>	1	2	1		1 1		13 2 9 2 4 2 8 1
1 2	1	13	1	10	1	1	7	1 1	17	1	1 1	2	2 2		4 2		1		7 2
2 2 2	,	12 12 9	1	10				1 		I			2		1		1		5 3 2 2 5 }3
1 3 1 3		9		9			4		2				1						3
5 2 3 2		13		11 i1			13		7		, ,1			1 1	- 1		4		1 3 4 3
1			1 1	18			9	2	1 15					1	2		_ 2 _ 2		1 }4
1		19	1 2				11	2 2 3	; ;	1				. 1					7 4 1 }4 2 4
2		17	2	14			1		Į I				3	1 1	1				1 4 1 4 1 }
2 2		10 Io	1	*	····i		9		10 3 5	1	2		1 1 1	1	2 2 1				: 5 1 5 1 }5

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

						DEAT	HS FRE	M CANC	ER AND C	THER M	IALIGNAN	f TUMOR	< 0F-			
		Aggre-			Buccal	avity.		1		Stor	ach and	liver.			eum, int	
	AREA AND BANIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.			1		^										
1	MASSACHUSÆTTS—continued. Springfield	92	3		2		1		33		1	19	13	20		17
2 3	Males	39			2		1		15		1	9	5	9	1	7
4	Females. Diagnosis reasonably certain. \{\frac{M}{F}}	53 24 24	3		2		1		18 6 3			10 5	8 1 3	11 5 2	1	10 3
5	Worcester	176	8		3	2	3		57	1	1	41	14	32	2	22
6 7	MalesFemales	59 117 30	6 2 6		3	1 1	2 1 2		26 31	1	1	21 20	3 11	7 25	2	18
8	Diagnosis reasonably certain.	76	2			1	1		5 8	1		4 3	5	12	1	6
9	Other cities	993	35	12	15	3	15		299	2	13	91	102	182	5	131
11 12	Females. Diagnosis reasonably certain. {M	631 184 401	10 35 10	111	4 11 4	3	5 10 5		158 36 30	1	4 3	91 27 13	6 15	106 46 51	4	82 20 31
	MICHIGAN.	2014	10	,	-	*****	J		50			1.0	10	31		31
13	Registration cities	997	41	7	11	2	16	5	400		12	253	135	129	14	83
14 15	Males	413 584 211	33 8 33	7	9 2 9	2	11 5 11	4 1 4	205 195 58		10 2 2	145 108 42	50 85 14	66 63 42	10	40 43 15
16 17	Diagnosis reasonably certain ${M \choose F}$. White	366 988	8		2		5	1	37			17	20	30	Ğ	14
18	Males	411	33	7	9	$\frac{2}{2}$	16	5 4	397		10	250	135	66	14	40
19 20	Females. Diagnosis reasonably certain. ${M \cdot F \cdot M \cdot F \cdot M \cdot F \cdot M \cdot F \cdot M \cdot M \cdot $	577 209 364	8 33 8	7	2 9 2	2	5 11 5	1 4 1	192 58 36		2 2	105 42 16	85 14 20	61 42 30	10 2 6	41 18 14
21	Colored	9							3			3		2		2
22 23	Males	2 7							3			3		2		2
21	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \\ \end{array} \right\}$	2							1			1				
25 26	Detroit	424	20	5		• • • • • • • • • • • • • • • • • • • •	5	2	179			116	57	54	5	33
27	Females. Diagnosis reasonably certain.	17 8 246 91	19 1 19	5			1	2	96 83 27		5 1 1	69 47 20	22 35 6	25 29 18	1 4 1	14 19 7
29	Grand Rapids	148 . 120 (1 2		1		1		14 54		1	6 35	8	14	3	5
30	MalesFemales	43	1		1				22		1	16	5	7		4
32	Diagnosis reasonably certain ${M \choose F}$	77 19 46	1 1		i		1		32 7			19 6 3	13 1 4	11 4 5	3	1 1
33	Saginaw	50	3				3		21		1	11	9	7	2	5
35 35	M.des	27 23 14	3 3				3		14 7 5		1	7 4	6 3	3 4	1	2 3
36	Diagnosis reasonably certain.	17					3		1		1	3 1	1	4	1	3
37	Other crites	403	16	2	2	2	7	3	146 73		3	53	17	31 ,	- 4	20
40	Females	238 87 155	6 10 6		2	5	3 4 3	1 2	73 73 19		1	38 13	34 6	19 20	2 2 1	15 10
1	MINNESOTA,	Int	1				3	1	15	1		- 1	8	7		5
41	Registration cities	605	32	4	q.	_ 2 1	15	2	250			179	63	79		45
1.	Made Female	262 343 [150]	28 4 28	4	8 1	2	12	2	136 114		7 1	109 70	20 43	30 49	3 5	17 28
44	Diagno is rea onably certain. (M	332 '	4		8		12		48 35		5	39	13	25 30	2 2	13 12
.1.	Whate	262	- 32 28	4	9	2	15	2	136		7	178	63	30		$=\frac{45}{17}$
4×	Figure 18. 1. Solar Iv certain M	542 + 150 232	4	4	I.			2	113 48	* * * * * * * * * * * * * * * * * * * *	1 5	69 39 22	43 4	49 25 30	5 2 2	28 13 12
	(,	202	',		1		3		35 ,	1		23	13	31)	21	12 (

						DEAT	HS FROM	CANCER	AND OTH	ER MALIG	GNANT T	UMORS	OF	-				- "	
Perito: intestin	ies, and		Female :	genital or;	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pin tube.	Uterus.	Vagina and vulva	Others' of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan-creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
2		11	3	7	1		6	1	18	11		2	1		2			,	10 1
1 1 1 1		11	3	7	1		6	1	11 7 9	1		2	i		2		1		$\left\{\begin{array}{c} 5 & 2 \\ 5 & 3 \\ 2 & 3 \end{array}\right\}$
3 5 3	· · <u>· · · · · · · · · · · · · · · · · </u>	27	2	23	2		20	2 2 2 2	28 18 10 12	3 1 2 1	1	3 1 2 1	1	7		1 1		2 2	3 6 7
5 46 26	<u> </u>	171	5	23 161	4	1	114	27	7 155 89	3 3	7	13	1 6 2	23	16 16 10	2	15	1	66 9
20 26 20		171	5	161	4	1	111	15 9	66 46 23	3	ĥ	2 3	1 1	6	6 3 1	1	10	4	30 11 27 14 }12
32 22 10		166	5	160	1		84	30 19 11	90 57	3 1	2 2 2	18 8 10	4 2	19	12 6	3 1	10	2 2	68 13 40 14 28 15
22 10 32		166 165	5	160 159	1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	19 11 30	59 30 144	3 1	4	18 18	1 2 6	19	2 2 12	4	10	2	$\begin{bmatrix} 32 \\ 17 \end{bmatrix}$ 16 $\begin{bmatrix} -65 \\ -87 \end{bmatrix}$
22 10 22 10		165 165	5	159 159	1		×1	19 11 19 11	88 56 57 30	3 1 3 1	2 2	10 4 5	1 2 1 2	19	6 6 2 2	1 1	3 7 2 3	2	$\begin{bmatrix} 38 & 15 \\ 27 & 19 \\ 30 & 17 \\ 17 & 20 \end{bmatrix}$
		1		1				-	2 1 2				·						2 22 1 23 2 24
16		78		75	1		30	6 4 2	57 34 23	1	1 1	2 2 2		8	5 1 4	1	1 4	1	30 25 19 26 11 27
10 6 5		15	2	75 15	i 1	 	30	5	23 9 12	1	1	1	2	1	i	2	1 2		5 29
3 2 3 2		15		1				3 2 3 2 2	. 2					i					. 2 1
				8			2 2 2	2 2	3 2 4	1 1		1		2	1	1			1 11
11				62			38	10	71 41	2	1		4		4	1 1	5 2 3	1	$= \frac{31}{17} \frac{35}{14} \frac{35}{50}$
2	******	00 (0.2		1	5	10	17	1 1		1	· · · · · · · · · · · · · · · · · · ·		1	1	1	1	15 \40
10 16 10		89	- 6	*2	1		52 1	$\begin{bmatrix} -15 \\ 10 \\ 5 \\ 10 \end{bmatrix}$	57 30 38	2 1 2	2	- 1) 4		9	9 3 7 2	I	1	1	$\begin{bmatrix} & 12 & 41 \\ & 17 & 42 \\ & 15 & 1 \\ & & 14 \\ & & 12 \end{bmatrix} $
26			В	82	1		53			- 3 - 2	3	10 - 6 4	5 5	9	- 12 - 9¢ 3*		- 7	1	32 45
16 10 16		89	5	82	1		1	10	38	2.	2	1	3 1	3	7 2		2	1	$\begin{bmatrix} 17 & 66 \\ 15 & 47 \\ 14 & 12 \end{bmatrix} $

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-						DEAT	THS FRO	M CANC	ER AND	OTHER M	IALIGNAN	T TUMOR	ts of—			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.			eum, int id rectur	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.		Esophagus.		Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.		1	-										_		
	MINNESOTA—continued.	1			1			1								
1	Registration cities—Continued.	1							1			1				
2	Males															
4	Females. Diagnosis reasonably certain $\binom{M}{F}$.															
5	Duluth	==	2				2					27	11	9	2	4
6	Males	31 57	1				1 1		22 16			16 11	6 5	3 6	1	1 3
8	Diagnosis reasonably certain.	18 24	1				1		10			7 3	3 2	3 5	1	1 2
9	Minneapolis	313	15 ,		4	2	7	2	116		3	88	25	48	6	30
10 11	MalesFemales	138 175	13		3 1	2	6	2	68 48		2	58 30	8 17	18	2 4	12 18
12	Diagnosis reasonably certain, $\left\{ egin{aligned} M & \dots \\ E & \dots \end{aligned} \right\}$	76 121	$\frac{13}{2}$		3	2	6	2	22 15		2	19	7	13 18	1 1	8 9
13 '	St. Paul	166	10	2	5		3		75		5	51	19	17		7
14 15	MalesFemales	69 97	9	2	5		2		33 42		5	25 26	3 16	7 10		3 4
16	Diagnosis reasonably certain. ${M \choose F}$	46 63	9	2	5		2		15 14		3	12 10	4	7 6		3
17	Other cities	58	5	2			3		21			13	8	5		4
18	Males	24 31	5	2			3		13			10	3 5	2 3		1 3
20	Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	10 21 ±	5	2			3		1 1			1 1		2		1 1
	MISSOURI															
21	Registration cities	1,171	62	9	25	6	18	5	402	3	21	264	114	132	7	67
22 23	MalesFemales(M	682 205	56 6 56	8	22 3 22	6	16 2 16	1 1	217 185 74	3	17 4 5	151 113 53	46 68 15	60 72 44	3 2	10 16
24	Diagno is reasonably cert in $M \in \mathbb{F}_+$	491	6		3		2	1	39		* * * * * * * *	23	16	51	3	21
25 26	White	1,121	55	8	25	6	17	1	387	3 3	20	251	113	58	6	63
27	Males	472 ; 619 ; 286	5 5 55	8	22 3 22	6	15 2 15	4	208 179 72	1	17 3 5	142 109 51	46 67 15	69 43	3 2	37 15
25	Diagnosis reasonably certain (F.	167	5		3		2		39			23	16	51	3	21
29	Colored	50	2				1	1	15		1	13	1		1	4
31 32	Males. Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ E \end{array} \right\}$	33 9	1				1	1	9 6 2		1	9 4 2	1	3		3
	(21	i		===			1		== .			- ==			10
33	Kansas City Males	254	20	5	9	3 3	3	· ··· <u>·</u>	72 		2	31	9	31	1	16
35 36	Females Diagnosis reasonably certain.	141	1 19	5		3	1 2		30 15			20 13	10 2	17 14	1	12
	(.	115	1				1		10	1		6	4	10		5
37 38	White	105	20	5	1 9	3	3 2	· · · · · · · · · · · · · · · · · ·	38		2	45	18	30	1	3
39	Female Diagnosis reasonal ly certain (M	135 77	1 19	5			$\frac{1}{2}$		27 15			18 13	9 2	• 17 • 13		12 3
		100	1				1		10			6	1	10		5
11	Colored	14										6	1	1		1
43	Tenrile Diagnous bus mubble certain [M]	9							3			<u>2</u>	1			
15	(*	6 97							32			23	9	13	1	7
46	Minhe	37	3		1	1	1		19			15	4	6		3
17	from ne . Diarno is reason a ly cert an M.	21			. 1				13			8	5	7 5	1	4 2
	Can no reteron a determine	15							2			2 .		5	1	

	-																	~	
-						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT :	TUMORS	OF -						
Peritor intestin rectum	es, and		Female	genital or	gans.		,		l			Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain	Bones (except jaw).	Testes.	Others of this class.
										 		•							
									1										
							******		1										
3		7	1	6			1	3	5				1		2				2
1 2 1 2		7	1 1	6			4	2 1 2 1	3 2 2 1				1	1	2		,		1
12		47	2	45			31	6	50		2	5	5	5	9	2	1	1	17
4 8 4		47	2	45			1 30 1	4 2 4	34 16 23 7		2 1	3 2 2	3 2 3	5	7 2 5	1 1	2 2 1	1	10 7 9
10	,	17 25	1	45 24			30	2 5	7 24	2		1	1	3	1		2		10
4 6		25	1	24			10	4	16 S	1 1	1	3 1	1	3	1		2		5 5
6		21		21		1	10	1	11 7	1	1	2			1		1		5
1		10	2	7	1	1	8	1	8	1		1	1	1			1		3
1		10	2	7			8	1	1 2 3	1		1		1			1		2 1 2
54	1	238	14	219	5		109	45	1\3	7	4	17	19	15	31	' 1	1	1	71
26 28 26 27	1	238	14	219	5		6 103 6	30 15 30	120 63 85	7	3 1 3	13	10 9 6	15	25 6 13	5 6 3	2 2	1	35 35 32 25
27 54	1	233 219	9	219	5		103	15 45	177	1 7	1	3 17	7	1 1	31	2	2		25 67
26 25 26	1	219	1 4	200	5		6 100 6	30 15 30	115 62 80	7	3 1 3	13 4	9	14	25 6 13	5 6 3	2 2	1	33 34 29 24
27	1	214 19	9	200	5		100	15	43		ĭ	3	7	1	1	2	2		21
		19		19			3						1	1					3 1 3
		= 19 51		= 19			3		1	<u></u>				1			-	· .	3 1
0		,					1	17	34						h.				15
5 9		51		15	1		28 1	12 5	12	3			3			1		1 2	5
		46	2	43			25	17					4		T ₁				15
9		40	2	1 13			1 27 1 27	12 5 12 5	17			1	3		1	1	: :	2 2	7
							1			1									
		5		5			1												
		20		1 19				2	11		2				2	1	ļ <u>.</u>		1
3 2 3		20	1	19			1 15 1	2	5 6		2	1		1	1 1 1	1 1			1
2	35	. 19 5030°—1	69	10			15	1	. 4	h		******			1		* * *		\$

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

_				[50	ес note а 	t nead c	of fills f	aore, p.								
						DEAT	HS FRO	OM CANC	ER AND	OTHER :	MALIGNA:	NT TUMOR	RS OF-			
		Aggre-			Buccale	avity.				Stom	ach and l	iver.			eum, inte d rectun	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con. MISSOURI—continued.											;				
1	St. Louis	701	33	1	14	2	12	-1	262	3	18	168	73	80	6	40
2 4	Males. Fethales. Diagnosis reasona'dy certain. {M F	302 399 179 274	25 25 5	1	11 3 11 3	2	11 1 11 1	3 1 3 1	141 121 53 25	3	14 4 5	95 73 35 13	29 44 12 12	37 43 24 32	5 1 1 1	19 21 10 12
5	White	671	31	1	14	2	11	3	255	3	17	162	73	76	5	37
6 7 8	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	291 380 171 261	27 4 27 4	1	11 3 11 3	2	10 1 10 1		51	3	14 3 5	91 71 33 13	29 44 12 12	36 40 24 32	4 1 1	19 18 10 12
9	('olored	30	2	,			1	1	7		1	6	<u></u> i	1	1	3
10 11 12	Males. Females Diagnosis reasonably certain. $egin{displaysplit} M \ F \ . \end{bmatrix}$	11 19 8 13	1 1 1				1	1	3 2		1	2 2				3
13	Other cities	119	6	2			2	1			1	22	13	8	2	4
14 15 16	Males Females Diagnosis reasonably certain $\binom{M}{F}$ MONTANA.	40 79 17 57	6	2	1		2	1	15 21 2 2			10 12 1 2	4 9 1	3 5 1 4	1 1	1 3 2
17	Registration cities	82	5		3		2		32		1	25 .	6	11	3	5
18 19	MalesFemales	39 43	5		3		2		17 15		i	15 10	2 4	7 4	2	3 2
20	Diagnosis reasonably certain, $\left\{ egin{matrix} M \\ F \end{array} \right\}$	22 26	5		3		2		5 1			5 1		6 4	2 1	3 2 2 2
21	White	- 51					2		32	. 	1	15	6	11	3	5
23	Males Females	39 12 22			3		2		17 15 5		1	15 10 5	2 4	7 4 6	$\frac{2}{1}$	3 1 2 2
-11	Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	25 1					* * * *		1			1		4	1	2
25	Males						-									
27 28	Females. Diagnosis reasonably certain. \(\begin{align*} M \\ F \end{align*}. \)	1														
	NEBRASKA.1	- 1								,				1		
29	Registration cities	187	3	1	1		1					44	22	23		16 (
30 31 32	$\begin{array}{c} \text{Males}, \\ \text{Females} \\ \text{Diagnosis reasonably certain} \left\{ \begin{matrix} M, \\ F, \end{matrix} \right. \end{array}$	81 106 51 75	3	1			i 1		28 18 8			29 15 15 3	9 13 3 5	13 10 8 5	3	9 2 4
33	White	185	3	1			1		66			44	22	22	3	15
35 36	Males. Females. Diagnosis reasonably certain. { d	105 51 74	3	1	1		1 1		38 28 18 8			2.0 15 15 3	9 13 3 5	12 10 8 5	3	2 4
37	Colored	2											· · · · · · · · · · · ·	1		1
39 40	$\frac{\text{Mules}}{\text{Females}}$ Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \\ \end{matrix} \right\}$	1 1 				,		· · · ·						1		1
41	Omaha	140	1	1			·		46			32	14	14	3	7
42 43 41	$\begin{array}{c} \text{Males} \\ \text{Fern des} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \mathbf{M}_{++} \\ \mathbf{F}_{-+} \end{matrix} \right. \end{array}$	62 75 35 60	1	1					30 16 12 4			23 q 10 1	7 2 3	8 6 7 5	3	2 5 1 4
45	Latealn 2	47	2		1		1		20			12	8	9		9
46 47 48	$\begin{array}{c} \text{Mules}, \\ \text{Fentales}, \\ \text{Diagnosis reasonably certain.} \Big\{ \begin{matrix} \text{M}, \\ \text{F} \end{matrix} \Big\}, \end{array}$	19 28 13 15	2		1		1		8 12 6 4			6 6 5 2	2 6 1 2	5 4 1		5 4 1
		¹ Nonregi	stration.	state; ci	ties show	n belov	only t	hose wit	h effective	e local or	dinances					

							-												
						DEATI	HS FROM	CANCER	AND OTHE	ER MALIG	NANT T	UMORS (F—						
testin	neum, les, and Con.		Female	genital or	gans.	1	1					Other or	gans or o	f organs	not spec	ified.			
tee- um.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.		Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
																-			
	1	,			,										1				
33	1	130		120	3		54	23	119	4	2	11	13	12			3	2	- 11
13 20 13	1	130	7	120	3		50 4	15 8 15	77 42 55	4	1 1 1	11 3 7	7 6 5	12	15 5 7 3	3 5 2	$\begin{bmatrix} & 1 \\ 2 \end{bmatrix}$	$\frac{2}{2}$	21 20 19
19 33	1	128 120	5 7	120 110	3		50	23	26 113	4	1 2	2 14	12	11	20	2	3	2	12 37
13			7				1 49	15	72 41	4	1	11 3	6	11	15	3 5	1 2	2	18 19
20 13 19		120	······································	110	3		4 4 49	15	50 25	4		21-21	4 4	7	573	2 2	2	2	16
		10		10			1		6				1	_ 1			·		1
		10	1,	10			1		5 1 5				1 1			l::			3 1 3
		10		1	1		1 10		1 19					2					1
1		37	4					3	15				2	2	3		1		7
1 1 1		37	4	32			10	2 1 2	4	'			i		1				5
				1	1				1										
2		13		12		1	5	1	15		1	$-\frac{3}{1}$		1	1		1	1	6
1 2		13		12			5	i	5	'	1	2		' 1			1	1	2 2 2
3				12	1	1	1 5	1	14		1	3			1		2	1	5
2		13		12		i	····	1	9 5	1	1	1 2			1	(1 1	1	‡ 1
1		12	h:	12			5	1	5 3			1		1			1	1	2
	· -			J <u></u>					1	1				1 I			-		_ 1
									1										1
				1		· · · · · · · · · · · · · · · · · · ·			1										1
4		35	3	34	1	·	18	5	31		4	2	1	1	.5	2		1	18
3		38	3	31	1		18	5	22 12		3 1	1 1	1	,1	1 1	2		1	11 7
3		37	2	34	i		18	5	17		1	1 1			2	í			10 5
4		35	3	3+	1	:	18	5	33		3	2	1	1	5	2	-	- 1	
1 3		38	3	31	1		18	5 5	11 17		1	1 1	1	. 1	1 2			1	11 6 10 4
1		37	2	31	1		1%		6			1				. 1			1
		·									-								
					: :				i	! ······		****				:			1
		33	3	29	1		13		28		1 4	2	-	-		1			15
1		33	3	29			13	5 5	18 10 13		3 1 1	1 1 1	1			i			9 6 5
1		32	2	29	1		13		6	!		1				1			ţ
	-	5		-					6 4						1			1	- ³ ₂
		5		5					2 4							1			1 2 1

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

	F					DEAT	HS FRO	M CANC	ER AND O	THER M	IALIGNAN	T TUMOR:	s of-		<u>~</u>	
1		Aggre-			Buccal	avity.		1		Stom	ach and	liver.			eu m, in t id rectun	
ļ	ARTA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION CITIES—Con. NEW HAMPSHIRE.			1										- }		
1	Registration cities	173 54	2				2		48		1	29 17		38		27 8
3	Fenryles. Diagnosis reasonably certain. ${M \choose F}$.	119 27 82	2				2		21			12 5	9 3 2	25 8 14		19 3 8
5	White	172	2				2		47		1	29	17	38		27
8	$rac{ ext{Males}}{ ext{Feinales}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} ext{M} \ ext{F} \end{aligned} ight.$	53 119 26 82	2				2 2		26 21 7 2		1	17 12 5	8 9 2 2	13 25 8 14		8 19 3 8
9	Colored	1							1				1			
10 11 12	Males Females Diagnosis reasonably certain. {M F	1							1				1 1			
13	Manchester	56	2				2		12			10	2	13		10
14 15 16	Males Females Diagnosis reasonably certain. $inom{M}{F}$	13 43 7 30	2				22		4 8 1			3 7	1 1 1	4 9 1 7	1	3 7
17	Other cities	117							36		1	19	16	25		17
18 13 20	Maies. Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M. \end{array} \right\}_{\mathrm{F}}^{\mathrm{M}}$	$\begin{bmatrix} 41 \\ 76 \\ 20 \\ 52 \end{bmatrix}$							23 13 7 2		1	14 5 5	8 8 2 2	9 16 7		5 12 3 3
	NEW JERSEY.															
21	Registration cities	1,426	52	8	21	8	14	1	547	4	14	353	176	218	20	128
22 23 24	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{array}{l} M & \ldots \\ F & \ldots \end{array} ight.$	545 881 243 529	$\begin{bmatrix} & 42 \\ 10 \\ 42 \\ 10 \end{bmatrix}$	1 7	19 2 19 2	5 3 5 3	10 4 10 4	1 1	255 292 53 51	3 1	13 1 3 1	177 176 39 31	62 114 11 19	85 133 45 74	16 2 8	50 78 12 27
25	White	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26 27 25	Males . Fetuales . Diagnosis reasonably certain $egin{cases} M \dots \\ F \dots \end{cases}$	537 847 241 502	42 10 42 10	7 1 7 1	19 2 19 2	5 5 5 3	10 4 10 4	1	249 285 53 50	1	13 1 3 1	172 170 39 30	$\begin{bmatrix} 62 \\ 113 \\ 11 \\ 19 \end{bmatrix}$	128 44 70	16 2 8	50 76 12 26
20	Colored	42							13	1		11	1	<u> </u>		2
31 30 '	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M & \\ F & \end{array} ight.$	8 34 2 27							6 7	1		5 6	1	1 5 1 4		2
33	Camden	7.1	1			1			26		1	20	5	12	1	3
34 35 36	$rac{ ext{Males}}{ ext{Femules}}.$ Diagno is reasonably certain. $\left\{rac{ ext{M}}{ ext{F}}. ight.$	27 47 17 30	i			1			11 15 4 2		1	9 11 3 1	1 1 1	4 8 4 6	1	3
37	Elizabeth	76	1		2	1	1		33		1	21	11	8	2	4
10	Males Diagnosis reasonably certain. ${M \over F}$	36 10 12 19	3 1 3 1		1 1 1 1	1	1 1		15 18 1 2		. 1	10 11 1 1	7	5 3 2 1	1	2, 2
11	Jopsey City	217	7	2	2	1	2		97		1	63	33	28	3	19
12 13 14	$\begin{array}{cccc} & & & & & & \\ & & & & & & \\ & & & & & $	82 135 37 72	5 2 5 2	1 1 1 1	2	1 i	1 1 1 1		43 54 8 5		1	33 30 7 2	9 24 1 3	12 16 6 9	3	10 9 4 3
17	Newark	340	12	2	6		4		135	2	8	85	40	54	5	29
16 17 18	$\begin{array}{cccc} & M & \mathrm{de} & \dots & \dots & \dots \\ & \mathrm{form} & \mathrm{de} & \dots & \dots & \dots \\ & Digno & \mathrm{total} & \mathrm{stably certain}. \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array}$	132 258 54 120	10 2 10 2	2	6		2 2 2 2 2		68 67 15 16		8	45 40 10 10	14 26 2 6	25 29 13 18	1 4	13 16 2 5

= -						IAE A TO	IS FROM	CANCER	AND OTH	ER MALE	NINT O	TMORE	08-						
Donit	nourma					11F.A []	is entist	TAI EIL		on MALI		Carons	17.5						
Peritor intestin rectum	es, and		Female	genital or	gans.			1				Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except	Tes- tes.	Others of this class.
		33		32		1	26	5	21	1		1	2	3	2			1	11
						1	1 25		8 13	1		1		3	2				
6 5 6		33		32		1	1 25	3 2 3 2	5 6	1		1	1					i i	9 2 5
11		33		32	· <u>····</u>	1	26	_ 5	21	1		1	2	3	2			1	_ 11
5 6 5 6		33		32		1 i	25 1 25	3 2 3 2	8 13 5 6	1		1	2	3	2			1	2 9 2 5
														· · · · · · · · · · · · · · · · · · ·					
3		13		13			``	3	5	1									1
1 2 1		13		13		• - · · · ·	8	2 1 2	1 4 1	l									4
2		13		13		1	15	1 2	16			1	2	3	2			1	1 7
4		20		19			1 17	1 1	7 9			1	2	3	2			1	2 5
4		20		19		1	17	1 1	4 5		,	1	1					1	2
70		214	12	197	5		136	31	228	11	17	18	17	17	27	3	17	2	96
31 39 31		214	12	197	5		134 2	21 10 21	140 88 80	12 2 12	9 8 2	11 : 7 : 4 :	6 11 1	17 6	17 10 7 5	1 2	8 9 2	₂	57 39 44
39 66		207 199	6 12	196 153	5		134	10 31	43 225	2 14	1	3 :	4 17	17	5 26	3	3 17	2	25 94
30 36		199	12	183			129	21 10	139 86	12	9 8	11 7	6 11	17	17 9	1 2	8 9	2	76 35
30 36		192	6	182		******	129	21 10	79 41	12 2	2	3	1 4	6	4		3	2	43 24
<u>1</u>		15		14			5		3	''					1				²
3		15		11	1		5		1 2						1				1 1 1
		12		12			5	5		1		1	1						+
3 5 3							5	1 1 1	.,			i	1	$ \begin{array}{c} 2 \\ 1 \end{array} $	1				3 1 3
		12 7		12			ĵ ĵ		3 18	2		1	2		2		2		
2				7		-	· - · · · · · · · · · · · · · · · · · ·	<u>1</u>	5	2	1	·····i	2				1 1		7
2	• • • • • • • • • • • • • • • • • • • •	7		7					6 2			1							1
				25				2	20		2		1		2				23 14
1 2 1		28 28	2	25	1		18	3 2 3		i	2	1	1		i		1		9 1 <u>1</u>
20		51	7	16	H		31	9	(5	3	ti	1			7		3		14
11 9 11		51	7		1			2 7	22 23 9		2	1 2			3	1 2			5 9 1 3
9		49	3	4.5	1		31	2			1	ī	2		2				3 5 ·

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

	· · · · · · · · · · · · · · · · · · ·	_ =				DEAT	HS FRO	M CANC	ER AND	THER 3	HALIGNA?	NT TUMOF	rs or—			
ſ		Aggre-			Buccal c	avity.				Stom	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.		Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION CITIES—Con.															
1	NEW JERSEY—continued.	124	2	1		• • • • •	1		51	1	1	38	11	19	1	16
$\frac{2}{3}$	Males	50 74 18	2	1			1		30 21 5			25 13	4 7	5 14	1	4 12
4 5 1	Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{M}_{++} \\ \mathbf{F}_{+-} \end{array} \right\}$	45 98	9	2	3	1			35			20	14	2 8		6
6 7	Males	42 56	7 2	2	2	1	- 2 1		17		' 1	10 10	6 8	5 10	2	3
8	Females Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	26 34	7 2 .	2	2	1	2	• • • • •	5			3	2	4	2	5 2 2
9	Other cities	497	17	1		- 4	3	1	71	- 1	1	106	62	82	6	49
11 12	Females	321 79 200	15 2 2	1		2 2 2 2	3		99 16 19			61 9 13	38 7 6	53 14 27	6	31 3 9
13	Registration cities	6,621	243	18	97	24	50	21	2,418	17	139	1,532	730	1,032	87	614
14 15 16	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \end{array}$	2,685 3,936 1,425 2,489	204 39 204 39	17 1 17 1	86 11 86 11	22 2 22 22 2	60 20 60 20	19 5 19 5	1, 223 1, 195 348 219	15 2 7 1	111 28 50 7	801 731 224 119	296 434 67 92	448 584 316 335	34 53 21 20	256 358 142 148
17	White	6,528	242	18	96	24	80		2,390	16	137	1,517	720	1,022	87	608
18 19 20	Males Females Diagnosis reasonably certain. { M., F.,	2,663 3,865 1,417 2,435	204 38 204 38	17 1 17 1	86 10 86 10	22 2 22 22 2	60 20 60 20	19 5 19 5 5	1, 211 1, 179 347 217	14 2 7 1	109 28 50 7	795 722 223 118	293 427 67 91	445 577 314 330	34 53 21 20	254 354 141 145
21 22	Colored	93	1		1				12	1	2	15	10	10		6
23 24	Females	71 8 51,	1						16 1 2			1 1	ř	7 2 5		1 1 3
25	Albany	151	3	1		• • • • • • • • • • • • • • • • • • • •	-	-	46,		1	:12	11	19	2	12
26 27 28	$\begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}. \end{array}$	48 103 23 64	3	. 1	. 2				16 30 3 6		1	11 21 2 3	3 8 1 3	5 14 3 4	1 1 1	2
29 30	Buffalo	435	16	$-\frac{2}{2}$	<u>5</u>	<u> </u>		1	162	··		106	47	56	6	32
31 32	Females. Diagnosis reasonably certain ${M \choose F}$	243 94 153	16	2				1	81 19 13		8 1 4	56 50 11 8	$\begin{bmatrix} 17 \\ 30 \\ \frac{1}{5} \end{bmatrix}$	28 28 15 19	2 4 1 2	16 16 4 9
33 31 (New York Males	4,452 1,908	166	7	70 63	18 IS	38	20	1,735	12	117	1,100	506	705	62	415
35 36	Diagnosis reasonably cer-{Mtain	2,544 1,001 1,558	24 1 142 1 24	7	7 63 7	15	13 38 13	16 4 16 4	908 827 261 153	11 1 6	95 22 44 7	594 506 170 86	208 298 41 59	318 387 231 221	24 38 14 15	181 234 106 94
37	White	1,889	165 ————————————————————————————————————	7	69	18	51 	20	1,713	12	- <u>116</u> - <u>94</u>	1,089	496 205	696 315	62	179
39	Diagnosis reasonably cer-{M	2,480 996 1,508	23 142 23	7	6 63 6	18	13 38 13	4 16 4	814 200 151	1 1	22 44 7	500 169 85	291 41 58	381 229 217	38 14 15	231 105 92
11	Colored	83	1		1	<u></u> .			_ 22		1	_ 11	10	9		5
12	Male	19 61 8 50	1		 1 1	: .'			13 1 2			6 1 1	3 7 1	3 1 6 1 2 1 4 1		2 3 1 2
15	Bronx Borough	516	19	1	9	3.	2		187	1	10	124	52	104	8	63
17	Males. Females. Duagno is reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	209 307 110 193	$\frac{17}{2}$ $\frac{2}{17}$ $\frac{2}{2}$.	1	1	3	2 2	3 1 3 1	92 95 22 24 .	1	9 1 3 1	62 62 18 16	20 32 1 7	$\begin{vmatrix} 42 \\ 62 \\ 33 \\ 37 \end{vmatrix}$	5 3 5 1	24 39 15 17

-									at nead o			-1							
						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT T	UMORS (OF-						
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	f organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
					1						1			1					
2		21	1	20			12		19	1	1	2	3	2	3		1		6
2		21	1	20			12		13 6	1		2	1 2	2	2 1		1		4 2
2		20		20			12		9 3	'1		1	1	2	1				$\left\{\begin{array}{c}3\\1\end{array}\right\}$
5		9		9			11	2	17	2	2	. 2		2			3		6
2 3 2		9		9			1 10 1	2	10 7 8	2 2	1 1	1 1 1		2			1 2 1		3 2 1
3 27		9 83	2	9 78	3		10 54	9	3 82	4	5	6	5	9	9		1 7	2	35
11							1	6	54 28	3	3 2	4 2	3	9	5		1	2	21 10
16 11 16		83 82	, 2 , 1	78 78	3		53 1 53	3 6 3	27 14	1 3 1	1		2	2	3		1 2	2	14 11 15 9 }1
318 153	13	961	82	851	25	3	725 15	121 75	720	65	53	86 40	75 45	93	184	9 3	70	16	439 13 255 1
165 152	5 8 1	961	82	851	25	3	710 15	46 75	401 467	58 7 58	31 23	46 15	30 24	39	61 68	6 2	36 16	16	184 13
163 : 314	13	932 930	56 79	\$48 824	25 24	3	708	46 121	210 1,112	7 65	9 84	17 85	18 73	91	22 183	9	10 70	16	123 3
152 162	5	930	79				15 696	75 46	713 399	58 7	53 31	39 46		91	122	3	34 36	16	253 1
151 161	1	901	53	824 821	24	3 3	1.5	75 46	462 209	58 7	23	15 17	29 23 17	35	61 67 22	6 2	16 10	16	$183 \begin{vmatrix} 19 \\ 204 \\ 123 \end{vmatrix}$
4		31	3	27	1		14		9			1	2	2	1				3 2
1 3		31	3	27	<u>i</u>		14		7 2 5				1 1	2	1				2 22
2		31	3	27	1		14	******	i				1	1				:	2 }2
2	1	31	3	27		1	20	2	30		2		1	7	<u></u>		2 - 1		8 26
2 2	1	31	3				20	2	8 12 4		2			2	1 3		1		7 125
18		61	6	56	2		46	3	83	4	6	5	2	16	12		3	2	33 29
10		64			2		1 45	4 4	62 21	4	3 3	3 2	2	16	- б		2 1	2	24 30 9 31
10		61	3		2		1 41	1 4	39 12	4	1	1	1	8	3			2	18 }35
221	7	587	49	517	20	1	449	68	742	47	71	55		41	125	8	50	10	282 33
111 110 110	2 5 1	587	49	517	20	1	10 439 10	41 27 41	489 253 319	43 4 43	47 24 20	26 29 9	19	41	\$6 39 47	3 5 2	61	10	173 34 100 35 142 1 2
109 217	7	572 538	36 46	515 491	20	1	439	27 68	122 733	4 47	8 71	9 54	11 51	39	10 124	1	1 6	10	142 3t 70 3t 279 37
110							10	41	452	43	47	25	33	39	S5	3	26	10	171 38
107 109 107	5 1 3	558	33	491 489		1	126 10 426	27 41 27	251 314 121	43 4	21 20	29 9 9	18	13	39 46 10	5 2 4	19	10	108 39 110 } 40
4		29	3				13		9			1	2	2					
3		29	3	26	!		13		7 2 5				1	;	1				2 1:
2		29	<u>-</u>	26			13		5 1 		-=-		1		5				· · · · · · · · · · · · · · · · · · ·
32	1	64	4	57	3		55	3	79 53	1	7	1	3 2	<u>S</u>			— - s	1 - 1	33 45
19 13	1	64	<u>4</u>	57			2 53 2	3 3	33	1	3				5			1	12 47
. 19		61 ,	. 2	56 ,	3 1		53	5 ,	11		1,				1				9 Jac

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-			DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-													
		Acuma			Buccal c	avity.				Stor	ach and	liver.			neum, in nd rectu	
	AREA AND BASIS OF DIAGNOSIS.	Approgate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharyux.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con. NEW YORK—continued.				1	,									1	
1	Bronx Borough—Continued. White	511	19	1	9	3	2	4	186	1	10	123	52	104	4	63
2 3 4	$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} {\scriptsize \begin{Bmatrix} M, \\ F \end{Bmatrix}}.$	207 304 110 100	17 2 17 2	1 1	1	3	2 2	3 1 3 1.	91 95 22 24	1	9 1 3 1	61 62 18 16	20 32 1 7	42 62 33 37	5 3 5 1	24 39 15 17
5 6 7	Colored	5 2 3							1			1				
8	Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$. Brooklyn Berough	3 1,439	53	2	24	ь.	19	2	570	4	29	364	173	223	16	136
10 11	Males Females	583 856	12	2	22 2		10	2	290 280	4	24 5	186	76 97	100 123	6 10	55 81
12	Diagnosis reasonably certain. ${\mathbb{A}\dots \atop F}$	304 530	12 11	2	22 2	6	10	2	85 49	2	14	53 27	16 21	72 69	3	31 34
13 14	White Males	1,410	53	2 2	24		19	2	288	4	29	360	75	98	16	131 53
15 16	Females Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	832 302 514	11 42	2	2 22 2	6	9 10 9	2	273 85 48	2	5 14 1	175 53 27	93 16 20	120 71 67	10 3 3	78 30 32
17	Colored	29							9			1	5	2		5 2
19 20	Females	24 2 16							7			3	1	3 1 2		3 1 2
21	Manhattan Borough	2,124	77	4	34	- 7	23	9	\$26	6	67	519	234	328	34	191
22 23 · 24	$egin{array}{ll} Males & . & . \\ Females & . \\ Diagnosis reasonably certain. \left\{ egin{array}{ll} M \\ F \end{array} \right.$	955 1,169 506	9	4	30 4 30	7	20 3 20	7 2 7	455 371 139	5 1 4	53 14 24	297 222 85	100 134 23	148 180 104	12 22 6	88 103 50
25	White	722 2,079	76	4	33	7	23	9	73 815	6	5 66	41 513	230	324	9 34	38 191
26 27 28	Males	944 1,135 500	68 68	4	30 3 30	7	20 3 20	7 2 7	449 366 138	5 1 4	52 14 24	294 219 87	98 132 23	147 177 103	12 22 6	103 50
29	Colored.	693	1		3		3	2	72 11	1	5 1	40 6	26	99	9	35
30 31	Males Females	- 11	1						6 5		1	3 3	2 2	1 3		
32	Diagnosis reasonably certain- $\left\{ egin{matrix} M \\ F \end{array} \right\}$	29	1		1.				1			1		1 2		
33	Queens Borough	- 277 115	12 1		- 3 3	2	4	3	51	1	7	3.5	32	23	3	19
36	Females Diagnosis reasonably certain. $M \dots M_{F}$	162 60 89	11 11 1		3	2	4	1 2 1	60 10 6		2 2	34 5 2	24	18 18 12	3	7 4
37	White	276	12		3	2	4	3	111	1	9	69	32	41	3,	19
38 39 40	$\begin{array}{c} \text{Males}, \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\}. \end{array}$	115 161 60 88	11 1 1!		3	2	4	2 1 2 1	51 60 10 6	1	7 2 2	35 34 2	24	23 18 18 18 12	3 2	11 8 7 4
11	Colored.	1 '														
41 41	Males Females Diagnosis reasonably certain. M.	i i														
45	Richmond Bore 1gh	96					3	2	41		2	24	15	9	1	6
16 17 18	Male Female Diagno is reasonal by cartain, M.,	- 16 50 21	4 1				2 1 2	2	20 21 5		2	14 10 3	1 11 1	5 4 4	1	3 3 3
49	White.	24 93	1 5				3	2	1 40	1	2	21	1 14	9	1	6
70 51	Male: Female	- + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	; i				2 1	2	20 20		2	14	4 10	 5 4	1	3 3
52	Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ \Gamma \end{matrix} \right\}$	24 23	1 (2	2	5 1		1	3	1 1	4 2		3

							[5	ee note a	t head of	this table	e, p. 88.]	<u></u>							
						PEAT	HS FROM	CANCER	AND OTH	LR MALIC	SNANT I	TUMORS	OF						
Periton ntestin rectum	es, and		Female	genital or	gans.						(Other or	gans or of	organs i	iot Speci	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.		Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except	Tis- tes.	Others of this class.
32	1	61	i 1	54	3		5.5		, , 1 78	1	7	3	3		14		, 8	1	
13 19 13 19	1	61	4	54	3		2 53 2 53	3 3 5	52 15 33 11	1	4 3	3	2 1	3	9 5	1	6 2 3	1	21 12 18 9
		3		.3					1			1							
35 30 35 30	3 1 2	197	11 11 9	177 177 177	9		154	20 10 20 10	212 131 51 85 42	13	$ \begin{array}{c c} & 16 \\ \hline & 11 \\ & 5 \\ & 5 \\ & 2 \end{array} $	6 8 1 3	11 N 3 3 2	3	22 15 8 4	2	12	2 2 2	97 54 43 47 29
38 30 38 30	1 2 2	190	9	172	9 9		148	20 10 20 10 20 10	130 30 34 42	13	16 11 5 5 2	6 1 3	8 3 3 2	7	22 15 8	2 2	5 7 2	2 2	54 42 47 29
		7	2	5			6		I 1 1 1					1 1 1					1 1
101 47 54 47 53	1 1 1 1 1	281 281 272	33	241	6	1 1	203 195 8 195	26 15 11 15 11	261 122 172 61	27 24 3 24 3	27 11 11 5	33 17 16 8 6	22 15 14 9	23 23 7	59 45 14 2\ 4	1 5 1 1	13 13 13 7 1	6	83 42 66 26
97 46 51 46 51	1 1 1 1	263 - 263 - 254	32 32 21	224	6	1 1	189 189	26 15 11 15 11	257 121 168 60	27 24 3 24 3	27 14 11 5	33 17 16 8	21 14 13	23	58 44 14 27 4	1 5 1 4	26 13 13 7	6	123 \$1 42 64 26
1 2			1	17			6		- 5 - 4 1 1 1	1			1						- ² - ² - ² - · · ·
18 12 6 11 6	1	32	1	* *	. 2		32 32 32	$-\frac{1}{3}$ $\frac{1}{3}$ 1	27 18 18	3	: :	i 1	2				. 1		
12 6 11 6	1		1	. 29	- 2		31 31 31	3 1 3	27 18 18 18	1 3			2	1					16 9 5
			F		, , , , ,		. 1												
1 1 1		13		13			5		11 2	2		1 1			2 1 1 1		1	1 1 i	1
1 1				12	-		5		11	2		1 1			-			1 1	_

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

			THEY AM		-	DEAT	HS FRO	M CANCE	ER AND C	THER M	IALIGNAN	T TUMOR	s of-		-	
		Agama			Buccal	eavity.				Ston	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.		Esoph-	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
i	REGISTRATION CITIES—Con.		•													
1	NEW YORK continued. Richmond Borough—Continued.					in an		Ì			1					
1	Colored	3						· <u></u>	1				1		· · · · · · · ·	
3	Males Females Diagnosis reasonably certain. {M	1 2											1			
5	Rochester	1 261	10	1	5	2	2	1	79		3	41	32	51		28
6	Males	95 166	S		5	2	2	1	30 49	1	1 2	19 25	10 22	23 28	5 3	10
8	Diagnosis reasonably certain. $\left\{ {\stackrel{M}{F}} \right\}$	70 118	1 2		5	2	2	1	15 16			11 6	10	18 20	1	6 12
9	Syracuse	126	3	1					33	1	1	17	14			6
10 11 12	Males. Females. Diagnosis reasonably certain. M .	38 88 20	1 2 1	1 1			2		17 16 7 2	1	1	7 10 3	8 6 3	3 8 1		2 4
13	Troy	64 136	9		3	1	2 3		2 41	1	1	27	12	5 16		1 9
14 15	Males	52 81	S	2	3		3		24 17	1	1	13 14	9 3	6		4 5
16	Diagnosis reasonably certain. $\{F,\}$	25 59	1	2	3	1			5 3			3	2	3 5		2
17	Utica	S2	2	2					30			20	10	17		8
18 19 20	Males Females Diagnosis reasonably certain.	25 57 11	1 1 1	1 1 1		1			14 16 3			9 11 1	5 5 2	6 11 4		2 6
20	Yonkers	37 65	1 2	1	1 2				2 26	(17		. 11	1	3 8
22	Males	29 36	2		2				15	1	-	10	4	7		6 2
24	Females Diagnosis reasonably certain. {M	9 20	2		0				1 1			í í	1	, 3		2
25	Othercities	913	32	3	10	3	14	2		· · · · · · ·	7	169	90	146	8	96
26 27	Males	298 615 169	23 9 23	3	6 4 6	2 1 2 1	11 3 11	1 1	118 148 34		3	82 87 22	32 58 10	52 94 38	2 6 1	33 63 22 26
25	NORTH CAROLINA.	416	9		4	1	3	1	23			9	14	52	2	26
29	Registration cities	124	1		1				37		1	19	17	9	2	4
30 31	Males	34 90	1						16 21	l	1	9 10	10	2 7	2	1 3
32	Diagnosis reasonably certain. ${M \over F}$	16 69			1				6			3	1 5	1 4	· · · · i	ī
33	White	$-\frac{76}{26}$	1		$\frac{1}{1}$				27		1	12 6	14	⁸	2	- 4
35 36	Females Diagnosis reasonably certain. $\binom{M}{F}$.	50 10 36	. 1		1				16 1 6			6	9 5	6 1 3	2	3
37	Colored	48			1				10			7	3	1		
38	Males	40							5			3 4	2	1		
1()	Diagnosis reasonably cortain.	6 33							3			2		1		
41	OHIO. Registration cities	2,104	76	3	. 20	10	35	,	802	3	34	478	257	260	20	141
42 43	Males Females.	789 1,315	65 11	3	15	7 1	30 5	7	386 416	3	29	240 238	114 173	106 154	12	60
41	Diagnosis reasonably certain. ${M \dots \{F \dots \}}$	852	65	3	18 2	3 7 3	30 5	7	107 104	1	14 3	69 56	23	62 97	3	22 35
45	White	2,041	76	3	20	10	35	- s	780	3	33	464	280	256	20	140
46 47 48	$rac{ ext{Males}}{ ext{Female}}$ Diagnosis reasonably certain, $\left\{egin{array}{c} ext{M} \\ ext{F} \end{array} ight.$	1,269	65 11 65	3 3	18 2 18	7 3 7 3	30 5 30	. 7	376 404 106	3	29 4 14	235 229 68	109 171 23	104 152 61	12	59 81 22 35
2 '	F.	849	11		2	. 3	5	1	101	1	2	55	44	96	3	35

						DEATE			AND OTHE				F—						
Peritonintestin	es, and		Female	genital or	ga n s.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	1																		
		1	1	1	·				1	· · · · · · · · · · · · · · · · · · ·				1		1			
 		1	1	1															
 15		38	1	36		1	30	6	47	 1 3	 	3	10	6			2	1	15
8							2 2	. 4	28 19			1 2	4	6	4		1	1	<u>8</u> :
87		35	1	36			28	2 4 2	23 13	3			6 2 4	6	3 2		1 1	1	5
5	l	27	4	23			20	1	28	1		4	2	4	4		2		11
1 4		27	4	23			20	2 2 2 2 2	15 13	1		4	2	4	2 2		2		6 5
1		25	2	23			20	2 2	9 8	1		2	1	3	1 1				5
6	1	22		21	1		22	3	23			2	2	2	6				11
1 5 1	1	22		21	1		22	1 2	12 11 7			2	2	2	5 1 3				5 6 3
4	,	22		21	1		22	2	5			1	1						3 3
9		14	1	13			11		8			1			1		1		3
5		14	11	13			11		3			1					1		2 3 1
2		14	1	13		1	11		, 8		2	1			1				4
1		6		6		ļ	1 11		4 4		2	1			1				2 2
1 1		6		6	1		1 11		2 1										2 1
38	1	172	18	152	2		115	1 30	152	10	3	15	5	17	22	1	10	3	бh
15 23 15 23	2 2	172	18	152	2		1 114 1 113	20 10 20 10	54 68 53 44	3 3	3	9 6 4 3	2 3 1 2	17 5	13 9 8 5	1	4 6 2 2	3	26 40 21 29
3		43	3	37	2	1	10	7	17				4	1	1		2		9
1 2		43	3	37	2	1		5 2 5	9 8		1		3 1	1	1		1 1		4 5
1 2		43	3	37	2	i	9	5 2	5		1		2		1		1		3
2		15	1	'				7	11				4	1	1				3
1 1		15	1	13		1	7	5 2 5	7 4 2				3 1 2	1	1				2
1		15	1			1	7	2	3						1		1		i 6
		25	2		_		3		6					'- <u></u> 					2
1 1		25	2		2		1 2		2 2				1						2 2
97		375	_ 23	347	2	3	206		319	21	28	26	26	29	37	5	18	2	127
59 37		37.5	23	347	2	3	2 204 2	30 36 30	200 119 127	5 16	11 4	$\begin{bmatrix} & 16 \\ 10 \\ 12 \\ 2 \end{bmatrix}$	10	·····i1	26 11 9	3	7 11 2 5	2	72 55 61 40
59 95	1		16 22	317	2 2	2 3	201	36 66	309	20	27	25	25	25	37	5	5 17	2	123)
37	\ <u></u>							30	195	16	16	15	13	25	26	2 3		2	71 52
55 36 55	1	351	22 16	327		3	198 2 198	30		16		10 11 2	10				11 2	2	60 35

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

			DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			,			(PDA)	ins rw.	M CANC	ER AND O			T ICMOR				
	AREA AND BASIS OF DIAGNOSIS	Agere-			Buccal	eavity.				Stom	ach and	liver.			eum, int nd rectur	
	AND AND DANK OF PRODUCT	gate.		1		1.		Others		Phor	Esoph-	Stom-	Liver		Perito- neum	Intes-
			Total.	Lip.	Tongue	Mouth	Jaw.	of this class.	Total.	ynx.	agus.	ach.	gall blad- der.	Total.	and mesen- tery.	tines.
	REGISTRATION CITIES—Con.									1					*******	
	оню-continued.															
1	Registration cities—Continued.	63				1			22		1	14	7	4		1
2 3	MalesFemale	 17 46							10 12	,		5 9	5 2	2 2		1
4	Diagnosis reasonably certain, $\{K, K,	4 33							1 3			1	1	1 1		
5	Akron	62							25	1		15	9	7		5
6 7	Males	20 42 :							10 15 2			4 11	5 4	3 4		3 2
8	Diagnosis reasonably certain. $\{F, \dots \}$	15							5			3	3 2	2		
9	Cincinnati	419 153	16	2	- 5 4	2	6	1	73	1		91	67	36	2	
11 12	Females Diagnosis reasonably certain. {M. F.	266 76	1 15	2	1	2	 6	1	93 18	1	2 2	51 12	27 40 3	26 7	2	5 9 2
13	White	169 400	16	2	1 5	2	6	1	21 159	1	6	10	9 65	16 36	2	1 14
14	Males	150	15	2	4	2	6	1	72	1		40	26	10		5
15 16	Females	250 76 , 159	1 15 1	2	1	2	6	·····i	87 18 19	1	1 2	47 12 10	39	26 7 16	2	9 2
17	('olored	19							7		1,	4	2			
18 19	MalesFemales	3 16							1 6		1	4	1			
20	Diagnosis reasonably certain $\left\{ egin{matrix} M & \ldots \\ F & \ldots \end{array} \right.$	10							2				1			
21	Cleveland	483	16	1	4	1	8	2	207		12	139	56	63	5	37
22 23	Males	214 269	15 1 15	1	4	1	8 8	1 1	120 87		11	87 52	22 34	31 35	3 2	17 20
24	Diagnosis reasonably certain. $\{{ m F}^{ m M}:$	105 183	13					1	39 26		ti	27 14	12	18 26	1 1	12
25 26	Columbus	78	6		2		4		73	1	2	38	32	20	2	13
27 28	Females Diagnosis reasonably certain. [M	142 44	6)		2		4		37 36 15		1	16 12	12 20 2	11 / 9 · 5 /	1	6 2
29	White	208	6 '		2		d		13 69	1	2	5 34	32	6	2	3 12
30	Males	74	6		2		1		34	1	2	19	12	10	2	6
31 32	Females. Diagnosis reasonably certain. ${M \choose F}$	134 43 103			2		1		35 14 13		······i	15 11 5	20 2 8	8 5 5	1	6 2 3
33	Colored.	12	1									4		2		1
34 35	Males	4 8										3 1		1 1		1
36	Diagnosis reponably certain. $\left\{egin{matrix}M\dots\\F\dots \end{smallmatrix}\right\}$	7							i '			î		<u>i</u>		
37	Dayfoa	133	5				1	2	43		3	23	17	18	1	8
35 29	Male Female	43 90 17	1				···i	2			3 i	15	5 12	6 12 5	1	7
40	by ,more reasonably certain, (M	62	1						3			2	1	5 7		3
41	Toledo	77	5								4	52 25		12	1	10
43	Lemale	107	1 5				1		43 9		1 2	25 27 5	15 2	6		2 2
45	Young town	66	2						9 23		1	6	10	12	2	5
16 47	Male	24	1				1		12		1	5 7	6 1	1 11	2	1
4	Diagnosis reasonably certain. $\{{}^{M}_{F}:$	10 27	1				1		11 2 1		1	1				2
311	Other eithe	537	25		6	ti li	10 1	3	189		4	108	77	\$1	7	49
1	Males	180 357	19 6		1	1 2	7 3 7	3	111		3	12 66	33	32 49	3 4	18 31
. 3	Duagnosis reason () certain $\{ H, F \}$	94 236	19 l 6 .		1	2	3	3	17		1	9 15	7 10	21	1 1	10

						DEAT			AND OTH				OF						
Perito: intestin	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.	<u> </u>		
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan- creas.	Kid- neys and supra- renals.	Pros-	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
2		21	1	20] 		6		10		1			1					4
1 1 1 1	1	21	i	2)			6		5 5 2 3	1	1	1	1	1			1		1 3 1 2
2		10		10			10	1	6 3	1		<u>·</u>	1 1	1	2 1 1				4 3 1
20		10 80	7	72	1		10 36	15	70	4	4	4	7 3	9	10 10 9		7	1 1	24
15 5 15 20		77 73	7 1 0	72 72 66	1 1		36 36 35	9 6 9	49 21 30 9	4	4	1 3	1 1 7	3	10		3 1 1 6	1	8 14 7 22
5 15 5 15		73	6	66	1		1	0 9 6 9	47 19 30 8	4	4	3 1 3	3 4 1 1	3	. 1 3		3 3 1 1	1	16 6 14 6 }
		7	1				. 1 . 1		2 2		1			1			1		2 2 1
21 11 13 11		67	6		-	1 - 1	42 1 1 41 1	5 5 5 5	75 42 33 27	6	10 7 3 1	3 1 2 1 2	3 4 2	5	3 1 1	1	4		35 16 19 12 12
13 5 2	1	56	1			1	21	5 5 3	19 33 19 14	3	1	3	3 2 1	3	2	1	3	1	$ \begin{array}{c c} & 13 \\ \hline & 13 \\ \hline & 6 \\ & 7 \end{array} $
3		55	1	54 54 52		1	21	3 3	13 9 32	1 2 3	2 2 2 1	3	3	3		1		1	5 }
2 2 2 2 2		ű3	1	52 2		Ti			19 13 13 13	1 2 1 2	2 2 2 1	1 2	1 2 1	3	2	i i			5 }
1		2		· · · · · · · · · · · · · · · · · · ·			3					:							
5 4 5		31		- - - 30			——————————————————————————————————————	. 1 6			· · · · · · · · · · · · · · · · · · ·	3 1 1	1 1	.;	1				}
5			1	25	1	1	15 15	6 2	32	1	2	}	1	1	I.	- 1 - 1			11
	1	27 27 11		9	****		15	3	11 0	-	2	1	. 1		1				, ii
1 24	1	11 93	2	87	1	; ; ; ,	61	3 11	7 1		6		2		11	2	ň	, .	29
11 13 10 13	1	93)		1		1 60 1 60	6 5 6 5	44 30 30 17	5 2 5 2	2	3 5 2	1 1 1	i i	â	1 1	no.		18 11 17 10 }

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

-		= _				DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR:	S ()F			
		Aggre-			Buccal c	avity.				Stom	ach and l	liver.			neum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharyux.	Esoph-agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.		- 1			ann									1	
1	OKEGON. ¹ Portland	229	12	3	3		5	1	84		2	- 56	26	39	2	20
2 3	Males	107 122	9 3	3	2		3 2 3	1	56 28		2	43 13	11 15	14 25	2	5 15
4	Diagnosis reasonably certain, $\left\{ egin{array}{l} W_{++} \\ F_{-+} \end{array} \right\}$	63 87	, 9	13	2		2		23			17 4	6 5	10 15	·····i	6
5	White	222	11	3	3 2		$-\frac{4}{2}$	1	⁷⁹ 51		2	53 40	9	39	2	
7 8	Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	121 58	3 8	3	1 2		2 2	····i	28 19			13 15	15	25 10	2	15
9	Colored.	86 7	3	1	1		2		9			3	2	15	1	6
10 11	MalesFemales	6	1				1		5			3	2			
12	Diagnosis reasonably certain, ${M \choose F}$.	5	1				1		4			2	2			
13	PENNSYLVANIA. Registration cities	3, 245	139	8	38	13	65	15	1,204	4	43	767	390	392	35	231
14	Males	1, 204	113	8	34	12	49	10	558	3	34	362	159	165	13	94
15 16	Females Diagnosis reasonably certain. {M F	2,041 610 1,343	26 113 25	8	34 4	1 12 1	16 49 15	5 10 5	646 125 134	1	9 9 5	405 87 75	231 28 54	227 97 137	22 5 12	137 34 57
17	White	3,104	135	8	36	13	63	15	1,152	4	40	729	379	375	34	222
18 19	Males Females	1,158 1,946	109 26	8	32	12	47 16	10 5	536 616	3 1	33 7 9	347 382	153 226	158 217	13 21	92 130
20	Diagnosis reasonably certain. ${ m M.}$	592 1,278	109 25	8	32 4	12	47 15	10	124	1	4	86 72	28 53	92 130	5 11	34 53
21 22	Colored	141	4		2		2	******	52		3	38	11	17	1	9
23 24	Females Diagnosis reasonably certain. ${M \choose F}$	95 18	4						30 1		2	23	6 5	10 5	1	$\frac{2}{7}$
25	Allentown	65 59							5		1	3 11	2	7	1	7
26 27	Males	13				1			6			5	1	2		2
28	Females Diagnosis reasonably certain. {M	46 S 32							3			6 2 1	1	1		5
29	Erie	55	3		1		1	1	20			14	6	8	2	4
30 31	Males	22 33	3		1	1	1	1	11 9			9 5	2 4	2 6	2	1 3
32	Diagnosis reasonably certain.	21							2			1	2	3	1	1
34	Harrisburg	57	2						12			5	7	11	1	3
35 36	Females. Diagnosis reasonably certain. ${M \choose F}$	41 7	2				2	· · · · · · · · · · · · · · · · · · ·	8			3	5	7 2		5 2
37	Lancaster	32 55	2				2				1	12	7	5		3 2
38 39	Males Female	23	2				2		12	1	1	9 3	2 5	3 4		1
40	Diagnose reasonably certain $\left\{egin{smallmatrix} \mathbf{M}_{++} \\ \mathbf{F}_{++} \end{array}\right\}$	10 20	2				2		8 1 2 2	1		1 2		3 3		1
41	Philadelphia	1,541	76	2	25	11	30	9	547	3	25	349	170	170	15	105
42 43	Males. Females. (M.	591 950 323	62 14 62	2	22 3 22	11	23 7 23	4 4	256 291 64	2 1 1	22 3 6	163 186 47	101 101	71 99 48	10 5	42 63 19
41	Diagnosis real anably certain $\left\{ egin{align*} M \\ F \end{array} \right\}$	631	14		. 3		7	4	62		1	33	28	56	6	24
46	White	1,455	60	2	24	11	29	8	243	3 2	22	325	164	159	14	100
47	Fem des . Luagnosis reasonably certain. $\left\{egin{array}{l} M \\ F \end{array}\right\}$	891 311 591	14 60 14	2	3 21 3		22	4 4	271 63 59	1	1 6	171 46 32	98 10 27	91 45 50	9 5 5	58 19 21
	(n below	only th	ose with	a effective	local or			61	- 00	.,	211

	= -					DEAT	HS FROM	CANCER	AND OTH	ER MALIC	GNANT 7	TUMORS	.F—						
Periton ntestin rectum	es, and		Female :	genital org	gans.							Other or	gans or o	f organs	not speci	ified.			{
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.		Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
									1	,	1					}		<u> </u>	
9		35	3	31	1		17	4	38		3	- 3	3	3	4	1 1	3	1	11
7 4 4 4		35	3	31	1		17	3 1 3 1	13 18 8		3	3 2 1		i	2 3 1	2 2 1 1	2 1 1		1 6 3
17		34	3	30	1		17	4	38		3	.5	3	3	6	4	3		11
9 8 8 8		33	3	30	1		17	3 1 3 1	25 13 18 8		3	3 2 1 1	2 1 2 1	3	4 2 3 1	2 2 1 1	$\begin{bmatrix} \frac{1}{2} \\ 1 \\ 1 \end{bmatrix}$		7 6 3
		1		1											· · · · · · · · ·				
		i	,	1															
		1		1						1									
125	1	572	32	527	12	1	369	80 47	489	26	7	21	31	47	73 58	7 7	33	4	151 107 74
67 5% 67	1	572 561	32	527	12	1 1	361 8 361	33 47 33	176 220 92	2 24 2	13 3 3	33 14 10	20 11 10	20	15 41	7 4 2	12 9 7	4	74 90 50
119		539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173
53 66 53			32	494	12	1	348 8	47	300 169 212	24 2 24	12 3 3	23 33 13	14 19 11	45	54 15 38	7 7 4	19 11 9	4	103 70 87
66 6	1	528 . 33	21	494	12	1	348 13	31	87	2	3	10	10	2	8	2	3		46
5 1	·i	33		33			13	2	13 7		i	1	·····i	2	4		2		4 4
1	ii	33		33			13	2 3	5		===		2	2			1		3 4
		13		13			11	3	5 4				2	2					3 1
i		13		13			11	3	5 3		i i		1	2					3 1
2		6		6			7	2	9				2	1	2				4
1		6		6			6 1 6	1 1 1	5 3 3				1 1	' [*]	2				2 2 1
2		14	1	13		1	4	1	6						1		2		2
2	.1	14	1				8		4 2 1			1		,	1		2		2
		14	1				8	2	1 11		• • • • • • • • • • • • • • • • • • •	3		. 1	2				
2 3		b	···· i	5			8		5 6 2			3		1	1				3 2
2 3 49		5 0 268	13	. 5			186		2					20	1		17	2	1 91
24 25 24	1	268	13	247		1 1	5 181 5	20 13 20	177 84 124	12 1 12	5 7 3	20 17 11	9	20	31 9 22 3	6 3	12 5 5	2	60 34 50 23
25	1	264	13			1 1	181		41	1	1	8	17	20			15		
21 24 21 24			13	227	7	i			168 \$1 118 3	1 12	3	19 17 10 8	9 5 3	20	2× 9 19 3	3	5 5	· · · · ·	57 31 45 20

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMORS	s of ~			
	APPL IND PASTO OF INCOMES	Aggre-			Buccal c	avity.				Stom	iach and	liver.	l		eum, int	
	AREA AND BAMS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.	_		. –											. —	
	PENNSYLVANIA continued. Philadelphia -Continued.															
1	Colored	27	,						33		3	24	6	11 3	- 1	5
3	Females Diagnosis reasonably certain.	59 12			1				20 1 3		2	15 1	3	8 3	1	5
5	Pittsburgh.	481	20	2			9	3	198	1	6	1 129	62	51	6	3 25
6	MalesFemales	177 304	18	2	5 1		\$ 1	3	81 117	1	4 2	53 76	23 39	26 25	2 4	15 10
8	Diagnosis reasonably certain. ${ m M.} { m F.}$	95 194	18	2			8	3	21 26		1 2	16 17	7	13 18	3	4
9	White	173	19	2 			<u>8</u>	3	190	1	6	122 51	61	51	6	25
11 12	Females	287 93 183	17 2	2	5		1 7 1	3	111 21		2 1 2	71 16 16	38 1 7	25 13 18	4	10 4 4
13	Colored	21	1				1		8			7	1			
14 15	Males Females.	17 2							6			2 5	1			
16	Diagnosis reasonably certain. ${M \cdot \atop F}$.	11							1			1		,		
17	Reading	86	3		2	1	1		30		3	16	9	7	3	7 3
19 20	Females. Diagnosis reasonably certain. ${M \cdot \choose F}$.	50 11 3 3	1 3 1		2		1		10 1				2 1 1	7 4 4	2 2	1 1
21	Scranton	\ 5	5	1	l <u></u>		2	2	28			23	5	16	1	14
22 23	Males	35 50 15	1 1	1			1	2	15 13 2			11 12 2	4	9 7	····i	8 6
24	Diagnosis reasonably certain. ${M \choose F}$	3.4	1				î		2			2		4	*******	4
25	Williamsport											9	3	3		3
27 28 ;	Females	31 7 19							1 12			9	1	6 3		3
29	Other cities	776	27	3	4	1	18	1	311		7	190	1.14	97	6	56
30 31	M des Fomales	272 504 123	, 19 5 1 19	3	4		11 7 11	1	141 170 31		4 3 2	93 97 18	70 11	38 59 19	4 2	19 37 4
32	Diagnosis reasonably certain. ${M cdots F cdots}$	327	7				6	1		*****	2	17	13			18
33	Registration cities	126	23	4	5	3	8	3	125	!	3	80	42	65	3	44
24 35	Males Females(M	155 271 86	20 3 20	4	5	3	7 1 7	1 2 1	55 70 13			40 40 10	13 29 1	30 35 18	2 1 1	20 24 9
36	Diagnost- reasonably certain. $\{K,, K\}$	175	3				1	2	7	}		2	5	17		7
37	White	419 153	23 	4	5	3	- 8	3			2	78	42	29	2	19
.59 -40 }	From iles	266 %5 173	3 20 3	4	5	3	1 1	2 1 2			2	38 10 2	29 1 5	18 17	1	24 9 7
41	Colored	7									1	2		1		1
12 13	M. do	-	*****						3		1	2		11		1
14	Diagno i rea onably certain, $\binom{M}{1}$. Providence	$=$ $\frac{2}{227}$				=	2	-	67	·. -=	3	10		39	2	
1/1 1/7	Miles	115	8	- 4	1	1		;	28 39		2	16 24	111	18 21	1 1	15 13
15	Diagnosis reasonably certain $.{M \choose F}$	46	8.1		1	1	2		9 5	,	2	6 ,		8 13		6 6

			- V-1-	- T		DEAT			at head of				or—					<u>.</u>	
Peritor ntest in rectum	es, and		Female	genital or	gans.			!				Other or	gans or c	of organs	not spec	rified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Bra in.	Bones (except jaw).	Tes- tes.	Others of this class.
									-										
4	1	20					8		12				·						6
3 1 3	i	20					5		9 3 6								2		3 3 2
20	1	20	9	20		}	41	9	3 70	10		· · · · · · · · · · · · · · · · · · ·	4	б	10	2	6		24
9		92	9				41		47 23	9		1 7	1 3	6	10	1	4 2		15 9
9			6	1 \$2				5	35 14	9		1 2	1 2	1	7	1	2 2		13 6
		86	9	76	1		39		67	10		s	3	5	10	2	5		24
9 11 9		86		76	1		39	5 3 5	46 21 37	9 1 9		7	1 2 1	3	10	1 1 I	1 2		15 9 13
11		83	6	76 6	1	1	39	3	13	1		2	2	1	 	1	1		6
		6		6					1 2					1					
		6		6			2	1	1 1					1			1		
4		11	• • • • • • • • • • • • • • • • • • • •	13	1		10	1			1	1	2	1		1	2		5
3 1 3		11		13	1		10	1	5 8 2		i 1	1	1 1	1		1	2		1 4
1		14	1	13		******	10 13		3	1			1	2	2	,			3
1		13					1		6	1				2		1			1
1	1	13	, 1	12			12 1 1 12	1	3 5 2	1				1	2				1 2
6	l	7	2	5			4	1	5				1	1	1		1		2
3		·····;	2	5			4	1	3 2				1	1					1
3		6	1	į	,		4	1						1					1
35				131			1	25	96	2	2	3	6	12	15	1	3	2	19
20 15		139	5	131	3		80	9 16 9	39 37 23	2	4	5 2	4	4	3	1	3	2	19 17 14
20		15,		1.01			1	3	23		1		3		2	1	1		1 2
18		80	4	7.3	3		54	12	67		1	5	1	8	10	2	-		32
10 8		5.)		73	3		54	1	42 25 27	1	1	4 1 3	i	3	7 3 3	2	2		16 16 13
10		5.) 79	1	73	3		54	4	10 66			1 5			10	1			13 7
5							53		41		1	1 1	1 1		7			- -	15
10 8 10		79	1 4	$\dots \frac{72}{72}$	3		53 53	4	25 26 10	1 1		1 3 1	i	3	3		1		16 12 7
		1	1	1		1													1
		·····i	1	·····i			1		1										1
		i					1		2		:	-							1
9		39		35			25	î	43 26			1		7		1	1	-	- 21
7 9		39		35			26 26	2 3 2 3	17 19	3		1			2	1	1		12

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						n nead	- (1115 (able, p.								
			!!			DEA	THS FR	OM CAN	(ER AND	OTHER	MALIGNA	NT TUMO	RS OF-			
		Aggre-			Buccal c	avity.				Ston	ach and	liver.			eum, int	
	AREA AND BANIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES-Con.	-													-	
1	RHODE ISLAND—continued. Other cities	199	15		4	2	6	3	58			40	18	26	1	16
2 3	Males	73*	12		4	2	5	1 2	27			21	3	12	1	5
4	Females	126 40 81	12 3		4	2	1 5 1	1 2	31 4 2			16 4	15	14 10 4	i	11 3
	SOUTH CAROLINA.			1												
5	Charieston ²	35							6			3	3	2		
6 7	Maies Femaies. (M.	10 25 7					- • • • • • • • • • • • • • • • • • • •		2 4			1 2	2	2		
8	Diagnosis reasonably certain.	19														
10	White Males	7							5			3	2	2		
11 12	Females	16 6 10							4			2	2	2		
13	Colored	12							1				1			
14 15	MalesFemales	3 9							1				1			
16	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	9														
	TENNESSEE,1															
17 18	Registration cities	289	7	3	1	2	<u>5</u>		76			29	15	30	2	15
19 20	Females Diagnosis reasonably certain. {M	204 37	4 7	1 2	1	2	3 2		32 10			19 8	13	20	2	7 2
21	White	160 209	9	3	1	2	3		8 59			5 35	24	14	1	13
22 23	MaiesFemales	72 137	6 3	2	1	2	1 2		36	1		23 12	13	8 13		7 6
24	Diagnosis reasonably certain $\left\{egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix}\right\}$	32 102	6 3	2	1	2	1 2					7 4	11 1 3	3 7		2
25	Colored	80	2				2		17	·		13	4	9	1	2
26 27	Males	13 67 5	1 1				1		8			6 7	2 2	2 7	1	1
28	Diagnosis reasonably certain. ${M \choose F}$	58	1				1		2			1	1	- 1 7	1	1
29	Memphis	37		1			4		36			23	13	3	1	3
31 32	Females	77 10	3 3	·····i		1	3		$\frac{12}{3}$.			9	3	9	1	3
33	White	60 86	3 4	1 !		1	3		32			19	13	10	1	6
34 35	Males Females	34 52	2 2	1		ī	2		22 10			12 7	10	3 7		3 3
36	Diagnosis reasonably certain. ${H \choose F}$	9 37	2 2	1		1			3 3	1		3 3		1 4		1 1
37	Colored	28	2				2		4			4		2		
3% 39	Males Females Diagnosis reasonably certain.	3 25 1	1 1 1				1 1		2 2			2 2		2		
40	`	23	1				1		1			1		2		
12	Males	30	2	- 1	1				12			9	3			7 3
43	Females	68 18 55	2	i					9 4 3			3 2	6 2 2	7 2		1
45	White	68	2	1	1				15			7	8	7		6
46 47	Males	22 46	2	1	1				7 8			5 2	2 6	3 4		3 3
45	Diagnosis reasonably certain, $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	14 34	2	1					2			1	1 2	1		1
	1	Nonregis	tracion st	ale: cit:	ies shows	a helow	only f	h oca mii	h offeetiv	n local c	ndinona)d				

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

<u> </u>						DEA			R AND OT				or-						
	neum, nes, and n—Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	of this	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
. —				1	1	-													
6 2	1	41		3×	3		28	7 6 1	16	1	1	3	1	1	1	 i	2		7
6 3		11		38	3		28	6 1	2	i		2	i i						1 2
2		12		12	}			1	6	1			2	2		·		<u> </u>	2
2		12		12			1 1	1	4 2 3				1 1	2					1 1
2		12 7		12 7			4		5		1	<u> </u>	2	2					1
2		7		7			1 3		3 2 3				1 1	2					1
2	.	5		5			1 3	1	1										1
		5		5			4	1	1										1
		5		5			4	1								-			
13		98	2	94	.2		21	10	43	1	2	10	1	2		. 1	5		21
2 11 2		98	2	94	2		21	6 4	20 23 12			6 2	i			. 1	. 2 3 1		9 12 7
11		98	1	1		1	21 12	8	39		2	9	1	2			. 5		19
1		61	i	59	i	,	12	4 4	15 21 11		. 1	4 5 2					. 2		8 11 6
¢:	· · · · · · · · · · · · · · · · · · ·	61	i			1	12	4 2	18		-	1	. 1			1			7 2
		37	ii	35			9	2	2 2			- <u>'</u>				. 1			1 1
		37	1		=	· ' - <u></u>	9	2				· · · · · · · · · · · · · · · · · · ·		=			- == 2		
	· · · · · · · · · · · · · · · · · · ·	1						2	. 7	1		1 2	-				1 1		3
	5	36		3+		-	. 5		1				.,						1
		21					. 1	 			1	1			<u></u>		. 1		3
	3	21							. 1										
		1.5	-										-		<u> </u>				1
	2	. 15 . 15	i	. 1		· · · · ·	. 3									:			
	1	. ' 30		20		<u>.</u> .		-					~			1 - 1	1 1		11
	3	. 30		2 2		? \ ? \		3 3	1	 	. 1						1		1 7
	1	19		1	7 1				1	7 1	. 1	3	3 1	-			-	2	
,	1	. 19		i	7 1			3 2 3 2	1	; ;	i i	1			1 1			1	

³ The only registration unit in the state.

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

									ER AND C	THER M	IALIGNAN	T TUMOR	S OF			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
	REGISTRATION CITIES—Con.					_										
	TENNESSEE 1—continued. Nashville—Continued.															
1	Colored	30							5			5	1	4		1
3	Females . Diagnosis reasonably certain ${M \choose F}$	22 4 21							1 2			1 1	i	3 1 3		1
5	Other cities ²	77	3	1		1	1		19	1		13	6	7	1	2
6 7	Mules	18 59	2	1		1	1			1		6 7	2	3 4	·····i	2
8	Diagnosis reasonably certain. ${n \choose F}$	9 t 45 ,	2	1		1	1	• • • • • • • • • • • • • • • •	3			3	1	1 4	1	
9	White	55. '	3			I	1					9	3	4		1
11 12	Females Diagnosis reasonably certain. {M F	3)	1 2	1		<u>i</u>	·····i		5			3	2	2		
13	Colored	31 22							7			4	3	3	1	1
14 15	Maies	2 20							1 6			4	1 2	1 2	1	1
16	Diagnosis reasonably certain, ${M \choose F}$.	14												2	1	
	TFXAS.1				1	0	4					00	22	00		
17	Registration cities	74	7 6		1	2	3		29		1 1	29	12	22	$-\frac{4}{2}$	3
19 20	Females Diagnosis reasonably certain. {M	107 46 74	1 6 1		1	2	1 3		23 9 3			13 4 1	10 5 2	13 7	2 1 2	6 2
21	White.	170			1	2	1		49		1	27	21	22	4	9
22 23	MalesFemales	70 100	6		1	2	3		25 21		1	16 11	11	9	2 2	3 6
24	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	41 68	6		1	2	3		9 2			4	5 2	7 7	$\frac{1}{2}$	2
25	Colored	11							3			2	1			
26 27 28	Males. Females.	7 :							1 2	1:-::::		2	1			
20	Diagnosis reasonably certain ${M \cdots \{F\}}$	== -6	3	====		-=2			1 15		- : -	5	9	4		
30	Males	25				2	1				1	3		2	1	
31 32	Females. Diagnosis reasonably certain. {M F	24 17 17	3			2	1		$\frac{7}{2}$			2	2 2	2 1 2		
33	White	45	3			2	1		14		1	5		1	1	
34 35	Males	21 21 15	3			2			7 7 2		1	3 2	3 5 2	2 2	1	
36	Diagno i reasonably certain, $\{K,\}$	14				1			2				2	2		
37	Colored	7							1	1			1			
39 40	Females Drugno is reasonably certain. {M {F	3 2 3											1			
11	s on Antonio	81	3				3		23			16	7	11	3	4
12 43	Malos	29 52	1				2					1	4 3	4 7	1 2	1 3
11	Drigno i reasonably certain. (F.,		1				1		1			$\frac{1}{1}$	2	1 1	1 2	1
17	White	77	3	-					21	*****		14	7	11	3	1
1'	Females. Diagnosis reasonably certain (M	19	I 2				2		9			1.	3 2	7 4	1	3
		33 Nonregist	1 °						h attactive	· · · ·	n.linopao			1 '	7	

⁴ Nonregistration state; either shown below only those with effective local ordinances.

Peritoneum, intestines, and Female genital organs. DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF— Other organs or of organs not specified.																			
ntestin	neum, nes, and Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	rified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagîna and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain₀	Bones (except jaw).	Tes- tes.	Others of this class.
$-\frac{3}{1}$		11	1	9	_ 1		5	1	3							1			1
2 1 2		11	1	99	1		5	1	1 1										1 1
4		32		32			5	2	9			1 4		1			1		3
1 3		32		32			5	1 1	4 5			1 3		1			1		2
3		32		32			5	1 1	2			1							1
3		· 21		21			4	2	9			4		1			1		3
1 2 1		21		21			1	1 1	5 2			3		1			ii		1 1
2		21		21			4	1	ĩ										î
1				11			1												
1		11		11			1												
1		11		11			1												
9		41	2	37	2		13	6	40	2	1	4	6	4	4			1	18
4 5		41	2	37	2		13	2 4	28 12	1 1	1	1 3	3 3 2 1	4	3 1			1	14
5		39		37	2		13	2 4	12 22 7	1	1	1 2	2	2	3			1	. 11
9	<u></u>	37	2	33	2		13	5	37	2	1	3	6	3	4			1	17
5		37	2	33	2		13	1 4 1	26 11 21	1 1 1	11	1 2	3 3 2	3	3 1 3			1	13 4 10
5		35		33	2		13	4	6	î		î	1						3
		4		4				1	3			1		1					1 1
		4		4				·····i	1			1							····i
3		4	-=1	- 4	I		5	3	14			1	2	2	1	_		1	
1								2 1	13			1	1	2	1			1	6
2 1 2		8	1	6	1		55	2 1	9	1			1		1			1	1
3		5	1	3			5	2	12	1		1	2	1	1			1	5
1 2		5		3			5	1 1	11	1		1	1 1	1	1			1	5
1 2		4			1		5	1		1			1		1			1	3
		3]	3				1	2					1					1
		3		<u></u>				1						1					1
								1		· · · · · · · · · · · · · · · · · · ·									1
4		19	1	17	1		5	2	18		1	3	3	1	2				9
2 2 2 2		19	11	17	1			2	7 10			3	2	1	2				7 2 6
2 4		18	1	17 16	1	1	5	2 2	5 17	*******		2 2	3	1	2				2 9
			,						11				1	1	2				
2 2 2		18	1	16	1		5 5	2	10			2	2	1	2				7 2 6 2

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

				[8	ee note a	t head o	of this t	able, p.	88.]							
						DEAT	HS FRO	M CANCE	ER AND O	THER M	ALIGNAN	T TUMOR	SOF			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	eavity.				Stom	ach and	liver.			eum, into	
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	REGISTRATION CITIES—Con, TEXAS1—continue l. San Antonio—Continued. Colored	4		A - A -		1			2			2	,			
2 3 4	$\begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} M \\ F \end{matrix} \right \end{array}$	3				:			2			1				
5 6 7 8	El Paso 2 Males Females Diagnosis reasonably certain M	17 31 10 21	1		1				9			5 3 3	4 2 1	3 4		2 3 1
9	UTAH. Registration cities	93					2 2			<u></u>	1	39	5	8		4
11 12 13	Females Diagnosis reasonably certain ${M \cdot {F \cdot \cdot \cdot} \atop {F \cdot \cdot \cdot}}$ White	48 29 3? 88	2				2		19 12 5			18 10 5 35	1 ° 2 °	5 1 4 8		2 1 4
14 15 16	$\begin{array}{c} \text{Males} \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \Big\{ \begin{matrix} M \\ F \end{matrix} \Big] \end{array}$	42 46 28 32	2				2		11 5			19 16 9 5	4 1 2	3 5 1 4		2 2 i
17 18 19 20	Colored. Males Females Diagnosis reasonably certain. { M	3 2 1							3		1	2 2 1				
21 22 23 24	Salt Lake City Males Females. Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$.	71 32 39 21 27	2				2		17 14			26 13 13 6 4	5 4 1 2	7 2 5		2 2 2
25 26 27 28	$\begin{array}{c} {\rm Ogden} & & \\ & {\rm Males} & \\ {\rm Females} & & \\ {\rm Diagnosis\ reasonably\ certain.} \left\{ \begin{matrix} M & \\ F \end{matrix} \right. \end{array}$	22 . 13 (9 5			13 8 - 5 4 1		1 1 1		
29	VERMONT. Registration cities	73 - 29	3 2	2								23	5			6
31 32 33	Females $\begin{array}{c} \text{Diagnosis reasonably certain.} \{M_+, \\ Y, \\ \end{array}$ White	11 19 25 72	1 2 1 3	1		1			17 4			11 4 1	5			1 3
34 35 36	Males Females Dragnosis reasonably certain. (M., F.,	28 11 18 25	2 1 2 1	1 1 1 1		··· ··· · · · · · · · · · · · · · · ·						9 14 4 1	2 3	б 3		5 1 3
37 38 39 40	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ M \end{array}$	1 1														
11 12	VIRGINIA. Registration cities	304 101	7	2	-		2	1	78 - 12			47	29	11	· · · · · · · · · · · · · · · · · · ·	21
13 41	Females. Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ Nonregistration state; cities shown be	203 62 143	3 1 3	2	. 2		1 1	1	35 12 4		1	23 7 3	12 5 1	10 8	lete the s	13 7 3

¹ Nonregistration state; cities shown below only those with effective local ordinances. 2 The only other registration unit; shown in order to complete the state.

						DEATE	-		AND OTHE)F						
ntestir	neum, nes, and i—Con.		Female	genital or	gans.				1			Other o	rgans or	of organs	not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Try-tex.	Others of this class.
-			~						-					_					_
		1		1			11 		1			1				·····			
		i		1 1					1 1			1							
2		14		14			3	1	8	1	1		1	1	1				3
1 1 1							3	1	4 4 3 2	1	1		1	1	1				1 2 1 1
1		. 15		14	1		5	5	13			1	1		1		3	1	6
1 3 1 3		15 15		14	1		5	3 2 3 2	11 2 11			1			1		1 2	11	5 1 5
4		15		14	1		5	5	1 13			1	1	*******	1		3	1	6
1 3 1 3		15 15			1		5	3 2 3 2	11 2 11 1			1					2 1 2	1	5 1 5 1

				*********			1		,										
3		13		12	1		4	4	10				1		1		2	1	5
		,						2 2 2 2	9 1 9				1		1 I		1 1 1	1	5
1		2		2		· · · · · · · ·	1	1	3	1		1							1
i		2		2			1	1	1 2 1		 }	1							1
6		10		8	2		7	I	12	1	1	2		T.	1				6
3		10						1 1	8 4 7 7 2	i	1	1	1		i				3 3 3 2
	1		ļ. <u></u>						11		1	1		1					6
3		10		8	2		7		7 4 6 2	I	· · · · i	1			· · · · · · · · · · · · · · · · · · ·				3 3 2
	· · · · · ·								1									_	
• • • • • •									1			1							
8				56	. 1	1	28	9	62	4	1	_8	, 4	··· •	6		1	1	30
5		91		86	1	1) 28 l ₁ 28	7 2 7 2	37 25 29 8	2	1	5 3 3	1	- 7 4	3		1	1	18 12 17 5

^{*} The only other city of 10,000 inhabitants or over in 1910.

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

٠					· · · · ·	DEAT	THS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	S OF—			
	f	Aggre-	1		Buccal	cavity.				Ston	ach and	liver.	,	Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
_	REGISTRATION CITIES—Con.	_						_						, 1	,	
	virginia - continued.					1										
1	Registration cities—Continued. White	216	7	2	2		2	1	61		2	35	24	24		17
2 3 4	Males. Females Diagnosis reasonably certain.	86 130 53 90	4 3 4 3	2 2	2		1 1 1 1	1	36 25 11 3		1	20 15 7 3	15 9 4	10 14 10 7		7 10 7 3
5	Colored	88							17			12	5	5		4
6 1	Males	15 73							6 11			8	3	1 4		1 3
8	Diagnosis reasonably certain. ${M \choose F}$.	53				=====			i				1	1		
9	Richmond	127	3		1		1	1	35			13	13	13		9
11	Females. Diagnosis reasonably certain. {M	79 31	2				1	1	16 4			9 3 2	7	7 5		4 4
13	White	55 89	2		,		1	1	3 26			2 16	1 10	10		1
14	Males	40	1					1	16			11	5	5		4
15 16	Females	49 27 37	2 1 2		1		11	1	10 4 2	,		5 3 2	5	5 5 4		2 4
17	Colored	38							9			6	3	3		3
18 19	MalesFemales	8 30							3 6	,		2 4	1 2	1 2		1 2
20	Diagnosis reasonably certain, ${M \choose F}$.	18							i				·····i			
21	Other cities	177	4	2	1		1		43		2	25	16	16		12
22 23	MalesFemales	53 124	3 1 3	2	1		1		23 20 8		1	11 14	11 5	5 11		3 9
24	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \\ \cdot & \cdot \\$	31 88	1		1	******			1		*******	1	4	5		3 2
25 26	White	127	3	$\frac{2}{2}$	1		1		35 20		1	9	14	14		11
27 28	Females. Diagnosis reasonably certain. (M., F.,	81 26	1 3	2	1				15 7		i	10 4	4 3	5 9 5		3 8
29	Colored	53 50	1		1				1 8			1 6	2	3		2
30	Males	7							3			2	1	2		1
31 32	Females	43 5 35			1				5 1			4	1	2		1
	WASHINGTON.	1								1				1		
33	Registration cities	499	13	4	4		5		212		5	162	45	65	6	39
34 35	Males	251 248 148	13	4	4				140 72 59		4	108 54 47	28 17	31 34	2 4	18 21
36	Diagnosis reasonably certain.	183			4		5		28		2	20	10 7	26 25	3	13
37	White	219	12	4	3		5		211		5	161	45	65	6	39
39	Females Diagnosis reasonably certain.	248 147	12	4		,	5 5		139 72 59		4 1 2	107 54 47	28 17 10	31 34 26	2 4 2	18 21 13
41	Colored	183	1						28		1	20	7	25	3	13
12	Males	2	1		1				1			1				
13 14	Females	1	i		1											
45	Seattle	221	10	2	4		4		90		2	67	21	28	• 3	15
46 47	Males	115 106	10	2	4		4		63 27		2	45 19	13	16 12	2	7 8
4%	Diagnosis reasonably certain $\{M,, \{F,\}\}$	71 78	10	2	4				31 8		1	25	5 3	15	2	6 5

					DEAT	HS FROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS ()F—						
ntestir	neum, nes, and n—Con.		Female	genital or	gans.						Other or	gans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina Others and of this vulva. class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain,	Bones (except jaw).	Tes- tes.	Others of this class.
-		40	9		,	20		40	4							t.	,	21
3 4		49	3	44	1 1	20 — 20	5	31 18	2 2		5 4 1	3	6	2 2			1	26 16 10
3 4		48	2	11	1 1	20	5	23	. 2		2	1	3				1	15 5
1		42		42		8	3 2	6		1	3	1	1	$-\frac{2}{1}$	-	1 -		<u>4</u>
1		42		42		8	1 2 1	7 6		1	2 1	1	1	1		1		2 2
4		28	3	25		14		29	3	1	3		5	2			1	14
1 3 1		28	3	25		14	5	17 12 16	2 1 2	1	1 2 1		5 4	1 1			₁	777
3 4		27 13	3	25 10		14	3	22	3		1	1	4	1			1	12
1 3		13	3	10		12	3	15 7 14	2 1 2		1		4	1			1	7 5
3		12	2	10		12	2	5 7	1	1	2		1	1				7 4
		15		15		2	2	2 5					1	1				2
		15		15		2	2	2					1	1				
2		- 63		61	1 1	14		33 20	1		5	<u>4</u>	2	2		1		16
2 2 2		63		61	1 1	14	2 2 2	13 13 3	1		1 2	3 1 1		2		1		5 10 1
3		36		34	1 1 1	8	3	27	1		4	3	2	3				14
1 2		36		34	1 1	8	1 1 2	16 11 9	1		3 1 1	3	2	2 1				5 8
1		36 27		34 27	1 1	1 6	1	3 6	1		1	1		1		1		1 2
1		27		27	,	6	1	4 2			1	1	- 			i		2
1		27		27		6	1	4				1						2
20		68	9	. 59		42	11	44	5	1	6	9	10	14	1	6		36
9	1	68	9				8 3 8		4 1 4	1	5 1 5	3		8 6 5	1	3		22 14 19
9	,	67	9	59		42 42	3	18 88	i 5	1		2	10	5	1	1		19 8 36
11		65	9			42	8 3		1	1	5 1	6 3	10	8 6	1	3 3		22 14
11		67	٠	59		42	3	42 18	4		5	1		5	1	2		19
	!! !										- :	·····						······································
	·	30	4			21	4					4						
7 3 7		30	4	21)		21	6	24 14 16 9	1 2		3 1 3	3 1	1	3 2	' '	1 '1	1	8 7 5

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

	-	-				DEA	THS FRO	M CANC	ER AND O	THER M	IALIGNAN	T TUMOR:	s of—			
		4 - 46-		_	Buccal c	avity.				Stom	ach and	liver.			eum, inte nd rectum	
!	AREA AND BANIS OF PIAGNOSIS.	gate.	Total.	Lip,	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.									1						
	WASHINGTON continued.															_
1 3	Spokane. Males	102				-			~		2	18	5	9		3
3	Females	59 24	1						20		1	15	3	5 3		4 2
-1	Diagnosis reasonably certain. $\{\frac{M}{F}\}$	19							14		1	10	3	3		2
5 6	Tacoma. Males	84	1	1	-		_		37 - 22			31	6	8	3	10 5
7	Females	39 23	1						15			11 4	4	9 6	3	5
,	,	23							-1			3	1	6	2	3
9	ther cities	92	1						41 31		1	31	9 8	3		3
11	Females	44 27	1						10			9	1	8 2		4 2
12	("	33							2			2		7		3
13	WEST VIRGINI \. 1 Wheeling 2	46	; 				1		12		1	7	5	8	1	6
14	Males	14							5		1	4		3 5		
15 16	Females. Diagnosis reasonably certain. ${M \choose F}$.	32 9	1			·	i		8 2		1	3	5	3	1	4 2
17	(23							3		1	7	5	2 8	1	1
18	White	14	1			'······			5		1	4		3		
19 20	Females. Diagnosis reasonably certain. ${M \choose F}$	31 9	1						8 2		1	3	5	5 3	1	4 2
	(=	22							3			1	2	2	1	1
21	Colored 3 Males.	1														
23	Females. Diagnosis reasonably certain ${M \choose F}$.	1														
24	· ·	1			1											
25	WISCONSIN. Registration cities	712	27	3	9	1	11	3	321		12	206	103	90	1	61
26	Males	315	25	2		1	10	3	165		8	116	41	43	1	23 38
27 28	Females Diagnosis reasonably certain. ${M \choose F}$	397	25	1 2	9	1	10	, 3	156 37		4	90 30	62	47 31		12
29	White	244 710	2	1 3	9	1	1	3	39		12	16 206	103	24	1	15 61
30	Males.	315	25	2	9	1	10	3	165		8	116	41	43	1	23
31 32	Females Diagnosis reasonably certain. ${M \choose F}$	395	25	1 2 1	9.	1	10	3	156 37		4	90 30	62 6	47 31		38 12 15
33	Colored.	243	2	1			1		39		2	16	21	24		19
34	Males.			-										1		
35 36	Females. Diagnosis reasonably certain. ${M \choose F}$.	2														
37	Milwaukee	291	10	1	5		3		136		5		51	35		21
38 .	Males	133			5		2 1	1	75		4	49	99	22		12
39 40	Females	158 55	2 8	1	5		2	1	61 14		1	31 10	29	13 15		9 5
41	Other cities	96 421	17	2	4	1	1 8	2	9 185		7	3 126	5 52	55	1	5 40
42 ,	Males	182	17	2	4	1	8	2	90		4	67	19	21	1	11
43	Females	239 96	17	2	4	i	8	2	95 23		3	59 20	33	34 16		29 7 10
)F	148							30]		1	13	16	15		10 1

¹ Nonregistration state; cities shown below only those with effective local ordinances,

³ The only registration unit in the state.

									at head of	this tab	ie, p. 88.	·J							
						DEATI	IS FROM	CANCER	AND OTHI	ER MALIC	NANT T	UMORS ()F		-				
ntestin	neum, nes. and —Con.		Female (genital or	gans.							Other o	rgans or o	of organs	not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others		Skin.	Total.	Larynx	Lung and pleura.	OFORCE	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	,				,						,								
2	<u> </u>	18	2	16			9	2	19			1	1	5	4		3		5
1 1 1		18	2	16			ģ	1 1 1	1.3 6 9			. 1		4	3		2		1 1 3
î				16			9	i	4	<i>i</i>					3		1		
3		ŏ	-					1	17	- 1	1	1	3				-		9 - 6
3		<u>.</u>		3				1		·· ··i		1	1	··· · · · · · · · · · · · · · · · · ·					3 6
4	1	17	3				4	1	14	4				· · · · · · · · · · · · · · · · · · ·		1			2
			3	1				4	9 5				·····i						4 3
			3					4	7	11					2	1	1 i		3
											,								
		9	1	-			7	1	- 7	'	-	_ 1		2			·····		4
		9	1	1 8			1 6 1	1	3 2										1 3 1
		9	1	8			6	1	2		,								2
			1			-	1	1	4						_				1
1		8	1	7			6	1	3 2 2										3 1 2
		1	1				6			Į.									
				1							111								
																•			
28	* *	100	11	83	6	l. <u></u>	60	15	99	- 1	5	- 6					6	3	36
19 9 19		100	ii	83	6		1 59 1	10 5 10	71 28 47	4	3 2 1	2 3	.5 3	11	13 3 7		2 3	3	22 14 17
9		97	8	S 3	6		59	ŏ	18		1 .	1	1		1	.,	2		10
19		99	11	92	6		60	15 10	71	1	- 3	$-\frac{6}{1}$		11	16		6	3	36 22
9		99	$\vdots \dots \underbrace{ 11}_{\zeta}.$	82	6		59 1 59	5 10 5	27 47	4	1	2 3 1	3		3		2 3 2	3	1 1 17 10
9	· · · · ·	96 1		82 1	6			. "	18		1						2		10
						·										-			
	,	1		1															
1 4		38		21	1		30	4	38	1	?	2		3	8		2	2	11
10	-: -:-	38		29	. 1		30	3	25 13	1	2	1 1	2	3	ĭ 3		2	2	7
10		36	1	29	1		30	3 1	15 9	1	. 1	1	1	1	2		1	2	6
11		62	3	54	5		30		61	_ 3	2	1	9				1	1	22
9 5 9		62	3	51	5		1 29 1	1 7	16 15 32	3	1	3 1 3	5 4 2	8			2 2 2	<u>i</u>	15 7 11
5		61	2	54	5		29	1	less than		nt()		3				2		11

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

,						DEAT	HS FRO	M CANCE	E AND OT	THER MA	ALIGNANT	TUMORS	0F			
	ADDA AND RANG OF THEOLOGIC	Aggre-			Buccal c	eavity.				Stom	ach and	liver.	1	Periton	eum, inte nd rectum	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES. ¹					1				1		!				-
1	Total	947	56	8	11		29	8	392		9	276	97	117	5	69
2 3 4	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{pmatrix} M \\ F \end{pmatrix} \\ \end{array}$	496 451 267 320	45 45 8		9292		25 4 25 4	6 2	243 139 66 36		8 1 3 1	185 91 47 19	50 47 16 16	69 48 44 30	3 2 3 2	38 31 13 14
5	White	929	- 55	- 8			29 25	7 5		i	8	268	93	117	3	69
8	Males. Females. Diagnosis reasonably certain. $\left\{ egin{array}{ll} M_{+++} \\ F_{-+++} \end{array} \right\}$		47 8 47 8		9 2 9 2		25 4 25 4	2 5 2	136 61 35	1	1	179 89 45 19	47 46 14 15	69 48 44 30	3 2	31 13 14
9 10 11	Colored	18 13 5	1					1	13		1	6 2	3	1		
12	Diagnosis reas on ably certain, ${M \choose F}$		1					1	5		1	2	2	1		
13 14	Los Angeles County	161 69	- 11				-7 -5	2 	68 37		3	<u>41</u>	24	20	1	12
15 16	Females. Diagnosis reasonably certain. ${M \choose F}$	92 32 60	3 3		1 1 1		2 5 2	2	31 7 7		1 1 1	20 4 3	10 2 3	11 7 6	1	6 4 2
17 18	Santa Clara County	78	7 1	1	2		- <u>3</u>	1			3	17	9		2	7
19 20	Females	39 19 26	1 6 1	ii	2			1	11 5 1		1	5 4	6	5 3 4	2	3 1 2
21 22	Sonoma County	63	I		-				28			21 14	7	6		5
23 24	Females. Diagnosis reasonably certain. $\left\{egin{smallmatrix} M & \dots \\ F & \dots \end{array}\right.$	34 12 24	1						10 3 1			7 1 1	3 2	4		3
25 26	Other rural districts	359	37	7					257		3	197	57 29	80	2	23
27 28	Females. Diagnosis reasonably certain. ${M \choose F}$.	286 204 210	33 4	··· -	1 6		16 2	1	87 51 27		1	59 38 15	28 12 12 12	32 30 20	2	22 5 10
29	Total	237	5	2	1		2		127			82	45	26	2	13
$\begin{vmatrix} 30 \\ 31 \\ 32 \end{vmatrix}$	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	109 128 57 78	5	2 2	1		²		72 55 26 14			51 31 20 6	21 ' 24 ' 6 ', 8	12 14 8 9	2	5 8 3 3
33	White	236	.5	2	1				127			- 52	45	26	2	13
34 35 36	$\begin{array}{c} \text{M rles} \\ \text{Females} \\ \text{Diagn is is reas inably certain.} \\ \end{array} \\ \begin{bmatrix} M \\ F \end{bmatrix} \\ \end{array}$		5 5		1 1		2 2		72 55 26 14			51 31 20 6	21 24 6 8	12 14 8 9	2	5 8 3 3
37 38	Colored		<u>.</u>								'			' 		
39 40	Females. Diagnosis reasonably certain, $\left\{ egin{matrix} M, \\ F \end{array} \right\}$	1														******
41	CONNECTICUT. Total	323	17	1	6	1	9		99		2	61	36	51	3	37
42 43 44	Males	123 200 63 122	12 5 12 5	1 · · · · · · · · · · · · · · · · · · ·	4 2 4 2	1	7 2 7 2		44 55 5			33 28 7	11 25 1 4	22 29 10 12	1 2	14 23 3 7
45	White	323	17	_ 1	G	_ 1	. 9		99		2	61	36	51	3	37
46 17 48	Males Female Diagnosis reasonably certain M .	123 200 63 122	12 5 12 5		4 2 1 2	1	7 2 7 2		44 55 8 5		2	33 28 7	11 •25 1 4	22 29 10 12	$ \begin{array}{c} 1 \\ 2 \\ \hline 1 \end{array} $	14 23 3 7

 $^{^{\}rm t}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT			AND OTHE)F		· -				
Peritoi intestin rectum	ies, and		Female	genital or	gans.					_	. (Other or	gans or o	forgans	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
			1					_			,								
42	1	114	4	106	3	1	99	49	130		3	11		16	13	2	3	2	67
28 14 28	1	114	1	156	3	1	3 96 3	41 8 41	(2 38 65	5		5 5	2 5	16 	3	2	1 1	2 2	20 12
14	1	113	3	106	3	1	96 97	S 19	29 128	1 5	3	5 10	1 7	16	13	1 2	3	2	67
28 14 28 14	i	114	3	106	3	1	3 94 3 94	41 8 41	90 35 63 29	1 1	· · · · · · · · · · · · · · · · · · ·	5 5 1	2 5		9 4 3 1	2	$\frac{2}{1}$	2 ₂	47 20 42 17
									2	1		1							
							2		2			1							1
							2		2										l.::::::
				19			- 18	3	<u>20</u>		'		3	5	3 2	1		-	
4 2 4	1	20		19	1		17 1 17	1 3 1	9 6 6				2		1				5 3 3
2				9	··· -	1	7	1	13	2	1 I	2	1	2	1	· · · · · ·			3
		10		9			6 1 6	1	5 4 3	1 1 1			1						1 3 1
							12		6										- 4
		9					12	1 1	2 4 1	····									1
23		75	1	- 69	2			38	69		2	5	3 1	9	7			2	49 37
10 23 10		75	. 3	1	2		61 1 61	5 38 5	22 51 19			5	2	1	2 2	1 1	1	<u>2</u>	12 32 12
11		30		27	3		19	6	21	1	2	3		4			1		11
5 6 5		30		27	. 3		1 18 1	4 2 4	15 9 1 13	. 1	2		i i	4			1	1	5 5 3
6		30	s. 1	27	3		18	5	5 24	. 1	1 '						1		3 11
5 6		30 .30		27	3		1 18	1 1	15	1	2.	3		4			1		 5 6
5 6		. 30		27	3		18	1	13	1	1	2	. 1					. 1	.5 3
:								. 1					· · · · · · · · · · · · · · · · · · ·				. 1.		
• • • •								1											
	1																		
7		41	2			1	15	12 10	 75	3	2	3	1	7	8		1	1	19
1		41	2 2	36 36	2	. 1	15	10 2	20 23 10	1	2	1	1	2	1		1	1	10 L> 6
11	-	41	2			1	15	12	55	3	2	3	2	-	8		1	1	29
		41	2		· 2	1	48	10 2 10 2	35 20 23 10	1 2	. 2	1 2 1 1	1	7 2	1 2 2	: .	1		19 10 15 6

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

	~-	I		-		DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN'	T TUMORS	OF-			
		Aggre-			Buccal c	avity.				Ston	ach and	liver.		Periton	eum, inte	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others ofthis class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	RURAL PART OF REGISTRA- TION STATES ! Continued.)													
1	CONNECTICUT—continued. Hartford County	76	5		1		4		. 26		1	14	11	11		9
2 3	$\begin{array}{c} \text{Males}, \\ \text{Females}, \\ \text{Diagnosis reasonably certain}, \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right] \end{array}$	27 49 16	4 1 4			-	3 1 3		11 15 3		I	6 5 2	5 6 1	3		2 7 1
5	Other rural districts	31 247	1 12	1	5	1	5				1	47	25	5 40	3	28
6 7 8	Males Females. Diagnosis reasonably certain. {M F	96 151 47 91	8 4 5 4	1	3 2 3 2	1		-	40			27 20 5	6 19	19 21 8 7	1 2	12 16 2 3
9	INDIANA.	1,434	1 74	19		11	31	5	594	2	1 4	351	237	132	ا مب	79
10 11 12	Males Females	578 856 303	60 t	17 2 17	1 7	7 4 7	25 6 25	- 4	270	2	3	172 179 28	93 144 21	63 69 49	3 4 3	29 50 15
13	Diagnosis reasonably certain. ${H \choose F}$. White	517 1,423	14 ⁷	19	1	11	6 31	1 5	57	2	1	30	26 237	30 130	2	13 l 79
14 15 16	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain } {M \atop F} \end{array}$	574 849 301 511	60 14 60 14	17 2 17 2 17 2	1 1	7	25 6 25 6	₄	270 323 50	2	3	172 178 28 30	93 144 21 26	63 67 49 28	3 4 3 2	29 50 15 13
17	Colored	11							1			1		2		
18 19 20	Males Females Diagnosis reasonably certain. {M	4 7 2 6							₁						1	
21	Total	813	. 50 ,	24	5	1	16	4	338		4	214	120	78	6	56
22 23 21	Males. Females Diagnosis reasonably certain. ${M \over F}$.	393 420 195 248	45 5 45 5	23 1 23 1	1 1 4	- 1 i	14 2 14 2	3 1 3 1	190 148 51		4	133 81 38	53 67 11 16	45 33 22 14	3 3 2 3	32 24 10 5
25	White	801	50	24	5	1	16	4	000			210	119	78	6	56
26 27 28	Males Females Diagnosis reasonably certain. {M	388 413 193 242	45 5 45 5	23 1 23 1	4 1 4 1	1	14 2 14 2	. 3	186 147 50 24			130 80 37 8	52 67 11 16	45 33 22 14	3 3 2 3	32 24 10 5
20	Colored	12		<u>.</u>					5		.111	4	1			
30 31 32	Males Females Diagnosis reasonably certain. \{\frac{M}{F}}	5 7 2 6							4 1 1							
30	Total	753	1 45	10	5	17	9	4	247			152	95	70	2	43
34 35 36	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain,} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \end{array}$	279 474 123 294	37 8 37 8	9 1 9	4 1 4	13 4 13 4	7 2 7	4				73 79 6 6	45 50 7 6	14		17 26
37	White	668	44	10	5	16	9	4	221			139	82	14 62	2	37
38 33 40	Males	260 408 119 249	37 7 37 7	9 1 9	4 1 1	13 3 13 3	7 2 7 2	- 1 1	107 114 12 10			66 73 5 6	41 41 7 4	30 32 14 12	2	15 22
41	Colored					1			26			13	13	5		6
42 43 44	Males Female Diagnosis reasonably certain. {M F	19 66 4 45	1			- i			11 15 1 2			7 6 1	4 9	6		

 $^{^4}$ Exclusive of municipalities Laying a population of 10,000 or over in 1910.

The offices Total falled terms and jothis valve, class. 2	: -						DEAT	HS FROM	-; CANCER	AND OTHE	R MALIG	NANT TU	MORS O	F —		-					_
Total Laren Lare	intestin	ies, and		Female	genital or	gans.		i				(Other or	gans or o	f organs	not spec	ified.				Tolerand Property of the Park
1		ofthis	Total.	and fallo- plan	Uterus.	and	ofthis		Skin.	Total.	Larvux	Charly	Pan- creas.	neys and supra-			Brain.	(orcobr	Tes- tes.	Others of this class.	
1							1	1			l ₁								P. L. LONG A.		
1	2		6					13	4	11										6	1
9	1 1		},		5	i		13	1 3	5 4		2				i				1 4	3
6			6							2			1			1					5
8	6								7											14	ჩ
31	3 6 3			2		1	1		1 7 1	15 19	1		1	1	$\ldots $ $\frac{1}{2}$	3 2		1		9 11 6	3 8
14 1 200 10 190 3 2 113 31 70 2 3 9 6 12 1 1 31 14 1 202 8 100 3 1 43 31 40 2 1 3 2 4 5 4 5 1 1 1 33 4 2 1 3 2 3 1 28 4 3 4 5 5 4 1 1 33 1 12 10 187 3 2 145 112 167 6 5 16 13 11 26 2 3 1 48 3 2 8 187 3 2 12 3 8 1 2 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45	1	205	10	190	3	2	145	112	172	6	5	17	14	11	26	2	4	1	\\	9
31		1	205	10	190	3	2		S1 31				9						1	50 36	10 11
31	31	1				3	i	2	81	61		2	2			4			1	38 29	}12
12	43	1	202	10	187	3	2	145	112	167	6	5	16	13	11	26	2	3	1	84	13
2 3 3 5 1 1 1 1 2 2 3 3 4 1 1 1 1 2 2 3 3 3 1 1 1 1 1 2 2 3 3 3 1 1 1 1 1 1 1 2 16 95 7 86 2 85 36 131 1 5 6 12 12 1 1 9 3 49 6 95 7 86 2 83 7 40 1 2 3	12 31			10			,	143	31 81	69 59	2 4	3 2	2	3		12		2 1		48 36 38	14 15 }16
16																	·	1		29	17
1													,	1				1		2	18
16 95 7 86 2 85 36 131 1 5 6 12 12 1 12 3 79 10 10 95 7 86 2 229 82 1 3 3 12 10 1 9 3 40 1 2 3 2 1 3 3 12 10 1 9 3 40 1 2 2 3 6 3 3 3 30 10 0 93 6 85 2 83 36 130 1 5 6 12 12 1 12 3 33 15 16 91 7 82 2 83 36 130 1 5 6 12 12 1 2 3 15 10 91 7 82 2 81 1 1 3 3	2							,		, 1 2 1				1							20
10				:		,		1	nc.								1			mo	01
6 95 7 86 2 93 7 49 2 3 2 3 2 3 30 6 6 93 6 85 2 83 7 22 1 2 2 3 1 2 2 3 3 6 3 3 26 6 93 6 85 2 83 7 22 1 2 2 2 1 1 2 2 1 12 3 78 16 91 7 82 2 83 36 130 1 5 6 12 12 1 12 3 78 10 2 2 29 45 1 2 2 3 3 6 3 3 3 26 6 89 1 7 82 2 81 7 22 1 2 2 3 1 6 3 3 3 26 6 91 7 82 2 81 7 22 1 2 2 3 1 6 3 3 3 26 6 89 6 81 2 2 2 29 45 1 2 2 2 3 1 6 3 3 3 26 6 89 6 81 2 81 7 7 22 1 2 2 3 1 6 3 3 3 26 6 89 6 81 2 81 7 7 22 1 2 2 3 1 6 3 3 3 26 6 89 6 81 2 81 7 7 22 1 2 2 3 1 6 3 3 3 26 6 89 6 81 2 81 7 7 22 1 2 2 3 1 6 3 3 3 26 7 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					80															40	21 22
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6 10		95	7 6				2	7 29	49 46			2 2	3 2	3	2 6		3 3		39 26 15	23
6 91 7 82 2 81 7 49 1 2 2 3 3 6 3 39 10 2 2 1 1 2 2 3 3 6 3 3 3 25 6 6 81 2 81 7 22 2 1 2 2 2 3 1 1 2 2 11 2 102 7 1 6 2 2 30 2 5 1 1 3 2 1 2 1 2 3 3 6 3 3 3 2 5 6 6 6 6 7 3 4 2 67 11 1 2 102 7 1 74 15 5 52 1 1 3 6 2 11 2 1 2 3 3 6 6 7 3 3 6 7 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16		91		82	2		- 83	36	130		1	5	6	12	12	1	12	3	78	25
4 4 4 2 1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 25 143 5 129 8 1 82 46 120 2 1 7 12 6 7 3 5 2 37 15 2 3 143 5 129 8 1 80 16 60 1 1 3 7 2 3 5 2 37 10 143 5 129 8 1 80 16 60 1 1 3 7 2 3 5 2 37 10 143 5 129 8 1 80 16 60 1 1 3 7 2 3 5 2 37 10 140 3 129 9 80 16 24 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </td <td>6 10</td> <td></td> <td></td> <td>7</td> <td></td> <td> 2</td> <td>· · · · · ·</td> <td>81 2</td> <td>7 29</td> <td>, 49 45</td> <td></td> <td>1</td> <td></td> <td>3 2</td> <td></td> <td>2 6</td> <td></td> <td>. 3</td> <td></td> <td>39 39 25</td> <td>26 27 28</td>	6 10			7		2	· · · · · ·	81 2	7 29	, 49 45		1		3 2		2 6		. 3		39 39 25	26 27 28
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Ь																	2			29
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$										1	,									1	30
25 143 5 129 8 1 92 46 120 2 1 7 12 6 7 3 5 2 75 15 2 30 60 1 4 5 6 5 3 2 37 10 143 5 129 8 1 90 16 60 1 1 3 7 2 3 3 5 38 14 2 30 27 1 1 1 1 2 21 10 140 3 129 9 8 80 16 24 1 1 3 1 1 1 2 21 23 114 4 102 7 1 76 44 107 1 1 7 10 5 7 3 4 2 67 15 2 34 3 5 38 14 4 102 7 1 74 15 52 1 3 6 2 3 4 33 14 5 2 29 1 27 1 6 2 13 1 2 1 1 1 1 1 3 10 2 2 3 4 33 11 3 5 3 5 2 75 12 3 5 3 5 2 37 13 5 2 37 14 5 3 5 3 5 2 37 15 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5										1										1	31
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																				-	22
10			140										-								34
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10					8 q		2	30	27	1	1	3 1 1	7	1	1	3		2		35
8	23		114	, 4	102	7	1	76	44	107	1	1	7	10			3	4			37
2	8 14		114				1	74 2	15 29	52 25	i	1	1	6		2	. 3		2		39 39 }40
1 5 1 1														0	1		}				41
			. — — —	,						5				1				. ,			42 43
1 2 29 1 27 1 6 1 4 1 1 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3				i i	27	1 1	1		1	. 2	1			1						2 2	}44

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=				[15	ee note a	at head										
						DEAT	'HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMORS	S OF—			
	AREA AND BASIS OF DIAGNOSIS,	Aggre-			Buccal o	eavity.				Ston	ach and	liver.		Periton ar	eum, int id rectun	estines, 1.
	AREA AND DADES OF DIAGNOSES.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRATION STATES!—Continued.															
1	Total	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66
2 3 4	Males. Females Diagnosis reasonably certain. {M	228 381 96 212	24 5 24 5	11	5 1 5 1	1 2 1 2	6 2 6 2	1	99 126 12 8	1	3	54 80 9 3	41 46 2 5	43 53 17 22	2 2	29 37 5 8
5	White	607	29	11	6	3	8	1	224	1	3 ,	133	87	95	4	65
6 7 8	Males Females. Diagnosis reasonably certain. $\left\{rac{M}{F} ight.$	227 380 96 212	24 3 5 24 5	11	5 1 5 1	$\begin{bmatrix} 1\\2\\1\\2\end{bmatrix}$	6 2 6 2	1	98 126 12 8	1	3	53 80 9	41 46 2 5	43 52 17 22	2 2	29 36 5 8
9	Colored	2							1			1		1		1
10 11	MalesFemales	1							1			1		1		1
12	Cumberland County	60	4			1	3		22		1	14	7	7	1	4
13 14 15	Males Females Diagnosis reasonably certain.	25 35 11 20	3 1 3 1			1	2 1 2 1		10 12 2		1 1	5 9	3 1	3 4 2	1	2 2 1
16	Kennebec County	55	5	3			1	1	14	1	1	5	7	11	1	7
17 18 19	Males	29 26 17 14	5	3			1	1	10 4	1	1	3 2	5 2	3 8 2 3	1	1 6
20	Penobscot County	54	3	1		2			23			11	12	8		5
21 22 23	Males Females Diagnosis reasonably certain. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	17 37 6 23	1 2 1 2	1		2			10 13 3			5 6 2	5 7 1	4 1		3 2
24	Washington County	54	4	2	2	2			23			14	9	5		3
25 26 27	Males Females	19 35 7 23	3 1 3 1	2	1 1 1				12 11 2			6 8 2	6 3	1 4		1 2
28	York County	60	3	2	1				20			14	6			7
29 30 31	$\begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\} \end{array}$	21 39 10	3	2	1				7 13			5 9	2 4	6 5		4 3 1
32	Other rural districts	22 326	10	3	3		4		123		1	76	46	54	2	40
33 34 35	Males	117 209 45 110	9 1 9 1	3	3		3 1 3 1		50 73 5 5		1	30 46 5	19	26 28 9 10	2	18 22 3 4
36	MARYLAND.	439	21	2	4	2	10	3	151		1	92	58	51	2	33
37 38 39	Males Females Diagnosis reasonably certain. [M	16d 279 77 186	13 8 13 8	2	4	1 1 1	5 5 5 5	1 2 1 2	76 75 13 13		1	50 42 10 6	25 33 2	21 30 13 14	1 1 1 1 1	12 21 4 5
10	White	380	19	2	3	2	9	3	400		1	83	48	49	2	31
11 12	Males	146 234		2	3	1	4 5	1 2			1	46 37	22 26	20 29	1 1	11 20
13	Diagnosis reasonably certain. $\{\mathbf{F}_{+}, \mathbf{F}_{+}\}$	72 154 59	11 8	2	1	1	5	1 2	13 12 19	******	1	10 6 9	2 6 10	13	1	4 4 2
1 , 16 17	Males Lengths Diamosis reisonably certain. [M]	11 45 5	2				1		7 12			1 3	3 7	1 1		1
15	Bultimore County	32 111	5	_=	1	 1	3			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	18	16			10
10 a0	Mides Females	38 73 22	1 1		1	1	2		22		1,	12	9 7	3		1 9
51	Diamosis reasonably certain, $\frac{M}{(1)}$	53	1		i	1	2		7 3		1	4	2 3			1 4
		1 E)	clusive o	of munic	eipalities	having	a popt	ılation o	of 10,000 or	over in	1910.					

						DEAT	HS FROM	CANCER	AND OTH	ER MALIC	INANT T	TMORS	OF—						
testin	neum, les, and —Con.		Female	genital or	gans.							Other o	rgans or o	f organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx —	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (e.cept jaw).	Tes- tes.	Others of this class.
26								21	74	1	2	ri	1	.5	10	1	3	1	11
12		93		** ;*				15 6 15 6	44 30 25 10	1 1 i	· · · · · · · · · · · · · · · · · · ·	4 2 1	1	5 2	.3	1	2 1	1	23 21 19 8
				,1				21	74	1	2	0	1					1	
14 12				91				15 6 18 6	30 25 10	1	· 2	1		5 	2		2 1		23 21 19 8
				··· · ·															
								·				<u> </u>		1					
1 1 1				·				2 1 2	2			1			2 1 1				3
				6			3	6						2					8
2 1 2 1							3 	5 1 5 1						2					4 4 3 1
3		9		8	1		ч	1			-	-		_					1
1 2 1 2					1			1	1										1
2		13		13			3	2					1						1
								2	3 2	1					1				1
1		4		4			15		6							* * * *	·····-		4
2		4					15	1	2 3										2 2 2
tì		53					31	-11			-				_ <u>-</u>	1	$-\frac{3}{2}$.		27
6 6		5.3 5.3		52	1		31	1 7 4	1.3				. :						13 13 .5
		69	_					21	63	1	2	2	1	3	5	2	6	_ 1	37
		69					1 59 1 59	11 13	36 27 24 13	1	l			1	. 3	1	3 3 	1 i	21 16 19 9
			_		_	_	52 1	24 13	*5		:	2		<u>3</u>		- 2 1		_ 1	32
××		19 48		16			51 1 51	11 13	23 21 11		: :	2 1	. 1	. 1				i	17 15 16 8
		20 20 20		20					1	- i			1			-		··	5 4 1
	· · · · · · · · · · · · · · · · · · ·	20	· · · ·	20					3 2	i									3
4		16	1	Lo			21		7		1				1				ä
2 2		16 15		1.5	·		20 1 20	1	6 5			1			1		1		6 5 4

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT			ER AND O	THER M	ALIGNAN	T TUMOR	9 OF -			
			t		Buccal c	avity.				Stom	tach and	liver.		Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.						Others					Liver		Perito-	
(Total.	Lip.	Tongue	Mouth	Jaw.	of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	gall blad- der.	Total.	neum and mesen- tery.	Intes- tines.
ŀ	RURAL PART OF REGISTRA- TION STATES 1—Continued.							' ! 1								
	MARYLAND-continued.															
1	Baltimore County—Continued. White	104	5		1	1	3		34		1	17	16	13		9
3	Males	37 67	1		1	1	1		21 13				9 7	10		
4	Diagnosis reasonably certain. ${ m SF}$	22 47			1	1			3			4	2 3	3 5		3
5	Colored	7							1					1		1
0.1	Females . Diagnosis reasonably certain $\left\{ egin{matrix} M & \cdots & \cdots \\ F & \cdots & \cdots \end{array} \right.$	6												1		1
9	Other rural districts	6 328	16	2	3	1	7	3	116			74	42	37	2	23 ,
10	Males	122 206	9 7	2	3		3 4	1 2	54 62			38	16	18	1	11
11 12	Females. Diagnosis reasonably certain. $\{M,\}$	55 133	9 7	2	3	1	3 4	1 2	6 10			36 6 6	26	19 10 8	1 1	12 3 1
13	White	276	14	2	2	1	6	3	98			66	32	36	2	22
14 15	MalesFemales	109 167	7 7	2	2	<u>1</u>	2 4	$\frac{1}{2}$	48 50	1		35 31	13 19	17 19	1 1	10 12
16	Diagnosis reasonably certain. $\left\{ egin{matrix} M & \ldots \\ F & \ldots \end{matrix} \right\}$	50 107	7	2	2	····i	2 4	1 2	6 9			6	3	10 8	1	3
17	Colored	52					1		18			8	10	1		1
18	Males	13 39 5					1 1		6 12			3 5	3 7	1		1
20	Diagnosis reasonably certain.	26							1				1		1	
21	MASSACHUSETTS. Total	868	34	5	16	3	7	3	289		11	186	92	148	8	96
22 23	MalesFemales	318 550	33	5	15 1	3	7	3	142 147		7 4	101 85	34 58	42 106	2 6	26 70
24	Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	148 331	33 1	5	15 1	3	7	3	26 16		3 2	16 9	7 5	22 49	1	8
25	White	864	34	5	16	3	7	3	288		11	185	92	148	8	96
26 27	Males	316 548 147	33 1 33	5	15 1 15	3	7	3	141 147 26		4	100 85	34 58	42 106	6	26 70
28	Diagnosis reasonably certain. $\{F:$	329	1		1				16		3 2	16 9	7 5	22 49	1	18
30	Colored								1			1	·			
31 32	Females. Diagnosis reasonably certain. (M	2 1														
33	Bristol County	2 			E=====				20	<u></u>				11		5
34	Males	21							10			9	1	4		2
35 36	Females	35 11 20							10 3			4 3	6	7 2 4		3
37	Essex County	105	2		1	1		1	40		2	27	11	21		14
38 39	Males	41 64			1				19		1	16 11	4 7	6 15		4
40 ,	Diagnosis reasonably certain. $\{ F : A \in \mathbb{R} \}$	10 35	2		1	1			2		1	1	1	3 10		5
41	Middlesex County	173	15	4			3		61		4	41	16	20	3	12
42 43 44	Males. Females . Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{array} ight.$	65 105 32	15	4 4					30 ` 31 3		3 1 1	23 18 1	12 1	6 14 2	3	8
45	Norfolk County	68 99			2			1	8 35			5 22	3	6	1	3 19
46	Males	35	3		1		1	1	17		2	11	4	- 7 1		5
47 48	Females. Diagnosis reasonably certain $\{ egin{matrix} M \dots \\ F \dots \end{pmatrix}$	64 18 32	1 3 1				i	1	18 5 2		2	11 2 2	7	17 '	1	14 2 2
	(,		clusive of	munic	ipalities	having	a popu	lation o		over in	1910.	-		,, ,		-

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

40		-		=		DEAT	HS FROM	LINCER	AND OTH	FR MATIC	NANT T	UMOI:S	- F-						
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Cterus.	Vagina' and vulva.	ofthis	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan- creas.	Kid- nevs and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).		Others of this class.
4		13	1	12			19	4	16		1	2			1		. 1		11
2 2 2			1	12				1 3 1	7 9 6			2			1 i		1		
2	******	12		12			15	3	ð										4
				51				20 12	47	1			4	3	4	2	3	$\frac{1}{1}$	26 16
6		53		51	2		39	8 12 8	18	1			3	1	2	1	2	····i	10 14 5
								20	39			}	3	3	4	2	4	1	21
6		36		34			33	12 8 12	25 14 15		1		1 2	3	4	' 1	3 1	1	12 9
6		36		. 34	2		33	8	6				1	1	2	' 	1	1	11 4 5
	•••••								4				1				1		4
									4 3 2	1							. L		1 3 1
4.5				117			160	2.4	100						10				
14	1	126	6				108	34	129 83	6	6	1	6 2	11	16		2	$\frac{2}{2}$	65
29 14 29	1	126	63		2	1	107	17 17 17	46 49 18	1 6	2 2	1	1 1	4	6 1		5 2	2	28 25 13
43	1	126		117	2	1	106	34	128	7	12	1	1	11	15		7	2	64
14 29 14	i	126	6	117	2	1	105	17 17 17	46 48	1	2	1	2 4 1	I1	2		. 2 . 5 2	2	36 28 24
29	1	123	3	117	2	1	105	17	15	1	2		1		1	1			13
									1										1
							2												1
5				<u> </u>	_			1		2 2			-						
2	1						Fi.	1		$\left \cdot \cdot \cdot \cdot \frac{2}{2} \right $			1						1 3
				12				2		1			1		ا ا				7
ā		13	1	12				1 1 1	11		1		1		1		2		4 3
5		13	i 1	12			19	1		1					1		******		10
2	·						1	- 1 2	12	-	2		1						5
3 2 3		31	1	29	1 1	•••	111		7	1	1		1					!	5 5 3
4		12		11	. 1		111	2	12		1			2	2				
2 2 2		12		11	1		10	2					1	. 2	2		1		2 3 2 1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

					-			om cano	ER AND C	THER M	IALIGNAN	T TUMOR	s of—			
		A			Buccal c						ach and				eum, int	
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynv.	Esoph- agus.	Stom- ach.	Liver and gall blad- ger.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES!—Continued.															
1	Plymouth County	99	2		1	_ :::	1	· <u>.</u> .	34		2	20	12	14	2	7
2 3 4	Males. Females. Diagnosis reasonably certain $egin{cases} M. \ F \end{cases}$	41 55 20 37	2		1		1 1		21 13 4 1		2	13 7 4	8	3 11 2 6	1	1 6 1 2
5	Worcester County	138	4		1	1	1	1	40		_ 1	26	13	25	2	19
6 7	Males	53 85 25	4		i	1	;	1	24 16 5		1	16 10	7 6	16	1	12
8	Diagnosis reasonably certain. ${ m \{F}$	55							1			3	2	6		3 3
9	Other rural districts	198	7	1	3	1		1	59 19			37	6	33		20
11	Females. Diagnosis reasonably certain ${M \choose F}$	142 32	7	i	3	i	î	1	40			24 2	16 2	26 5		17
	MICHIGAN.	81							2	(1	1	13		4
13	Total	1,398	77	16		8	35	5	304	1	5	355	75	143 62	- 13 - 7	82
15	Females. Diagnosis reasonably certain ${M \choose P}$	796 287 488	21 56 21	1 15 1	5 6 5	2 6 2	11 24 11	2 5 2	270 70 46	1	2 I	161 49 26	106 20 19	81 37 39	6 4 4	51 9 11
17	White		_ 77	16	11	- 8	35	7	571	_1	7	384	179	142	13	81
18 19 20	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	599 792 286 486	56 21 56 21	15 1 15 1	6 5 6 5	6 2 6 2	24 11 24 11	5 2 5 2	302 269 69 46	1 1	5 2 1	223 161 48 26	74 105 20 19	62 80 37 39	7 6 4 4	31 50 9 11
21	('olored	7							3			1	2	1		1
22 23 24	$egin{array}{c} ext{Males} \ ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} \ ext{F} \ ext{.} \ ext{.} \end{array}$	3 4 1 2							2 1 1			1	1	l		1
25	Berrien County	58	1		1				27			16	11	6		3
26 27 28	$egin{array}{ll} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} & ext{M} & ext{.} & ext{F} & ext{.} &$	22 36 10 20	1		1 1				12 15 2 3			7 9 1 2	5 6 1	2 4 2 1		3
29	Kent County	50	2				2		16			10	6	4		3
30 31 32	Males	26 24 18 17	2				2		10 6 5 1			6 4 2 1	4 2 3	3 1 1		2
33	Wayne County	63	2				2		25		1	16	8	7		5
34 35	Males	25 35	2				2		13 12		1	10 6	2 6	2 5		1
36	Diagnosis reasonably certain, ${M \choose F}$.	11 25	2				2		1 1			1	3	$\frac{1}{2}$		1
37	Other rural districts	1,227 529	72 53 1	16	- 10 5	- 8 - 6	$\frac{31}{22}$	7 - 5	506			313	156	126 55	7	71 28
35 39 40	Females. Diagnosis reasonably certain ${M \choose F}$ MINNESOTA.	698 218 426	19 53 19	1 15 1	5 5 5	2 6 2	9 22 9	2 5 2	237 62 38	1	1	142 46 22	92 15 15	71 33 36	6 4 4	43 9 10
41	Total	1,096	38	12	5	_ 1	16	1	554	***	12	432	110	134	5	82
42 43	Males	567 529 256	31 7 31	10 2 10	4 1 4	1	14 2 14	2 2 2 2 2	316 238 77		10 2 1	267 165 69	39 71 7	77 57 45	4 1 2	45 37 15
14	Diagnosis reasonably certain, $\left\{ egin{matrix} M_{++} \\ F_{-+} \end{array} \right\}$	287	7	2	1		2		36			22	14	39		20
45 46	White	1,092	38	12	<u>5</u>	1	16	-4/2	316		12	432	39	77	4	82
-17 -18	Females Diagnosis reasonably certain. {M F	526 256 287	31 7 31 7	10 2	1 1 1	1	11 2	2 2 2	236 77 36		1	165 69 22	69 7 14	57 45 39	1 2	37 15 20
	(elneiva oi			1					1010					

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						- DEAT	. =:		AND OTH						•				
intestin	new, and hecon.		Female a	genital or	gans.		,					Other o	rgans or (of organs	not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- nevs and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
5		8					. 17	5	19	2	3			1	2				11
1 4							17	3 2	15	2				1	2				7
1 4		8		8			17	3 2	9 3	2				1					6)
4	·	20	3	17			21	6	22	2	1		1	1	4				13
3 1		20	3	17			21	2 4 2	14 8 10	2	1		i	1	3 1 1	******			5 5
13		19 34	1	32		1	21 27	12	4 26		1			1	5		3	2	3) 14
4		34	1	32		····i	27	7 5	16 10		1			1	5		1 2	2	7 7
9		33		32	1	i	27	5	9 4		····i				3		1	2	3 1
48		194	9	181	2	2	130	84	196	5	6	16	7	19	24	1	14	2	102
24 24 21		194	9	181	2	2	126	28 56	120 76 64	3 2	5 1 3	8 8 4	5 2 1	19	20 4 10	1	9 5 2	22	50 52 31
24 48		190 193	5 9	181	2 2	2 2	126	28 84	38 195	5	6	3 16	7	19	24	1	3 14	2	26 j 101
24 24		193	9	180	2	2	4 125	56 28	119 76	2 3	5 1	8 8	5 2	19	20	1	9 5		49 52
24 24		189	5	180	2	2	125	56 28	64 38	2 3	3	3	1 1	6	10 2		3	2	34) 26)
		1		1			1		1										1
		1		1			1)
3	-=	10		10			5	5	4					1	2				1
2 1 2		10		10			5		3 1					1	1 1		1		1
1		10		10			5	1								 			
1		10					3	7	4			1							
	· · · · · · · · · · · · · · · · · · ·	10		10			3	1	2										2 3 1
2		10		9			6	6	7					·	2				3
1		10		9			6	1 5	2 4			1							1 2
		10 164	f I	9			116	1						18		· · · · · · ·	1	2	
20 22		164	-	152			112		108		5 1 3		1 5	15	1 17	1	4	₂	45 48
20					2		112	4()	56 35	2 2	3	3	1	в	2		1 2	2	29 25
		104	10	92	2		66	42	158	6	12	8	15	16	17	4	15	4	61
28 19			10		2		' 63		107 51 67		5 7 1	3 3 4	5 5	16	14 3 9	2	12 3 7		33 28 21
19		103	9	92 92	2		6,5	9 42	30	6	1	2	3	15	1		1	4	24 } 22 } 60
28				92			3 63	33	106	6	- 5		10	15	14	2	12	4	33
28				92			3 63	33	67 30	6	1	4	5 5 3		3 9 1	2 2	7	4	24 24 22

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=			1	Į.c	703 11016			table, p.		OMPE	1647767		P.S. C.T.			1
					Buccal c		THS FR	OM CAN	CER AND		ach and		KS OF—		eum, int	
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.		,										aı	nd rectum	α.
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharyny.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	RURAL PART OF REGISTRATION STATES —Continued. MINNESOTA—continued. Total—Continued.															
1 2 3 4	Colored. Males. Females. Diagnosis reasonably certain {M.	1 3							2				2			
5	Olmsted County	99	1	1	=======================================		=======================================		40		1	34	5	24		16
6 7 8	Males	62 37 52 28	1	1					27 13 20 6		1	23 11 17 5	3 2 2 1	15 9 13 8		8 8 6 7
9	Other rural districts	997	37	11	5	1	16	4	514		11	398	105	110	5	66
10 11 12	Males. Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M_{+-} \\ F_{} \end{array} ight.$ MISSOURI.	505 492 204 259	30 7 30 7	9 2 9 2	1 1 4 1	1	14 2 14 2	2 2 2 2	289 225 57 30		9 2	244 154 52 17	36 69 5 13	62 48 32 31	4 1 2	37 29 9 13
13	Total	1,155	55	17	7	10	19	5	480	ļ	6	297	177	96	5	62
14 15 16	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M} \\ \text{F} \\ \end{array}$	489 666 239 379	48 10 48 10	17	5 2 5 2	3 7 3	16 3 16 3	3 2 3 2	221 259 27 36		2 4	150 147 15 19	69 108 12 17	42 54 25 22	1 2 1	21 41 6 9
17	White	1,112	56	16	7	10	18	5	468		6	291	171	92	5	60
18 19 20	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	473 639 232 360	46 10 46 10	16	5 2 5 2	7 3 7 3	15 3 15 3	3 2 3 2	213 255 26 35	}	2 4	146 145 15 18	65 106 11 17	41 51 24 21	4 1 2 1	21 39 6 9
21 22	Colored	43	2				1		12			6	6	4		2
23 24	Males. Females. Diagnosis reasonably certain. ${M \choose F}$ MONTANA.	16 - 27 - 7 19	2	1			1		8 4 1 1			1	4 2 1	1 3 1 1		2
25	Total	141	9	3			5	1	61		2	40	19	17		11
26 27 28	Males Females Diagnosis reasonably certain. {M F	68 73 45 48	1 8 1	3			4 1 4 1	1 1 1	35 26 14 5		1 1 1	26 14 10 2	8 11 4 2	10 7 10 4		7 4 7 1
29	White	137	9	3			5		59		2	39	18	15		11
30 31 32	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$	67 70 41 47	8 1 8 1	3			1 1	1	35 24 14 5		1	$\begin{bmatrix} 26 \\ 13 \\ 10 \\ 2 \end{bmatrix}$	3 10 4 2	6 9		7 4 7 1
33	Colored	1							2			1	1	2		
35 36	Females. Diagnosisreasonably certain. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3 1 1							2			1	1	1 1		
37	Total	269	11	2	4		5		84			38	46	48	2	36
35 39 40	$\begin{array}{ccc} & \text{Males} & \dots & \dots \\ & \text{Fem des} & \dots & \dots \\ & \text{Diagnosis reasonably certain.} \left(\begin{matrix} M & \dots \\ F \end{matrix} \right) \end{array}$	88 181 37 105	10 1 10 1	2	4		1 -4 1		33 51 3 4			15 23 1 3	18 28 2 1	16 32 3 ·13	1 1	13 23 1 4
41	White	268	11	2	4		5		83			37	46	45	2	36
12 13 41	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right\} \end{array}$	88 180 37 105	10 1 10 1	2 2	4		4 1		33 50 3 4			15 22 1 3	18 28 2 1	16 32 3 13	1 1	13 23 1 4
45	Colored	1	1						1			1	'			
45	Males Females . Diagnosis revionably certain. M.	1							1							
	1															

¹ Exclusive of municipalities having a population of 10,000 or over in•1910.

			=		 ;	DEAT			AND OTH)F—						
Periton intestin	ies, and		Female	genital or	gans.		1					Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
									2					1			· <u></u>		1
									1 1			·		1					·····i
8		8	4	4			1	4	21	2	1	4	1 1	$-\frac{2}{2}$	6		2		3
1 7		8	4	4			1	3 1 3	16 5 15	2	1	3 1 3	'	2	6		1		$\frac{1}{2}$
39		96	6	88	2		1 65	38	137		11	1	14	14	11	4	1 13	4	2 58
21							3	30	91	4	- 5	2	9	14	8	2	11	4	
18 21 18		96	65	88 88	22		62 3 62	30 8	46 52 26	4	6 1 1	2 1	5 4 3	3	3 3 1	2 2	7	4	32 26 23 20
												<u>.</u>							
29 17		140	4	129	1	3	112	71	158	3	3	7	12	17	12	1			90
12 17		140	1	129	4	3	107 5	40 71	56 63	2	Ĭ	1 3	{ 7 3	5	2 5		6		53 37 43
12 27		139	3 4	129 120	4	3	107	109	25 151	3	4	8	12	17	10	1	10		20 86
16			,,				5	70	98	1	3	7	5 7	17	8	1	5		51
11 16 11		131	4	120	4	3	100 5 100	39 70 39	53 61 25	1 1 2		3	3	5	2 4		5 3 2		35 42 20
2		9		9			7	2	7						2		1		4
1 1		9		9			7	1 1	4 3						2				2 2
1		9		9			7	1	2						1				1
6		18	2	14	2		13	6	17			3	1	3		1		3	6
3			2				1 12	3	11			2	*******	3				3	3
3 3		18	2	14	2		1 1 12	3 3 3	6 9 5			1	1	3				3	3 2 3
4		18	2	14	2		13	6	17			3	1	3		1		3	6
2		18	2	14	2		1 12	3 3 3	11 6				1					3	3 3
2 2		18		14			12	3	9 5			1		3				3	3
1 1																			
1																			
10		50	1	47	1	1	28	13	36	1	2	4		3	7	,	1		18
2		50	i	47				10		1		2		3	4				6 12
2				47				10	11		1	4					i i		ti 7
10		50	1	47	1	1	28	12			2	-1		3 .			1		18
8		50			1	1	28	10 2 10	19 ¹			2		3	4 3		1 1		6 12
2	• • • • • • •	49		17		i		10		1	1								(1) **** 4
									·										
																		'	

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

		_			· ··	DEAT	HS FRO	M CANC	ER AND (THER N	IALIGNAT	NT TUMOR	s of—			
		Aggre-			Buccal c	avity.				Ston	ach and	liver.			eum, int	
	AREA AND BANIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued. NEW HAMPSHIREcontinued.													1		
1	Rockingham County	51	2		1		1		18			12	6	8		6
2 3 4	Males	10 41 4 23	2		1		1		5 13 1 2			4 8 1 2	1 5	1 7 3		5
5	Other rural districts	218	9	2	3		4		66			26	40	40	2	30
6 7 8	$\begin{array}{c} \text{Males} \dots \\ \text{Females} \dots \\ \text{Diagnosis reasonably certain-} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \end{array}$	78 140 33 82	8 1 8 1	2	3		3 1 3 1		28 38 2 2			11 15	17 23 2 1	15 25 3 10	1 1	12 18 1 3
9	NEW JERSEY. Total.	797	28	4	10	4	9	1	302		5	196	101	117		~~
10	Males	314	23	4	8	4	6		150		3	106	41	49	1	73
11 12	Females	483 127 279	5 23 5	4	2 8 2	4	3 6 3	1	152 20 16		2	90 14 11	60 6 5	68 24 28	5 1 1	43 5 7
13	White Males	308	28	4	10	4	9	1	298 149		5 3	195	98	113	6	70
15 16	Females. Diagnosis reasonably certain. {M	471 125 272	5 23 5	4	8 2	4	3 6 3	1	149 20 16		2	89 14 11	40 58 6 5	48 65 24 27	1 5 1 1	29 41 5 7
17	Colored	18							4			1	3	4		3
18 19 20	Males. Females Diagnosis reasonably certain. {M	12 2 7							1 3			1	1 2	1 3		1 2
21	Bergen County	101	3				3		39			24	15	17	2	8
22 23 24	$egin{array}{c} ext{Males} \ ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} \ ext{F} \ ext{} \end{array}$	39 62 16 36	2 1 2 1				2 1 2 1		22 17 6			14 10 3	8 7 3	8 9 5	2	3 5
25	Burlington County	60	2	1 .			1		18			14	4	7		4
26 27 28	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{^{\text{M}}_{\text{F}}\right\} \end{array}$	23 37 11 23	2	1			1		9 9 2 2			7 7 1 2	2 2 1	2 5 1 2		1 3
29	Monmouth County	86							34			25	9	12	1	7
30 31 32	Males Females Diagnosis reasonably certain. ${M \choose F}$	30 56 11 31							16 18 2			14 11 2	2 7	6 6 4	1	3 4 1
33	Morris County	50	3		2		1		22		1	13	8	2 5		4
31 35 36	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ M_{\text{F}} \end{array}$	22 28 8 12	2 1 2		2		1		12 10 1			8 5 1	4 4	1 4 1		1 3 1
37	Other rural districts	500	20	3	8	4	1	1	189		4	120	65	76	3	50
35 39	Males	200	17 .	3	6 2	4	3	1	91 98		3	63	25	32	1	22
40	Diagnosis reasonably certain. ${\mathbf{F}}$	81 177	17 3	3	6 2	4	3	1	9 ,			57 7 9	40 2 5	44 13 19	1	28 3 5
41	Total	2,286	96	19	27	10	33	7	832	2	20	519	291	287	28	151
42 13 41	Males Females Diagnosis reasonably certain. {M	1,403 438 870	79 17 79 17	16 3 16 3	23 4 23 4	9 1 9 1	25 8 25 8	6 1 6 1	395 437 66 49	1	6 14 1 4	276 243 51 19	111 180 13 26	124 163 70 86	5 23 1 7	65 86 15 28
45	White	2, 263	94	19	27	10	31	7	822	2	20	509	291	283	28	147
46 47 48	Males Females Diagnosis reasonably certain. {M	1,390 436 863	77 17 77 17	16 3 16 3	23 4 23 4	9 1 9 1	23 8 23 8	6 1 6 1	391 431 66 48	2	6 14 1 4	272 237 51 18	111 180 13 26	122 161 70 85	5 23 1 7	63 84 15 27

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEATI	-		AND OTH)F		·				
Periton ntestin rectum	es, and		Female	genital or	gans.				1			Other or	gans or o	of organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin,	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
2		12	1	11	1		5	1	5			2		1	1				1
2		12		11	1		5	1	1 4			2		1		1			1
5		12		I1	·····i		5	1	1			1							
8		38	1	36		1	23	11	31	1	2	2		2	6		1		17
2 6		38		36			23	9 2 9	18 13	1	2	2		2	4 2		1		6 11
6		37		36		1	23	9 2	11 7	1	1	2					1		6 7
38		103	8	92	2	1	96	35	116	1	4	4	10	17	15	4	9	2	50
18 20		103	8	92	2		1 95	25 10	66 50	<u>i</u>	1 3	2 2	6 4	17	10	2 2	4 5	2	22 28 17
18 20		98	4	91	2		1 95	25 10	34 27	1	1	<u>î</u> .	2 2	3	5 7 1	1 2	1 3	2	17 17
37		98	8	87	2	1	96	35	111	1	4	4	10	17	14	3	9	2	47
18			8		2	1	1	25	62		1 3	2 2	6	17	9	1 2	4 5	2	20 27
19 18 19		98	4	87 86	2		95 1 95	10 25 10	49 32 26		1	1	2 2	3	5 6 1	$\frac{1}{2}$	5 1 3	2	16 16
1		5		5					5						1	1			3
									4	! <u></u> !;					1	1			2
;		5		5				1	1 2	,					1				1 1 1
		12		5		1	14	2	14				2	2	2	1	1		6
5								1	6				2		1				1
2 5		12		11		1	14	1	8 2	` · · · · · · · · · · · · ·					1	1	1		5
3		12	1	8		1	14	3	12		1	1		3	3	1			2
1		9	1					3	7					3	2				2
1		9	1	8			9	3	5 3		1	1		1	1 2				2
2		9	1	8			9		1	 I	· · · · · · · · · · · · · · · · · · ·				2				1
4		13	1	11	1	******	10	3	12			1	1	1	1	1			6
1 3		13	1	11	1		10	2 3	7 2				1		i	1			4 2
1		13	1	11	1		10	2	4							1			3
1		5	1	4			2	5	8	"		1	1	1 1	1		1		3
1		5	di.	4			2	1 4	5	1		1			1				3
1				4			2	1	3			1		1					2
		64	5	58	1		61	20	70	1	3	1	6		7	'	7	2	31
14			5	58			60 1	14	45 25 27	1	1 2		3 3 9	10			4		14
9 14		60		57	1		50	6	15	1			2 2				3		14 9
	3		10	269	17	5	310	124	336	18			14		39		19	,	171
54 51	3	301	10	269	17	5	307	82 42	200 136	15 3		12 8	6 8		27 12		5 14	8	\$5 86
54 51		293	·····6	267	17	3	307	\$2 42	138 76	15 3	1		2 2	10	15		4 7	8	72 35
105		299	10	267	17		308	124	333	18	12	20	14	32	38	2	19	8	170
54 51	3	299	10	267	17	5	305	82 42	198 135	15	8 4	12 8	8	32	26 12	1	14	8	85 85
54						3	3	82 42	138 75	15	4	8 7 3	2	10	15 5	1	7	8	72 54

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

г								table, p.		mtre	ALVON	m mzyzcoz	0.02			
						DEAT	HS FRO	M CANCE	ER AND O	THER M	ALIGNAN	T TUMORS	s OF—			
	APPA AND PACIS OF DIAGNOSIS	Aggre-			Buccal c	avity.				Stom	ach and	liver.			eum, inte id rectum	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES!-Continued. NEW YORK-continued.						0		10			10				
2 3	Colored	23 10 13 2	2						-10 4 6		,	10 4 6		2 2		2 2
5	Diagnosis reasonably certain. ${M \choose F}$. Cattaraugus County		· _ · ·	······································	1				===1			$==\frac{1}{7}$	7	<u>1</u>		<u>1</u>
6 7	$\begin{array}{c} \text{Mules.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \left\{ \begin{smallmatrix} M \\ F \end{smallmatrix} \right. \end{array}$	15 38 9 23	1	1	i				5 q			4 3	1 6	2 4 1 2		1 2
9 10 11 12	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ M \end{array}$	18 10 8 21	7 1 6 1 6 1	1 1 			3		18			5 4	9 2 7	$ \begin{array}{c} 11 \\ 2 \\ 9 \\ \dots \\ 3 \end{array} $		7 2 5
13 14 15	Delaware County Males Females	19 41 5							26 11 15 3		1	7 7 2	11 			5 3 2
16 17 18	Diagnosis reasonably certain $\left\{ egin{array}{l} M \dots \\ F \dots \end{array} \right.$ Dutchess County	23 63 ——————————————————————————————————	3	1	2			<u>-</u>	$-\frac{2}{21}$		1	9 8	$ \begin{array}{c} 2 \\ 11 \\ \hline 2 \end{array} $	8 4	2	5 3
19 20 21	Females. $ \begin{array}{c} \text{Pomales}. \\ \text{Diagnosis reasonably certain} \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \text{Erie County}. \end{array} $	37 12 23 71	3	1	2		1		10 2 1		 	1 2	9 1 14		1	²
22 23 24	$\begin{array}{ccc} \text{Mules.} & & & \\ \text{Females} & & & \\ \text{Diagnosis reasonably certain.} & & \\ \downarrow^{\text{M.}} & & \\ \downarrow^{\text{F.}} & & \\ \end{array}$	32 39 15 22	3	11	1	.,	1		14 16 3 2			10 6 2	10 1 2	5 5 3 4		4 2 2 1
25 26 27 29	$\begin{array}{ccc} \text{Monroe County.} & & & \\ & \text{Males.} & & \\ & \text{Females} & & \\ & \text{Diagnosis reasonably certain.} \left\{ \begin{matrix} \dot{M} \\ \dot{F} \end{matrix} \right. \end{array}$	50 14 36 7		ı.			1		13 6 6 7			5 2 3	8 4 4			1
29 30 31	Nassau County	26 - 78 - 39 - 39 - 39	3 2	-			2	···	34 	· · · · · · · · · · · · · · · · · · ·		21 11 10	13	16 · · · · · · · · · · · · · · · · · · ·	2	9 6 3
32	Diagnosis reasonably certain. $\left\{ egin{align*}{c} M_{\mathrm{F}} \\ \end{array} \right.$ Oneid: County	15 20 74	2 1 3		2		1 1		26		1	14	11			2 1 4
34 35 36	Males	25 19 10 32 62	3	: :	2 2 2		1		13 13 1 1 26		1	8 6 1 	4 7 5		1	2 2 1 1
37 38 39 40	Onondaga County Mades Females Diagnosis reasonably certain. \{ \begin{align*} M \\ F \end{align*}. \]	26 36 13 22	2	1	1 i				14 12 1		1 1	11	2	1 2 1 1	i	1
11 12 13 44	Ontario County Males Fern des Diagnosts reasonably certain. (M	5h 2n 27 13	1					1 1 1	15 7 1			18 13 5 1	2 2	5 3 3 1		- 4 - 2 2
45 46 47	Orange County . Males Females		1 1			1		<u></u>	21 10 11			14	7 4 3			1 2 2
49 50	Diagnosis reasonably certain, $M \in \mathbb{R}$. Rockland County	17 71 28	2 2		1			1	- ¹⁸			1 13		5 3		2
51 13	M des Females Diagnosis reasonably certain. {M F	23 19 16			ii			1	5 6 2,			3 6 1,	i			······································

 $^{^{\}dagger}$ Exclusive of municipalities having a population of 10,000 or over in 1910,

						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT :	CUMORS	0F—						
Perito intestin	ies, and		Female	genital or	gans,		,					Other or	gans or o	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.		Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
						!													_
		2		2			2		3						1	1			1
		2		2	 		******		2				1		I	1			1
3				10		,	2	5	10						2				6
1 2						· · · · · ·		2 3	2 8			1							1 5
1 2 2	2	10	1	10	1		. · · · · · · · · · · · · · · · · · · ·	3	4			i 			1	1			3
2		7		6			q	1	2 2						1				2 2
2		7 8				1	9	1	1 1 7						2				1 1 5
1 1							10	i	3 4						2				3 2
î 1		8		8			10	1	3										3 1
I			1	7			9	4	10	1	3		1				2		3
1		8	' i	7			9	3 1 3	5 5 4	1 1	1 1		1				2		3
		7		7	1		9	1 4	3 11	1	1		1	2	3				3 2
1							9	2 2		1	1			2	2 1				2
1 3		4		3	ii		9	2 2	4	i			1		1				2
3		9	1	6	2	· · · · ·	77	2	13			2		2	1	,	1		7
1 2		9	<u>.</u>	6	2		7	1 1	ti 7			2		2	1				6
2		9	1	6	2		7	i	4										4
				5			1	3	, 8					1	1		1		1
1				5	1		7 1	1 2 1	3 2			1		1			1		1
				13					10										
1 3		13		13			10	2 2 2 2 2 2	4 6	1		1	- 1 - 1	1	1				1 4
1 3		i3		13			10	2 2	4			1							0
1			1	1			13	3		· · · · · ·									
1	,	5	1	4			13	1 2	3				1				1		1
1	 !	3	I .	3			13	.1	2				1						3
3		. 3		3			<u>}</u> ()	2 2				1	1	2					
3				3 			10	2	6			. 1	1	2					2
2	_	7		6	Ī		1		14					1	3	2			
2		7		t _i	1		1	2	7 7 5	,				1 1	1	1			3 5 3
		15		5	1		4	2 2	4				2	1	1				3 3
										2					2				
3		7		6 6				. 5	5 6 9	2							1		

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-					see note a	THE HEAVE		abie, p.								
						DEAT	HS FRO	M CANCE	ER AND O	THER M	ALIGNAN	T TUMORS	3 ()F—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Stom	ach and	liver.			eum, int id rectur	
	AREA AND BASIS OF PLAGAOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes-
1	RURAL PART OF REGISTRA- TION STATES 1—Continued. NEW YORK continued. St. Lawrence County.	50	2				2		18			12	6	7		2
2 3 4	Males. Females Diagnosis reasonably certain, $egin{cases} M & \cdots & \\ M & \cdots & \cdots & \\ M & \cdots & \cdots & \\ M & \cdots & \cdots & \cdots & \\ M & $	21 29 11 17	2			1:	2		11 7 2			7 5 1	4 2 1	1 6 1 5		2
5	Steuben County	69	4	2	_	1	1		27		1	15	11	7	1	4
8	Males. Females. Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	36 33 20 20	3 1 3 1	2 2 	1		1		14 13 1 2		1	11 4 1	2	5 2 3 2	1	1 1 1
9	Suffolk County	92	2		1		1	-	35 15	-::	1 1	26 13	8	17 8	1	12
11 12	Females. Diagnosis reasonably certain, $\left\{ egin{array}{l} M & \dots \\ F & \dots \end{array} \right.$	66 8 42	2				1		20 3 1	'		13 3 1	7	9 3 5	1	6 1 2
13 14	Wayne County	13	1				1				1	3	8	10	1	1
15 16	Females. Diagnosis reasonably certain. ${M \choose F}$.	46 8 27	1				1		17 1 4		1	11 1 2	1	7 3 3	1	3 1 1
17 18	West Chester County	106 49			4		5 4	1	16			18	10	12	1	1
19 20	Females	. 57 32 43	1 9 1		1 4		1 4 1	1	12 2 3			6 1 1	6 1 2	9 3 6	1	3 1 1
21	Other rural districts	1,179	$-\frac{45}{36}$	11 9	$-\frac{10}{7}$	5	15	3	432	2	$-\frac{12}{2}$	135	143	142	- 18	74 28
23 24	Females. Diagnosis reasonably certain . M. NORTH CAROLIN \ 2	734 221 460	9 36 9	2 9 2	3 7 3	5	3 12 3	3 1	236 34 30	1	10 1 3	140 23 13	86 9 14	83 34 42	16	46 5 16
25	Total	149	3	1	· · · · · ·		2		48	ļ	1	29	18	18	2	10
26 27 28	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} ight.$	38 111 19 76	1 2 1 2	1			2		21 27 6 6		1	11 18 4 4	9 9 2 2	6 12 5 4	1 1 1	2 8 1 1
29	White	114	2			·	2		37	····	1	22	14	17	2	10
30 31 32	Males Females Diagnosis reasonably certain (M.,	27 57 15 54	2				2		13 24 5		1	15 3 2	5 9 2 2	5 12 4 1	1 1	2 8 1 1
33	Colored	- 35 11	1	1		-			11 8			7	4	1		
36	Females. Diagnosis reasonably certain $\left\{ {\stackrel{\mathbf{M}}{\mathbf{F}}} \right\}$ OHIO.	21 4 22	1	1					1 2			3 1 2		1		
37	Total	2,072	614	23	18	12	40	5	833		12	520	301	227	16	127
39	Males	871 1, 201 420	78 20 78	21 2 21	12 6 12	10 2 10	32 8 32	3 2 3 2	414 419 78		10 2	290 230 55	114 187 21	101 126 60	8 8 3	52 75 17
40	Diagnosis real onably certain, ${K \choose F}$.	721	20	23	6	12	S 39	2 ,	69 821		12	34 510	35 299	59	16	15 126
42	White Males	860	77	21	12	10	31	3	407	-	10	284	113 186	101	8 8	52 74
43	Females Diagnosis real onably certain $\left\{ {\stackrel{\mathbf{M}}{\mathbf{F}}} \right\}$. Colored.	1,179 417 706	19 77 19	2 21 2	6 12 6	10 2	31	1 3 1	414 77 69		2 2	226 54 34	21 35 2	60 58	3 1	17 15
46	Males .						1		7 5	1		6	1	2		· · · · i
48	Females. Diagnosis reasonably certain. ${M \choose F}$.	22 3 15	1 1				1	. 1	1			4	1	i		

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or $\,$ over in 1910,

				WINDOWS THE PROPERTY.		T-12 - m-			AND OTH					. =					<u>-</u>
Perito	oneum,		Famala	genital or	gane	DEATE	IS PROM	CANCER	AND OTH	LK MALIC			rgans or	of argane	not sne	rified			
rectun	1—Con.		1							1				71 016800					
Rec- tum.	Others of this class.	Total.	ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
			1							1									
5		5		5			5	2	11 5	1			1	1				1	7
1		5			1			2	6 4 2	1			1	1					4 2
2		11				, !	1	9	10				1		1		1	1	6
2		11	1	11			1	8 1	6 4 5						1		1	1	2 4 2
		11					1	8	2				1		1		1	1	2
2		16	2	12	1	1	13	1	3					1	1				- 6
2 2 2		16	$\frac{1}{2}$	12	1	1	13	1	5 2 4						i				5 1 4
3	1	10		10			6	1	8						1		1		6
1 2 1	1	10						i	5 3						1		1		2 4 2
7		10 13		10	2		6	1 11	3 22	. 2	 		1	1	3	1	1	1	3 12
2 5								6	15 7	2			1	1	2 1	1	1	1	8 4
2 5								6 5	12 5						1	1	1	1	7 3
50		159	4	143		4		65	158	10	7	9	3	18	15		9	5	81
29 21 29		159	4	143	8	4	176 2	18 47	53 68 32	8 2	3 3 1	4 2 2	1	4	6		2 7 1	5	47 34 38 21
21		153	1	142	,	2	176	18		2		2	1						
3		44		44			13	5	18		1		1		3 2	2			10
3 3		44					13	4 1 4	9 6 3		1		1		1	2	1		6 2 1
5		30		30			9	4	15		1		1		2	2			<u> </u>
2 3 2		30		30			9	, 3	8 7 5		1		1		1	22			4 4 2 1
3		30 14		30			9	3	3	'	1,		1		1				1 2
1				14			4		1 2						1				2
								1	1 1										1
.83	1	258	12	23%	6	2	221	133	299	11	8	29	17	34	34	- 6	27	7	126
40 43 40		258	12	238	6	2	3 221 3	75 58 75	200 99 126	10 1 10	8		10 7 5	34	21 13	6	15 12 6	7	75 51 66
43 82		252	8	238 229	6	2		58 133	42	1		2	17		3	6	3 25	7	66 31 124
40	1						3 217	75 58	197	10	8	14	10		21		11	7	73 51
42 40 42		249	8	229			3 217	75 58	98 125 42	10	1	15 7 2	5	13	8	3	6 3	7	65 31
1		9					1		4		' 						2		2
				9					3 1 1								1		2
1		9		=== 9	·=								ss than I						

² Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

				 -		DEAT	HS FRO	M CANC	ER AND O	THER 1	MALIGNAN	TUMOR	s of—			
		Aggre-			Buccal	eavity.				Ston	nach and	liver.	l	Periton	eum, int nd rectum	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom-ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES!—Continued.												1			
1	Hamilton County	54	2		1			1	22			16	6	7 '		4
2 3 4	Males Females Diagnosis reasonably certain.{M	23 31 13 18	1 1 1 1		1			1	10 12 4 1			9 7 4	1 5	3 · 4 · 2 · 2 · 2		2 2 1
5	Tuscarawas County	56	1	·- <u></u>		1			26		1	17	9	12	3	5
6 7 8	$egin{array}{ll} ext{Males} & . & . & . & . & . & . & . & . & . & $	26 30 10 16	1			1			13 13 2			11 6	2 7 1	5 4 2	2 1 1	3 2 1
9	Other rural districts	1,962	95	23	17	11	40	_ 4	785		12	487	286	208	13	118
10 11 12	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	822 1,140 397 687	77 15 77 18 ·	21 2 21 21 2	11 6 11 6	10 1 10 1	32 8 32 8	3 1 3 1	391 394 74 66		10 2 2 2	270 217 51 33	111 175 21 33	91 117 54 55	6 7 2 1	47 71 15 15
13	Total	2,752	155	25	19	18	62	28 (1,141	2	16	703	420	331	40	180
14 15 16	Males Females. Diagnosis reasonably certain $\left\{egin{array}{l} M & \\ F & \end{array}\right.$	1,100 1,652 521 982	124 31 124 31	26 2 26 2	12 7 12 7	16 2 16 2	50 12 50 12	20 8 20 8	529 612 96 80	1 1	11 5 3	373 330 77 40	144 276 16 40	129 202 63 112	13 27 3 14	66 114 12 38
17	White	2, 703	152	28	19	18	60	27	1, 125	2	16	693	414	326	40	178
18 19 20	Males Females. Diagnosis reasonably certain $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} ight.$	1,083 1,620 516 955	122 30 122 30	26 2 26 2	12 7 12 7	16 2 16 2	49 11 49 11	19 8 19	518 607 95 79	1	11 5 3	365 328 76 39	141 273 16 40	127 199 61 110	13 27 3 14	65 113 11 38
21	Colored	49	3				2	1	16			10	6	5		2
22 23 24	Males	17 32 5 27	2 1 2 1				1 1 1 1	1	11 5 1			8 2 1 1	3 3	2 3 2 2		1 1 1
25	Allegheny County	223	7 1	1		1	4	1	105	1	3	63	38	23	3	14
26 27 28	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	80 143 32 94	6 6 1	1		1 1	4	1 1	51 54 9	1	3 1	35 28 7 6	12 26 1 5	6 17 2 11	2 1	2 12 7
29	Berks County	66	4		1		_ 3		25		1	16	8	6	1	4
30 31 32	Males Femules Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdot \\ F & \cdot \end{array} ight.$	29 37 14 19	1		1				10 15 2 1		1	5 11 2	4 4	2 4	1	1 3
33	Bradford County	6\	1		· · · · · · · · · · · · · · · · · · ·	1	2	1	16			8	8,	10		7
34 35 36	Males Females Diagnosis reasonably certain $\left\{ egin{array}{l} M. \\ F \end{array} ight.$	29 39 19 30	4			1	2 2	1	5 11 2 3			5 3 2	<u>s</u>	5 2 4		4 3 1 2
37	Bucks County	76	4	_ 1	1	_1	1		29		1	13	15	9	1	7
35 33 40	Males Females Diagnosis reasonably certain. $\left\{egin{matrix}M_{f r}\end{array} ight.$	26 50 10 29	3 1 3 1	1 1	1	1			12 17 1		1	7 6 1	5 10 1	3 6	1	3 4
41	Chester County	65	6	1		1	3	1	24		1,	16	7	10	2	7
42 43 44	Males Femules Diagnosis reasonably certain. {M	19 46 11 21	5 1 5 1	1		1	2	1 1	18			5 11 2 2	1 6	1 9	1	7
45	Clearfield County	50	1				1		25		1	15	9	8	1	6
46 17 45	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	20 30 10 16					1 1		4.4		1 1		3 6 	. 4 4 2 3	1	4 2 2 1
		1 Ex	clusive o	f munic	ipalities	having	a popu	lation of	10,000 or	over in	1910.					

					·	DEAT	HS FROM	CANCER	AND OTH	ER MALIC	GNANT 1	TUMORS	OF						
	neum, nes, and		Female	genital or	gans.			!						of organs	notspe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.			Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
					,			i i ,			ŀ		1						
3			1	6	1			3	6				1	2	2				
2		ζ.	1	fi	1		6	3	3				1	2					
2		5	1	6						1									
- 4		6		- 6			3	3	4										2
2 2		6		6			3	1 3	1 3						1 1				2
2		6					3	1	1						1				*******
76 37	1	241		226		2	215	126 69	259 191	11	7	14	9	32	30	6	27	$\frac{7}{7}$	73
39 37 39		244 238	11	226 226	5	2	212 3 212	57 69 57	95 120 41		1	15 7 2	5 2	11	12 6 2		12 6 3	7	51 64 31
109	2	371	12	354	3	2	280	142	332	, 12	8	27	18	34	37	4	22	5	165
49 60 48	1 1	371	12	354	3	2	3 277 3	97 45 97	215 114 138	9 3 9	5 3 3	13 1 <u>!</u>	11 7 3	34	27 10	2 2 2	10 12 5	5 5	102 63 93
60		364 359	6	354	3	1 2	277 271	4.5	73	3	1	6 27	1		5	1	6 22	5	50
106		30.5	12	341	3		3	97	329 216	9		13	11	33	36	2	10	5	164
55 47 58	î	358 351	12	341	3	2	268 3 268	45 97 45	113 138 72	3 9	3 3 1	14 7 6			10	2 2	12 5 6	5	62 93 49
3										'				1	1				1
1 2		13		13					2					1	1				1
$\frac{1}{2}$		13		13					1										·····i
6		37		37			24	11	16				1		4		1	1	9
2 4		37		37			24	7	10 6				1		3 1		1	1	4 5
2 4		37		37			24	1	8						2		1	1	4 5
1		7		. 7			9	4	11	1		1		3	3				3
1							9	4	9 2						2				1
		7		7			9		2	1									2
														1					1
1 2		14		14			7	6	2			1			1				
7		14		14			7	.,	2			1			1				
1								4						1		_			
·····i		12		11		1	9	4	5				1		1		i		2
		11		11				4							1				1 2
				7	Later Committee		Mark Marin	2						1	_	-			- 4 n
				· · · · · · · · · · · · · · · · · · ·	1 1		10	1	3						1		1		1
1				7				1 ,	1							1	1		
			-					3	3		-								1
1		```	1	······ 7	1		1	1 2	1		1						1		1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=					ee note a				ER AND ()	THER M	IALIGNAN	T TUMORS	s of -			
		\ armo			Buccal	eavity.				Ston	ach and	liver.			eum, inte	
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esophagus.	Stom-ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued.								~				'			
1	PENNSYLVANIA—continued. Delaware County	74	2	1			1		32			19	13	ĵ		1
2 3 4	$rac{ ext{Males}}{ ext{Femules}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	27 47 12 31	1 1 1	1					16			11	5 8 2 2	4 1 3		1
5	Erie County	67	7	_ 1		3	2	1	17			11		5		1
6 7 8	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	24 43 16 30	7	1		3	2	1				6 5 2	2 ; 4 1	2 3 2 2		i
9	Fayette County	67	3		1		1	1				20	10		1	- 5
10 11 12	$egin{array}{c} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} & ext{M.} & ext{F.} & ext{.} \ \end{array}$	31 36 10 18	2		1		1	1 1	15			13 1	2 8	1 1 1	1	3 2
13 14	Jefferson County	51 30					3	1				15	- 8	3		2
15	Females Diagnosis reasonably certain $\left\{ egin{array}{l} M & . \\ F & . \end{array} \right.$	21 16 9	6			2	3	ii	14 9 3			12 3 3	6	3		2
17	Lancaster County	90	6			2	3	1_			_	$-\frac{23}{12}$				8
19 20	Females . Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	53 17 29	2			2	1 2 1	1	17 2 3			11 · 2 · 2	6	2 2		6
21 22 ;	Luzerne County	99 45	_ 6	<u>2</u>			$-\frac{2}{2}$	1	49 25			36 ,	13	- 14 6	1	3
23 24	Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right.$	54 16 29	2 4 2	1 1	i		2	i	21 2 3		· · · · · · · · · · · · · · · · · · ·	14 2	10	2		5
25 26	Montgomery County	95	<u>5</u>	11				$\frac{2}{1}$	38 20		1	²² 12 :	15 7		2	5
27 28	Females	47 27 28	1 4 1	1			1	1 1 1	18 5		1	10	· · · · · · · ·	6 6 5	1 1 1	1
29 30	Males	21	$-\frac{3}{3}$				2 2	1 1	27 12				<u>-11</u> -4	3	$-\frac{3}{1}$	
31 32	Females Diagnosis reasonably certain. ${M \choose F}$.	30 4 17					2	1 1	1.5			<u>.</u>	⁷	2	2	
33 34	Schuylkill County		· 6 5				$-\frac{3}{2}$	- <u>1</u>	37			22 - 9	14			4
35 36	Females	- 4	1 5 1	2				1	21 6 3		1	13 5 2	5 1 1	8 3		
37	Washington County		- - 2	- 2				-			1	29 15	12 4	3	1	2
40	Females. Diagnosis reasonably certain. {M {F}		· · · · · · · · · · · · · · · · · · ·	2					22 7 5			14 7 3	<u>S</u>	3	1	2
41 42 43	Westmoreland County		- ⁵ 7 1	1		- 1 1	3		23 22			21 . 12 9	23 10 13	14 5 9	2	7 2 5
45	Diagnosis reasonably certain. ${\mathbf{F}}$ York County	25 37 64	7 1 5	1	2 1	1		1	20			69	11	4 9	2 2	1
46 47 48	$egin{array}{c} ext{Males} \dots & ext{Females} \dots & ext{F} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	613	1 1 1			1	2 1 2 1	₁	9 11 3 1			5 4 2	1 1	1	2	3 1
49 50	Other rural districts	1, 269	70	15	11	5	21 - 19	15	520	1		329	185	165 65	20	33
51 52	Females Diagnosis reasonably certain ${M \choose F}$	774 228 462	16 54 16 ,	1 1 1 1	5 6 5	1 4 1 .	5 19 5	11 11	254 34 40		3	157 26 22	123 8 18	100 33 55	13 2 6	55 7 17

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEATI			AND OTHE	this tabl			F						
Perito intestin	es, and		Female g	enital org	gans.							Other or	gans or	of organs	not spe	cified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
									5										
3 1		9		9	1	-	16	2 1 1		1	1 1	1					1		- 3 2 1
3 1				9			16	1 1 3	4 1 15	11		2	1	1					2 1
2 2 2 2		,	1				- 12	2 1 2		1::			i i	1	1		1 1		2 6 2
2		8		8			12	3	7 11	1		1	2	1			1	1	5
1 1 1				. s				2 1 2 1	9 2 5 1		1	1	1				1	1	3 1 3 1
		5					2	2	- 10 8 2		- 1	2 1	1	2 2	1				3
1	r	10		4 9	1		2	5	5 1 9		1	î	1	1	3	2	1		3
2 1 2	1			9	1	1	1 11 1 1	4 1 4	4 5 4				1		1 2 1	1 1 1	1		1 2 1
- 1/2		6	1	5			9	7 6	8	1		1	2						- #
2 2 2	1	6	1	5			9	1 6 1	1 2 2	1 1			1						1 2
4 4 4	1	· · · · · · · · · · · · · · · · · · ·	· _·	7			11 , ii	- 5 2 5	12 10 2 7	. 2		1		4	1				3
1		7		7			11	1	9			1	1	3	2		. '		1
		7		7				₁	8 1 1 1			1 1							1
	· ·	10		10				5	13 10						1		1	-	9 8
3 3 3		10		10			. 4		3 8 2							:		1	1 1
	: 1	8	ı.					3	9 2 5	1 1			1		1		1	1	3 1
5 3		8 19	1	18			6 9		13	1				1		1			3) S 7
2 3 2 3				18		:	9 9 10			. 1	: .		1			1	2		1 1 1
		in	. 1	. 10		:	10	1 1			1		1					1	2 2
2 - 56	1	177	7	168	1	1	120	1 70 46	147	1	3	15	5	14	11	1	,	_	2 1 } 85
32 24 32 32		177 174 030 / 16		168 168	1		119 1 119	21 46	54 60	2 2 2	2	5 2	2	14	3		3 4 2 1	$\cdots \frac{2}{2}$	51 34 44 27 }

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=				[60	e Hote a	ь пеац о	1 11112 65	ıble, p. 8	0.]							_ =
,						DEA	THS FR	OM CANO	CER AND	OTHER I	MALIGNA:	NT TUMO	RS OF—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	eavity.				Stom	ach and	liver.			eum, int id rectun	
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued.			1]				1	1		1			
1	RHODE ISLAND. Total	113	5			1	3	1	36		1	26	9	21	1	12
2 3 4	$ \begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M} \\ \text{F} \end{array} $	41 72 16 45	1 1 4 1			1	2 1 2 1	1	18 18 2 4		1	14 12 1 3	3 6 1 1	9 12 5 4	1	3 9
5	White	111	5			1	3	1	34		1	24	9	21	1	12
6 7 8	Males Females Diagnosis reasonably certain. $\left\{egin{array}{l} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array} ight.$	41 70 16 45	4 1 4 1			1	2 1 2 1	1	18 16 2 4		1	14 10 1 3	3 6 1 1	9 12 5 4	1	3 9
9	Colored	2							2			2				
10 11 12	Females. Diagnosis reasonably certain. ${M \choose F}$	2							2			2		,		
1	UTAH.															
13	Total	97	1		1				57	1	1	42	13	5		3
14 15	Males. Females	49 48 12	1		1				37 20 4	1	1	30 12 4	6 7	1 4		1 2
16 17	Diagnosis reasonably certain $\left\{ egin{array}{l} H \dots \\ F \dots \end{array} \right.$	29 97	1		1			1	3 57	1	1	1 42	1 13	5		3
18	Males	49	1		1				37 20		1	30	6 7	1 4		1 2
19 20	Females Diagnosis reasonably certain ${M \choose F}$	12 29	1 4		1				4 3	1		12 4 1	1	2		
01	VERMONT.	324	14	,	3	4	2	0	102		,	e=	37	45		02
21 22	Total	130	12	3	3		2	2	47		1	65	15	23	2	9
23 24	Females Diagnosis reasonably certain . {M	194 69 120	12 2	3	3	2 2 2 2	2	2	56 10 7			34 7 3	22 3 4	22 16 8	2	14 2 2
25	White	324	14	3	3	4	2	2	103	1	1	65	37	45	2	23
26 27 28	$egin{array}{c} M ales & & & & & & & & & & & & & & & & & & &$	130 194 69	12 2 12	33	3	2 2 2	$\frac{2}{2}$	$ \begin{array}{c} 2 \\ 2 \end{array} $	47 56 10		1	31 34 7	15 22 3	23 22 16	2	9 14 2
	VIRGINIA.	120	2			2			1	· · · · · · · · · · · · · · · · · · ·		3	4	8		2
29	Total	747	33	4	7	4	16	2	248		2	167	79	49	2	28
30 31 32	Males Females Diagnosis reasonably certain. ${M \choose F}$	289 458 127 297	10 23 10	3 1 3 1	7	3 1 3 1	8 8 8	2	0		1	88 79	36 43 1 6	25 24 14 8	1	13 15 3
3.3	White	551	25	3	7	4	12	2		******	2	121	67	38	2	19
34 35 36	Males. Females. Diagnosis reasonably certain $\binom{M}{F}$.	238 313 112 196	22 6 22 6	3	7	3 1 3 1	7 5 7 5	2	97 93 9 7		1	66 55 8	31 36 1	21 17 12 7	1	10 9 2
37	Colored	196	,	1			4		58			46	12	11		9
38 39 40	Males Females. Diagnosis reasonably certain.\f	51 145 15 101	1 4 1				1 3 1 3					22 24	5 7	4 7 2 1		3 6 1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

						DEAT	HS FROM	CANCER	AND OTHE	ER MALIG	NANT T	UMORS C)F—		er ter	ಪ್ರ ಹರ್			· · · · · ·
	neum, nes, and —Con.		Female	genital or	gans.				1			Other or	gans or o	of organs	not spec	ified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
8		15	1	14			18	3	15			4	2	ļ	2				7
. 5 3 5 3		15 15 15	1 1	14			18	1 2 1 2 2 3	9 6 4 1			3 1	1 1 2		1 1				4 3 4 1
5 3 5 3		15	1	14			18	1 2 1 2		1		3 1	1		1 1				4 3 4 1
								-	1										
2		1		11		1			10 4 7			2 1 1 1		3			1		7 5 2 5
		12		11			8		14 10 4 7	1		1 1 1 1 1	ļ	3		1	1		7 5 2
			2		3	<u></u>	23	15	64	2	3	7	4	9			3 2	1	31
- 6	1		1 2	55 55	3			6 9 6	39 25 22 15 64	2 2	1 3	5 2 7	3, 4	9	1		3	1	12 17 7
6 14	······································		2	55			23	9 6 9 6	39 25 22 15	22	1 2	2 5 2		92			2 1	1	19 12 17 7
11 8 11		158	2		3		77	34 22 34 22 34 22	126 83 43 47 17	3	3 1	4 4 1 1	6 1 3	8	11 3 3 1	3	$\begin{array}{c} \frac{5}{2} \\ \frac{3}{3} \end{array}$	11	73 42 31 33 14
10 7 10		90	1	87	2		56 56 56	32 19 32 19	98 66 32 37 12	1 1 1		3 3 1 1	- 3 1 1		11 S 3 1 1	2 2 	1 3	1	37 21 29 9
2 1 1		1	1		1		21 21 21	3 2 3 2 3	28 17 11 10 5	2		2 1 1	3 .; 2	1	3 3 2	1	1		5 10 4 5

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

=						DEA1	CHS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s of-			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-	-	···	Buccal	eavity.				Stom	ach and	liver.		Periton a	eum, int	estines, m.
	AREA AND DASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
ļ	RURAL PART OF REGISTRATION STATES 1—Continued. WASHINGTON.															
1	Total	372	20	6	4	5	4	1	174			131	43	35		22
2 3 4	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	195 177 94 117	13 7 13 7	5 1 5 1	3 1 3 1	2 3 2 3	3 1 3 1		111 63 32 15			92 39 26 7	19 24 6 8	20 15 13 9		13 9 6 3
5	White	368	20	. 6	4	5	4	1	173			130	43	35		22
6 7 8	Males Females Diagnosis reasonably certain. ${M \choose F}$	193 175 93 115	13 7 13 7	5 1 5	3 1 3 1	2 3 2 3	3 1 3 1	1	110 63 31 15			91 39 25 7	19 24 6 8	20 15 13 9		
9	Colored	4		1					1			1				
10	Males	2							1			1				
11 12	Females. Diagnosis reasonably certain. ${M \choose F}$.	2 1 2							1			1				
	WISCONSIN.	Z							1					*****		* * * * * * * * *
13	Total	1, 273	53	17	9	2	24	1	652	1	21	472	158	144	10	86
14 15 16	$egin{array}{ll} ext{Males.} &$	633 640 243 352	44 9 44 9	16 1 16	8 1 8	1 1 1	18 6 18 6	1 i	385 267 67 42	1	20 1 2	304 168 56 21	61 97 9 21	76 68 45 31	5 5 4 1	42 44 12 11
17	White	1,266	52	17	9	2	23	1	650	1	21	472	156	144	10	
18 19 20	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{pmatrix} \mathbf{M} \\ \mathbf{F} \\ \end{pmatrix}. \end{array}$	632 634 243 347	44 8 44 8	16 1 16 1	5 1 8	1 1 1 1	18 5 18 5	1	384 266 67 42	1	20 1 2	304 168 56 21	60 96 9	76 68 45 31	5 5 4 1	42 44 12 11
21	Colored	7	1				1		2				2			
22 23 24	Males Females Diagnosis reasonably certain. {M F	1 6	1						1 1				1			
25	Milwaukee County:	59	3	1			2		30			19	9	5		2
26	Males	41	3		!		2		21		2	11	5	4		1
27 28	Females. Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right]$	18 ¹ 26 11	3	ii			2	• • • • • • • • • • • • • • • • • • • •	9 8 3		i	5 4 1	4 3 2	1 3 1		1
29 1	Other rural districts	1,214	50	16	9	2 1	22	1	622	1	19	453	149	139	10	82
3), 31 32	$\begin{array}{c} \text{Males}, \\ \text{Females}, \\ \text{Diagnosis reasonably certurn.} \left\{ \begin{matrix} M, \\ F \end{matrix} \right\}. \end{array}$	592 622 217 341	41 9 41 9	15 1 15 1	8 1 8 1	1 1 1 1	16 6 16 6	1 1	258 59	i	18 1 1	290 163 52 20	56 93 6 19	72 67 42 30	5 4 1	4 40 16 13

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

									-	tills tabl	, ,									=
						DEAT	THS FROM	CANCER	AND OTH	ER MALI	GNANT	TUMORS	OF-							
Perito intestin rectum	neum, nes, and n—Con.		Female	genital or	gans.							Other o	rgans or o	of organs	not spec	rified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	and	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
13		43	2	41			31	16	53	1	4	7	2		1	1	3	1	22	1
7 6 7 6		43	2	41			1 30 1 30	12 4 12 4	38 15 23 9	1	2	5 2 5 1	2	3	3 1 1	1	1 2	1	13 9 10 6	}
7 6		41	2 ₂	39			-31 -1 30	16 12 4	52 37 15	1 1	1	7 5 2	2 2	- 8	3 1	1	2	1	13 9	
7 6		41	2	39			30	12 4	23 9	1	<u></u>	5 1		3			1 1	1	6	} 8
	· · · · · · · · · · · · · · · · · · ·	2		2				*******								1				}1:
48		119	9	102	6	2	102	57	146	2	5	12	12	24	11	3	9	3	65	13
29 19 29 19		119 115	9	102	6 6	1	102	30 27 30 27	98 18 57 27	2	4 1	4 4 2	6 6 4 1	21	7 4 3 3	1 2	8 1 1	3	35 30 32 21	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
29 19 29		118	9	101	6	2	99	30 27 30	98 48 57	$\begin{bmatrix} & 2 \\ & & 2 \\ & & 2 \end{bmatrix}$	5 4 1	8 4 4	6 6 4	24	7 4 3	$\begin{bmatrix} & 3 \\ & 1 \\ 2 \end{bmatrix}$	- 9 8 1 1	33	35 30 32	1 1 1 1 2
19		114	6	101	6	1	3	27	27	·		2				1			21	2:
		1		i		;	3			1						i		••••		}2
3		6	1	4	1			2	13				1	2					10	2.
3		6	11	4	i			2	11 2 10 1	1			i	<u>1</u>					9 1 9 1	26 27 }28
45 26		113	8	95	5	2	102	55	133	,	5	12	11	22 22	11	3	9	3		29
19 26 19		113	8 5	98	₅	1	102	28 27 28 27	87 46 47 26	2	1	4 4 2	6 5 4 1	7	4 3 3	2	1 1	3 	26 29 23 20	30

² Includes National Military Home.

$\begin{array}{c} \textbf{Table 3.--DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA \\ \textbf{NATIVITY OF} \end{array}$

			DEAT	HS FROM	CANCER A	ND OTHER	MALIGNA	NT TUMO	RS AT AG	E OF—	
AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
REGISTRATION AREA.	52,42	0 49	42	61	43	42	237	122	92	174	294
Males	21, 28	2 21	20	33	27	17	118	70	54	86	147
Females	31, 13	_ ' ====	22	28	16	25	230	52 118	38	167	269
Males			19	32	27	16	115	69	48	86	140
Females	29, 79	8 26	22	28	15	24	115	49	36	81	12
Native	31, 28		39	32	42	39	226	113	76	72	21
Males. Females.	19, 70		21	25	15	23	112	47	32	69	10
Both parents native	$\{ \begin{array}{ccc} M \dots & 6,34 \\ F \dots & 11,30 \end{array} $	6 13	10 16	19 14	19 7	7 16	63 66	35 29	28 19	38 40	6 5
One or both parents foreign	$\{ \frac{M}{F} = \frac{3,14}{5,30} $	5 11	8	12 14	8	8 7	49 44 2	27 17	16 12	33 29	4
Parentage unknown	$\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $ $\{ \mathbf{F}_{++} \} $	1 1	i				2	1	1	1	
Foreign			2			1	4	3	8	25	5
Males Females			. 1		.1		1 3	1 2	4 4	14 11	2
Unknown	45	2						2	· · <u>· · · · · · · · · · · · · · · · · </u>	1	
Males Females.								2		1	
· Colored			1	1	1	2	7	4	8	7	
Males		j	. 1	1		. 1	3	1	6 2	7	
Females		1	1			1	3	3	4		
Negro		7, 2			1	1	4	2	2	7	1
Indian Chinese	$(\mathbf{F}_{\bullet,\bullet})$ $\frac{1}{3}$							1		1	
Japanese	(M., 1	2									
Other colored	$\{F_{}^{M}\}$	5 2			1		******		1		
REGISTRATION STATES.	(1 .,						1	1			1
Total	47, 98	66 45	39	56	36	40	216	110	87	165	2-
Males Fomales		$\begin{bmatrix} 4 & 18 \\ 2 & 27 \end{bmatrix}$			22 14	16 24	105 111	62 48	52 35	81 84	12
White	46, 54	9 43	38	55	35	38	209	106	79	160	2
Males Females		7 18 02 25			22 13	15 23	102 107	61 45	46 33	81 79	12
							205	101	73	135	18
Males	10, 8	12 18		29	22	15	101	58	42	68	9
Females							104 59	43	31 27	67	
	\bigg\{M\\ F\\ 10, 6-\\ M\\ 2, 89	19 12	14		7	15	61 40	27 23	19 15	35	
One or both parents foreign	F. 4, 98	53 11 89		13			41	15 4	11	29 1	
Parentage unknown	` ′		1		,		2	1	1		
Foreign			2					$-\frac{3}{1}$	- ti	13	
Males	8,90		1			i	3	2	2	11	
Unknown	49		-,				—	2		1	
Males Females	23							2		1	
Colored	1,4	37 2	1	1	. 1	2	7	4	8	5	1
Males	1,0		1	1	. 1	1	3 4	1 3	6 2	5	
Negro		31 89	1	1		1	3	$\frac{1}{2}$	4 2	5	1
Indian	{M F	6									
Chine w	{M	29									
Japanese	{M F	5									
Other colored	{M F	2							1		

Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

AND THE REGISTRATION STATES, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1914.

				DEAT	HS FROM C	ANCER AN	D OTHER !	MALIGNANT	TUMORS .	AT AGE OF	_					Deaths
to 29 ears.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
557	1,064	2, 119	3,325	4,632	6, 131	6,663	6, 909	6, 780	5,893	4,033	2,213	829	225	34	8	57
222 365	323 741	566 1,553	967 2,358	1,502 3,130	2,323 3,808	2,741 3,922	3,071 3,838	3, 134 3, 646	2,754 3,139	1,757 2,276	966 1,247	352 476	94 131	9 25	1 4	22 35
541	976	1,935	3, 129	4,373	5,838	6, 454	6,708	6, 629	5,788	3,964	2, 185	\$16	221	31	7	52
211 330	304 672	528 1,407	919 2, 210	1,441 2,932	2, 232 3, 606	2, 666 3, 788	2,995 3,713	3,077 3,552	2,714 3,074	1,736 2,228	960 1, 225	351 465	92 129	9 22	4 3	20 32
3\5	687	1,325	2,070	2,686	3,573	4,053	4,010	3,844	3,415	2,378	1,368	521	152	15	5	32
137 248	201 486	305 1,020	515 1,555	707 1,979	1, 164 2, 409	1,498 2,555	1,631 2,379	1,656 2,188	1,519 1,896	975 1,403	571 797	224 297	59 93	5 10	2 3	10 22
77 143	108 275	153 540	245 803	321 1,025	558 1,190	698 1,364	1,377	997 1,394	927 1, 252	613 940	348 523	139 190	43 59	1 5	2	3 16
50 79	\5 175	121 371	220 591	298 714	458 904	552 841	450 605	306 377	207 250	116 167	60 78	17 29	2 7	2	ii	2 2 5
10 26	8 36	109	50 161	88 240	148 315	218 350	298 397	353 417	385 364	246 296	163 196	68 78	14 27	1 3	2	4
153	281	594	1,034	1,660	2,214	2,349	2,634	2,712	2,328	1,545	796	286	65	16	2	
73 80	97 184	214 380	395 639	715 945	1,034 1,180	1,140 1,209	1,326 1,308	1,378 1,334	1, 167 1, 161	741 804	375 421	124 162	33 32	4 12	2	7
3	8	16	25	27	51	52	64	73	45	41	21	9	4	,		9
$\frac{1}{2}$	6 2	9 7	16	19	34 17	28 24	38 26	43 30	28 17	20 21	14 7	3 6	4		í	3
46	- 88	184	196	259	293	209	201	151	105	69	25	12	4	3	1	5
11 35	19 69	38 146	48 148	198	91 202	75 134	76 125	57 94	40 65	21 48	6 22	11	2 2	3	1	3
11 35	18 67	34 143	44 148	55 196	77 199	68 131	63 123	54 90	3 × 64	21 47	6 22	10	1 2	3	1	2 3
	<u>1</u> 1	1 2	2	3	1 2	2 5	1 2 12	4 2	1 2	1		1	1			
		1 2		3	2	1		I								
			1													
508	927	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2, 121	786	217	33	7	51
194 314	278 649	503	960	1,340	2,066	2,473	2,809	2,898	2,583	1,659	931	335	90 127	25	4 3	19
479	561	1,369 - 1,738	2,109	3,945	3, 434 5, 295	3, 591 5, 905	3, 521 6, 162	6,180	2,962	2,138	2,097	451 775	214		7	47
190 289	267 597	475 1, 263	\$28 2,005	1,296	2,004 3,291	2, 418 3, 487	2,746 3,416	2,848 3,332	2,547 2,911	1,641 2,094	926 1, 171	334	88 126	22	4 3	17 30
341	609	1, 191	1,884	2,471	3,278	3,756	3,742	3,643	3, 281	2,272	1,323	501	149	15	5	30
127 217	177 432	278 913	468 1,416		1,057 2,221	1.382 2,374	1,525 2,217	1,566 2,077	1,461 1,820	933 1,339	557 766	215 286	5× 91	5 10	2 3	10 20
72	94	1##	231	302	519	646	\$40	953	593	593	340	137	42	4	2	3
131 46 68	249 76 154	487 104 330	740 196 541	. 957 279 649	1, 107 411 833	1, 280 544 777	1, 294 412 567	1,331 286 358	1, 208 196 270	904 107 160	506 60 75	183 15 29	57 2 7	5	·····i	15 2 2 5
9 18	7 29	30 96	41 135	7.5 209	127 281	192 317	273 356	327 388	372 342	233 275	157 185	63 74	14 27	1 3	2	5 3
133	218	333	924	1,451	1,967	2, 101	2,363	2,472	2, 133	1,422	754	265	61		2	9
63 70	85 163	190 343	351 573	623 828	913 1,054	1,011 1,090	1, 187 1, 176	1, 245 1, 227	1,059 1,074	688 734	356 398	116 149	30 31			7
2	7	14	25	23	50	48	57	65	44	41	20	9	4			
2	5 2	7	9 16	17 6	34 16	25 23	34 23	37 28	27 17	20 21	13	3 ñ	1			5 3
29	63	134	136	183	205	159	168	130	87	62	21	11	3			
4 25	11 52	28 106	32 104	14 139	62 143	55 104	63 105	50 80	36 51	18 11	5 19	1 10	2			2 2
$\frac{4}{25}$	11 50	25 103	30 104	39 137	51 142	50 101	51 103	47 76	35 50	18 43	5 19	9	1	. 3		2 2
	····· i	1 2			1	1 2 4	1 2 11		1 1	1		1	1			
		1	1	2	1 4											
	1	1	1	2												

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

-							DEATHS	S AT AGE O	F			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY.											_
1 2	Total	2,086 1,724	1	1		1	4	7	<u>6</u>			3
3	Females	2,045	1			- · · · · ·	2 4	4 1	2	6	9	3
5	Males	1,696				1	2 2	3	3	5	5 4	3
7	Native	349 1,246	1	1		1	4	7	4	6	6	2
8 9	Males Females	1,003 243	1	i		1	2 2	3 4	3 1	5 1	3 3	2
10	Both parents native $\left\{ \begin{matrix} M \dots \\ F \end{matrix} \right\}$	535 136		·····i		l ¹	2 2	3	2	3 1 2	2 2	2
11	One or both parents foreign ${M \choose F}$. Parentage unknown ${M \choose F}$	65	1					1	1 1		1	
13	Parentage unknown\\F Foreign	765	 								3	1
14	Males	660									2	1
15 16	Females	105 34						, , , , , , , , , , , , , , , , , , , ,				
17 18	Males Females	33										
19	Colored	41							2	2		
20 21	Males Females	28 13							1	1		
22 23	$\begin{array}{ccc} \text{Negro.} & \left\{ \begin{matrix} M \dots \\ F \dots \end{matrix} \right. \\ \text{Indian} & F \end{array}$	25 11 2							1	1		
24	ChineseM	3										
25	Cancer of the lip. Total	354							2			
26 27	Males Females	328 26							1			
28	White	352							1			
29 30	MalesFemales	327 25							1		,	
31	Native	218			\				1			
32 33	Males Females	206 12 111						1	1			
34	Both parents native $$	8 39						1				
36	Parentage unknown $\left\{ egin{array}{ll} \left\{ egin{array}{ll} M \\ F \end{array} \right. \end{array} \right.$	1 : 56 : 3								} ;		
37	Foreign	128		·					 <u></u>			
38 39	Males Females	115 13										
40	Unknown	()									 	
41	Negro	2							I			
42	Cancer of the tongue.	1							1		· 	
43	Total	517	1					1			2	
11 45	Males	465 82	1					1			1	
46	White	537	1				• • • • •	1			2	
47 45	Males Females	458 79	i			1		1		5	1	
49	Native	295	1					1			2	
50 51	Miles Females Both parents native	235 60 113						1			1 1	
53	Both parents native. $\{M, \dots, M\}$. One or both parents foreign. $\{M, \dots, M\}$.	35 76 14								` ;	1	
54	Parentage unknown	14 16 11	1							· · · · · · · · · · · · · · · · · · ·		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	-							Deaths
25 to 29 years.	30 to 34 years.		40 to 44 years.		50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.		85 to 89 years.		95 to 99 years.	100 years and over.	at un- known age.
12	20	42	86	125	192	236	272	307	299	228	155	5%	20	1		
11 1	14 6	34	65 21	108 17	165 27	217 19	228 44	266 41	247 52	172 56	118 37	43 15	14			
12	19	40	83	121	187	230	267	301	297	226	154	58	20	1		
11 1	14 5	33	62 21	105 16	161 26	212 18	226 41	261 40	246 51	171 55	117	43 15	14 6	1		
8	11	27	60	60	117	141	150	189	168	141	95	37	13	1		
	3 3	21 6 9	44 16 26	49 11 15	101 16 47	125 16 59	126 24 68	159 30 97	130 38 68	101 40 61	78 29 38	28 9 19	5 2			
	1 5	2 9	7 14	3 27	7 36	9 46	11 31	19 31	24 20	26 13	10	7 3	4			
i	2	2 3 2	8 4	7 4 1	7 18 2	5 20 2	6 27 7	31 5	8 42 6	6 27 S	4 32 6	6 2	1 5			
4	7	13	23	57	67	82	113	110	123	83	53	19	7			
3	5 2	12 I	15 5	52 5	58 9	80	96 17	100	110 13	68 15	36 17	13 6				
	1			4	3	7	4	2	6	2	3	2				
	1			4	2	7	4	2	6	2	3	2				
	1	2	3	4	5	6	5	6	2	2	1					
	i	1	3	3 1	4	5	2 3	5	1	1 1	1					
	1	1		ī	1	5 1	1 2	5 I	1	1						
				1			2									
2	3	4	8	- 11	24	26	44	48	47	45	57	22	7	1		
2	2	4	8	11	. 24	26	43 1	47	45	44	47 10	18	5 2	1		
2	3	4	8	11	24	26	44	47	47	48	57	22	7	1		
2	2 1	4	8	11	24	26	43 1	46	45 2	44	47 10	18	5 2	1		
2	3	1	6	8	15	21	28	30	22	30	32	13	5	1		
2	2 1	1 '	6 5	8	15	21	28	29 1 16	21 1 12	28 2 17	25 4 14	12 1 8	3 2	1		
	î 1			4	5		5	1 6	1 3	1 4	1 2	1	2			
			1	1	5	5	6	7	6	7 1	12 2	3	3			
		3	2	2	9	5	15	17	22	18	24	9	2			
		3	2	2	9	5	14	17	21	16 2	18 6	6 3	2			
				1			1		3		1					
													-			
								1								
2	4	17	24	44	61	75	79	81	71	50	24	_	4			
1 1	3	15	17	38	55 6	72	68 11	71 10	61	37 13	17	6 2	3			
= = -1:	2= = 1	17	= = -	1 42	61	74	78	79	69	50	24	8				
1 1	3 1	15	15	37 5	55	71 3	68 10	69	60	37 13	17	6	3 1			
1	2	15	18	15	37	37	35	41	39	23	17	b	3			
	2	13	13 5	12	3.3	34	31	34	31	13 10	11	4 2	2			
1			7 3 4	4 . 2 8	13 1 16	14 3	15 4 10	20 5 5	17 4 5	2	5 1 1	2 - 2	l 1			
		1	2	î ·	3		6 6	1 9 1	1 9 3	. 3	5		1			

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATHS	AT AGE (or—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
1	CANCER OF THE BUCCAL CAVITY—continued. Cancer of the tongue—Continued. White—Continued. Foreign	238										
2 3	Males Females	219										
5	Unknown	10										
6 7 8 9	Males Females Negro. M. Indian. F	7 3 7 2 1										,
10	Cancer of the mouth. Total	216	*****				2	2		1		1
11 12	Males Females .	171 45			,		1	1				
13 14 15	White	215 171 44								1		
16	Native	136					2	2		1		1
17 18 19	Males Females Both parents native. [M.] [F.]	20					1	1 1		· ·····i		i
20 21	One or both parents foreign M . Fr. M . Parentage unknown. M . Fr.	4 19										
22 23 24	Foreign. Males Females	71 58 13										
25 26	Unknown M. Colored—Negro F	8										
27	Cancer of the jaw. Total						2	4	4	7	5	1
28 29	Males Females	618 167					1 1	2 2	3 1	5 2	3 2	1
30 31 32	White	601				1	1 1	2 2 2	$\frac{3}{2}$	5 1	3 2	1
33	Native	482	<u> </u>	1			2	4	3	5	0	
35 36	Females. M . Both parents native. M .	115 188 56		··· ·· · · · · · · · · · · · · · · · ·		1	1 1 1	2 2 2	1	1 2 1		
37 38	One or both parents foreign $egin{c} M \\ F \\ M \\ M \\ F \\ \end{array}$. 40 84 . 19							1		1	
39	Foreign	220									3	
42	Vnknown	45	****									
13 11 45	Males Fem.de											
46 47	Males	17 6							1	1		
48 49 50	Negro	. 1	,									

⁾ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS .	AT AGE OF								Deaths
	30 to 34 years.			15 to 19 years.			60 to 64 years.	65 to 69 years.	70 to 74 years.						100 years and over.	at un- known age.
			j													
1	1	2	4	27	23	36	39	1 j 35	30	27	1 7	2	1			
1	1	2	2 2	25 2	21 2	36	3t 3	35	29 1	24 3	6		1			
	1		2	2	1	1	1	2								
				1			1	2	1 1							
				1			1		î							
		1			15	25	31	35	35	26	18	6				
		1			13 2	22 3 =======	26 5	29	2× 7	17 9	13 5	3 3				
1			5 3	9	15 13 2	25 22 3	30 26 4	29	35 28 7	26 17 9	18 13 5	3 3	2			
			<u> </u>	5	8	16	15	24	22	19	11	3				
ii	· · · · · · · · · · · · · · · · · · ·	1	4 2 2 1	5 1	7 1 4	13 3 7	12 3 10 1	20 4 17 3	16 6 11 5	12 7 5	9 2 4 2	2 1 2	1			
			2	3	2	1 2	2	1	1	1 2 3	1 4					
			2	4	7	1 7	2 13	1 10	1 12	6	Б	3.	1			
			1 1	4	6 1	7	12	8 2	11	4 2	3 3	1 2	1			
			,			2	2	1	1	1	1					
6	s	17	38	49	76	92	92	121	115	83	44	20	. 3			
6	6 2	12 5	29	38	62 14	50)	71 21	101	90 25	60 23	32 12	15	- 2			
6	8	1.5	37	48	73	87	90	118	115	81	4.3	20				
	6 2	11 4	9	37 11	59 14	76 11	70 20	99 19	90 25	22	31 12	15 5	1			
3	3		25 17	26 18	50	55	58 46		64	36	29	13	2			
2	1	3	8 10 3	7	9 23 4	9 25 5 15	12 20 6	16 39	47 17 21 9	14 18 7 6	22 7 9 5	7 3	<u>i</u>			
i	2 2	1 2	6 4 1	, 9 6 2	11 4	3 6	14 4 12	. 15 .5 10	6 15	2 12	4 1 9	2 1				
3	3	7	1 12	19	1 21	29	32	37	2 j 49	30	13	5	1			
3	3	6 1	11	1h 3	17 4	27 2	24 8	34 3	41	22	3	- - 1				
			···	3 3	2	3		1	$\frac{2}{2}$	1		- ² / ₂	<u>.</u>			
		2	1		1 3	5	2	3		2						
		1 1	1	1	3	1 1	1 1	2 1 2		1 1	1 1		,			
::		i	:			ĺ.		î .	,	1		:	:	• •		

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATHS	S AT AGE C	F -			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under I year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.		15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY—continued.		_ 		1							
,	Others of this class. Total	154									2	
2	Males. Females.	112									1	
3	Females	179			_ ====	· · · · · · · · · · · · · · · ·		···· ····			2	
2	Mules	139									1	VM
1	Females	40									1 2	
.	Males						·				1	
)	Females. M Both parents native. M E	25 52 17	l							• • • • • • • • • •	1 1	
1	One or both parents foreign	22 6										
-	Parentage unknown. $(F_{+}, K_{+}, K$	16 2					1					
3	Foreign	63					! <u></u>		·		! <u> </u>	
5	MalesFemules	48 15					ļ					
6	Unknown	1				. ,						
7	Colored	5					·					
3	Males. Females.	3 2							*****			
1	Negro. F . Chinese. M .	2 2				' 	1					
	CANCER OF THE STOMACH AND LIVER.											
2	Total	18, 285	7	6		4	4	26	9	6	17	3
3	Males Females	9,236 9,049	2 5	2 4	3	3 1	1 3	10 16	7 2	4 2	6 11	1
5	White	17,806	7	6	5	4	4	26	9	6	17	2
7	Males	9,004 8,802	5	2 4	3	3 1	1 3	10 16	7 2	$\frac{4}{2}$	6	1:
8	Native	9,773	7	5	1 5	4	4	25	8	6	13	2
9	MalesFemales	4,584 5,189	2 5	2 3		3	1	10	6 2	4	5	1
1	Both parents native	2, 483 2, 994	1 4	2		3 1	1	15 9 7	3 1	2 1	1 5	1
., '	One or both parents foreign $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,257 1,337	1	2	2		3	7	1	2 1	3	
3	Parentage unknown	844 858	1					1				
5	Foreign	7,859		- 1	- ~			1			4	
ii	Females	4,308 3,551		1				1			3	
7	Unknown	174				,-						
9	Males Females	112 62		, , ,								
0	Colored	479			-			· · · ·				
2	Females	232 247 201										
3 4	Indian (F	238										
5	Chinese										*********	
6 7	Japanese	3										
	Cancer of the pharyns.	1					1					
9	Total	. 50					-					
5()	Females	9							<u> </u>		1	
51 52	White	16							1			
53	Females,	9						ation of 1,0			1 -	

Uncludes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

							DEATHS A	T AGE OF-								Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.		85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
														I		
1	5	3	8	12	16	18	26	22	31	21	12		4		*******	
1	3 2	3	6 2	12	11 5	17	20 6	18	23	14 7	9 3		2 2			
1	4	3	8	11	14	18	25	22	31	21	12	2	4			
1	3	3	6 2	11	10	17	19 6	15	23	14 7	9 3	1	2 2			
1	1	2	5	6	7	12	11	14	21	19	9	2	2			
1 1	1	2	4 1 2	6	5 2 2	11 1 5	9 2 6	12 2 5	15 6 7	12 7 10	8 1 6	1 1	1 1			
		1	2	3	2 2	5	2	2 4	5 3	5	1	1				
			1		1	1	1 2	3	5	2 2	2	1				
	3	1	1 3	5	7		14	8	10	2	3		2			
	2	I	2	5	5 2	.5	10	6 2	8 2	2	1 2		1			
						1	ļ									
	1	·		1	2		1									
	·····i			1	1 1		1									
	1			1	1		1									
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2, 441	1,631	\$22	226	52	6	1	21
52 61	92 120	233 254	402 402	671 645	1,112	1,278 1,151	1, 455 1, 300	1,441 1,378	1,217 1,224	747 884	374 448	94 132	20 32	6	1	14
108	2(4)		777	1, 256	1,987	2,372	2,677	2,762	2,410	1,607	812	224		5	1	18
51 57	112	219 236	394 393	646 610	1,071 916	1, 249 1, 123	1, 412 1, 265	1,411 1,351	1, 204 1, 206	739 868	372 440	94 130	18	5	1	6 12
72	119	258	423	649	1,041	1,324	1,468	1, 475	1,339	893	458	133	34	1	1	10
36 36	51 68	107 151	184 239	291 358	506 535	645 679	735 733	714 761	639 700	384 509	192 266	52 81	10 24	1	1	3 7
18 25 14	31 41	46 79	89 114	130 185	247 262	254 345	402	436 490	350 465	239 339	119 174	30 41	10			
14 9	15 21 2	49 58 12	76 102 19	123 132 38	199 207 60	267 253 94	196 201 137	124 124 154	96 102 163	51 69 94	31 24 42	2 15 20	1	1	·····i	1 1 2
2	6	14	23	41	66	78	136	147	133	101	68	25	13			$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$
35	79 36	192	346	346	914	1,031	1,187	1, 255	1,055	701 349	345	41	15		· · · · ·	1
20	43	5	150	251	373 32	439	525	578 32	498	352 13	169 9	47	7	4		3
1	- 2	5	4	10	21	17	15	20	8	6 7	4 5	1				2
1	1		4	60	,	57	7	12 57	31	21		2	3	1		1 3
	4	14	18	25	41	29	43	30	13		2	2	2			
1	, 4 7	18	9 16	35		28 25 27	35 36 35	27 28 25	18 13 17	16	8 2 8	2	1 1	1		$\begin{bmatrix} 2 & j \\ 1 & 2 \end{bmatrix}$
	. 1				1	1		2	1	1			î			
		. 1	i	. 2 2 . 1	3	3	7	1 1	٠.							
· · · · · ·	<u>-</u> :		1			l l			£ .							
		1	2	1	6	13	, 5	5	5	1	1	}				
		1	1	4	В	11 2	-	5		1	1	1				
		1			G		1	1		1	_	1		1		
		. 1	1				1	-	2 2	1 3	1					

Table 4.—Deaths from cancer and other malignant tumors, classified according to the part of parent nativity of

SEX, COLOR, AND NATIVITY. All deaths. Under 1 year. 2 years. 3 years. 4 years. Under 5 years. 10 to 14 years.	15 to 19 years.	20 to 24 years.
Cancer of the pharynz - Continued. White—Continued. White—Continued. 27	1	
Native	1	
Temales Tema	1	
5 One or both parents foreign M 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
6 Parentage unknown	1	
7 Foreign. 19	1	
8 Males. 17 Females. 2		
10 Colored—Negro		
11 Total		
12 Males 413		
14 White		
15 Males. 404		
17 Native		
18 Males 122		
20 Both parents native. $\begin{cases} M_{\odot} & 52 \\ F_{\odot} & 36 \end{cases}$		
21 One or both parents foreign. $ \begin{cases} M & 49 \\ F & 13 \\ M & 21 \end{cases} $		
Parentage unknown $\begin{cases} M & 21 \\ F & 5 \end{cases}$		
23 Foreign 337		
24 Males 277 60		
26 Unknown. 6		
27 Males. 5		
29 Colored		
30 Males 9		
32 Negro.		
Cancer of the stomach.		1
34 Total 11,733 3 1 1 5 2	6	20
35 Males. 6,405 1 1 1 3 1 36 Females. 5,328 2 2 1	3 3	15 15
37 White	6	16
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3	1 4 12
40 Native 2 1 1 4 2	5	14
41 Males 3,112 1 1 1 3 1 42 Females 2,915 1 1 1 1 3	3 2	11
Both parents native		3
One or both parents foreign. $ \begin{cases} M & 871 \\ F & 772 \end{cases} $ 1 1 1	3 2	4
45 Parentage unknown		
46 Foreign 5, 271 1 1	1	2
47 Males 3,059 1 1 1	1	i
119 Unknown. 119		
Males 78 Females 41 1 Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are in		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS	S AT AGE ()F -							Deaths
25 to 29 years.		35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years:	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.		90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
													Ì			
		1	2	1	6	7	3		3	1		1	1	l		
		1	1 1	1	6	5 2	3		1 2	1		1				
			1 1		2	1	1	<u></u>	1	1						
		1			1	1			1 1			1	'			
				2		б	1	4	1	3	1					
				2		6	1	4	1	1 2	1					
				1	 		1	1	1							
0	9	10	0.4	40	55	70		200	40	40	21					
2	$-\frac{2}{1}$	13	24 17	36	64		65	78	63 47	31	21	9				
	1	9	7	10	13	9	17	20	16	9	7	3				
2		12	15	33	60	67	79 65	78 58	63	31	14	6	1			
	1	8	7	9	12	9	14	20	16	9	4	3				
2	2	4		18	18	19	20	18	9	16	5	6	1			
2	ii	4	5	5 3	7	8 9	5 4	6 9	7 4	5 6	2	2 2				
	1	1	5 1	8	9 2	8	3	7	6 2	2	2	2 1				
				2	$\frac{1}{2}$	2	4	$\frac{\hat{2}}{1}$		3	1					
		8	11	23	49	48	58	53	47	23	14	3				• • • • • • • • • • • • • • • • • • • •
	• • • • • • • • • • • • • • • • • • • •	1 1	9 2	19 4	41 8	47 1	49 9	40 13	38 9	19	9 5	$\frac{2}{1}$				
				1	1	1	1	1		1			J			
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		1	1	1	1		1						
	··· <u>·</u>	1	2	4	5		. 3									
		· · · · · · · · · · · · · · · · · · ·		3 I	1	1	3									
	• • • • • • • • • • •	1		1	1 2		3									
1							1)		1			1		
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	541	141	37	3		10
35 37	65 69	162 161	282 234	461 368	789 524	889 655	1,015	1,007 802	833 754	520 540	257 287	60 81	14 23	3		4 6
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3,1		,
34 35	62 65	156 150	271 228	444 343	760 503	870 639	986 741	786	823 742	515 529	255 281	60 79	12 22			4
45	76	162	246	384	647	804	912	912	840	561	306	78	24			5
21 24 7	38 38 25 j	70 92 25	121 125 53	191 193 81	358 259 183	440 364 196	503 409 272	493 419 297	438 402 252	255 306 160	134 172 80	32 46 19	18 6			2 3
18 12	19 12	50 35 36	61 52	94 85	147 133	181 178	208 141	270 93	253 75	196 27	113 23	23	7			2
6 2	18 1 1	10 6	55 16 + 9	73 25 26	114 42 28	134 66 49	120 90 \$1	72 103 77	65 111 84	44 68 66	19 31 40	1.1	1			2 1
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3	1	1
13 10	23 26	82 58	146 101	248 150	385 211	422 271	47.3 327	478 359	381 335	255 219	117 104	28 31	6 4			1
1	2	4	- 6	5	20	12 :	15	23	9	9	9					2
1	1 1	4	1	5	17	8 4	10 5	15 8	4 5	5 4	4 5					1 1

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

			— <u>-</u>				DEATH	S AT AGE C	F			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
1	Cancer of the stomach—Continued. Colored	316										4
2 3	Males. Females. (M	156 160										1 3
5	Negro. F Indian JM. Chinese M	155 3 2 9	*	*********	1							3
7	Japanese	3		******			******					
8	Total Males	5,968 2,377	7	3	5	3	3	21 7	6	6	9 2	12
10	Females	3,591	7	3	- 3 5	3	3	14 21	6	6	9	12
12 13	Males	2,314 3,510	2 5	1 2	2 3	2	3	7 11	5	4 2	2 7	8
14 15 16	Native	3,543 1,330 2,213	7 2 5	$\frac{3}{1}$	5 2 3	3 2 1	3	21 7 14	5 1	- 6 1 2	7 , 2 5	6 3
17 18	Both parents native. $\begin{cases} \frac{M}{F} \\ \end{cases}$ One or both parents foreign. $\begin{cases} \frac{M}{F} \\ \end{cases}$	763 1,306 326 549	1 4 1	1 1	1 1	1		6 7 1	3 1 1 1	2 1 2 1	1 5 1	1 1 1
19 20	Parentage unknown $\left\{egin{array}{ll} M & F \\ F & Foreign & F \end{array} ight.$	241 358 2, 232	1					i			2	1 1 3
21 22	Males Females	955 1,277	-							!	2	2 1
23 24 25	Unknown	29 20							1			
26 27	Colored	144										
28 29 30 31	Females	81 51 77 4 11										
32	Other colored	6,234	1		4	1	5	19	17	10	20	49
31 35	Males Females	2, 690 3, 544	1 3	3 2	1 3	1	2 3	8 11	10 7	9	15	28 21
36 37 35	White	6,108 2,649 3,459	1 1 3	⁵	1 3	1	1 1 3	7 11	17 10 7	9 8 1	20 15 5	47 28 19
39	Native Males.	3,842	_ 1	5 3	- 4	1	3	17	16	8	18	36
11 12 13	Females Both parents native {M. {M. {F. {F. {M. {M. {F. {M. {M. {F. {M. {M. {M. {M. {M. {B. {M. {M. {M. {M. {M. {M. {M. {M. {M. {M	2,266 897 1,306 415	$ \begin{array}{c} 3 \\ 2 \\ 1 \end{array} $	2 1 2	3	· · · · · · · · · · · · · · · · · · ·	1 1	10 2 3 5	6 6 4 4	1 5 1 2	5 6 2 7 3	15 10 7 10
11	Parentage un', nown $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	640 234 320	1,		3			6	2			6 1 2
45 46 47	Foreign	2,236 1,056 1,180		··· -			1	1 1 1 i	1 1	1	2 2	7 4
15	Unknown	30 17	1									
50	Females Colored	13					1	1		1		2
52 53 51	Males	41 85 36 83	:				1	1		1		2
55	Indian \(\begin{align*} \delta \delta \\ \delta \end{align*} \delta \\ \delta \end{align*} \delta \delta \\ \delta \end{align*} \delta \d	1 1	1.7.1 1			· · · · · · · · · · · · · · · · · · ·						

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

							DEATHS A	T AGE OF-	_							Deaths at un-
5 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.			85 to 89 years.		95 to 99 years.	100 years and over.	known
						-								!		
3	7 3	17	17	42	29	35 19	29	21	22		8	2	3			
2 1 2	3 4	11 6 10	6 10 6	25 14 24	21 23 21 1	16 18 15	22 26 22	16 20 15	12 10 11	11 5 11	6 2 6	2	1 1 1 1			2
		· · · · · · · · · · · · · · · · · · ·	i	2 1 1	1	1	3	1								
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11
15 24	26 50	66 84	102 160	170 267	253 411	311 485	370 520	371 556	334 452	195 332	102 154	27 48	5 9	3	1	
37	71	136	254	424	646	774	867	908	778	519	254	75	14		1	== =
15 22	25 46	58 78	97 157	166 258	245 401	301 473	357 510	363 545	332 446	192 327	102 152	27 45	5 9	2	1	2
25	41	91	164	246	366	486	533	539	480	315	145	4%	9			5
13 12 9 7	12 29 6 21	36 55 21 28	56 108 35 48	86 160 45 87	124 242 55 114	151 305 77 162	214 319 125 185	203 336 130 216	191 289 124 205	118 197 73 138	53 92 35 59	15 33 9 16	6 3		1	2
2 3 2 2	5 3 1	13 19 2 8	18 46 3	30 59 11	54 91 15	78 114 26	46 80 43	24 51 49	19 35 45	22 25 23	, 10	8 6 9			1	
12	30	44	14	14	37 269	29 284	54 · 328	361	49 291	34 201	28 109	26	5			1 4
2 10	13 17	21 23	41 47	77 97	115 154	117 167	139 189	155 206	137 154	74 127	49 60	11 15	2 3	1		4
		1	2	3	<u>11</u>	3	6 4	5	4			1				1
· · · · · · · · · · · · · · · · · · ·	5	14	2	1 13	5 18	1 22	2 23	3	3	3	2			1		1
2		8 6	5	4 9	8	10	13	8	2 6	3 5						1
2	1 1 3	7 5	3 4 3	4 9	10 6 10	12 7 12	10 9 10	11 7 10	2 6	3 4	2			1		1
• · · • · · · · · · · · · · · · · · · ·	1	1			2	3	4	1		1				· • • • • • • • • • • • • • • • • • • •		
96	151	218	336	483	631	777	873	858	799	536	249 96	83	23		*******	
48	65 56	80 138	151	201 282	263 368 — =	339 435	400 473	375 483	336 463	220 316	153	46	15	2		==3
94	63	- 201 76	327	472 196	260	762	858	372	788	529 217	95	82	23			
47	81	125	179	276	359	430	461	475	456	312	151	45	15	1	*******	3
61	101	136	222	309	$\frac{386}{147}$	211	524 219	207	466	331	166	23			,	1
32 17 20	57 26 34	93 25 45	135 45 53	195 52 104	239 77 122	273 115 153	305 114 179	283 128 161	264 131 176	207 79 134	103 42 71	28 15 26	12 2 9			2
12 10	18 20	12 40	34 71	53 76	59 86	79 58	67 83	39 65	24 45	14 28	3 9	2				1
	3	6 5	11	9 15	31	17 32	38 43	40 57	47 43	31 45	18 23	2	2 2			
32	19	32	102 59	161	233	121	328	352	320	91	79	31	6			
15 14	23	32	43	51	120	153	153	191	192	. 104	48	17	2			1
1	1	1	$-\frac{3}{2}$	2		. 1	3	4	$\frac{2}{2}$	$\frac{3}{2}$	1					-
1 2	1 7		1 9			1	3	1 11		1 7			1			
1	2	1	3		3	7	3	3	1	3	1					
1	5 2	13 3 13	6 3 6	6 5 6	9 9	7-7-	12 2 12	2	1 1	3	1 2	I				

35030°—16 - 1.

TABLE 4. - DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

-							DEATHS	AT AGE OF	?—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM continued.											
1	Colored - Continued. Chinese	1 2										
2	Japanese	1 1										
3	Other colored									k		
4	Total	1 117	2	2	2	1		7	5	3	8	9
5	Males	168		1	2	1		2	3	3	7	6
6	Females	279	2	1				5	2		1	3
7	White	441 ———————————————————————————————————	2	2	2	1		7	3	2	7	- 8
9	Females.	276	2	1	2			5	2		í	2
10	Native	282	. 2	2	2	1		7	4	2	6	7
11 12	Males Females	107 175	2	1 1	2	1		2 5	3	2	5 1	5 2
13	Both parents native $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	55 109	1					1	2	2	1	2
14	One or both parents foreign ${M \choose F}$	39	1	1	2	1		2 3	1		1	2
15	Parentage unknown. $\begin{cases} M \\ F \end{cases}$	13	1	1				1				1
16	Foreign	158							1		2	1
17 18	Males Females	58 100							i		2	1
19	Unknown	1										
20	Colored	6								1		1
21	Males	3 3								1		
22 23	Females $\begin{cases} M & \\ F & \end{cases}$	1 3										
24 25	Japanese M. Other colored M	1	1							1		
	Cancer of the intestines (except rectum).									_		
26	Total	3, 768	1	2	2		4	9	12	5	10	26
27	Males	1,533		2	1		2	5	7	5	6	16
28	Females.	2, 235	1		1		2	4	5		10	26
29 30	White	3, 693 1, 512	1	2 2	2 1		3	8	7	5	6	16
31	Females	2, 181	1		i		2	4	5		4	10
32	Native	2,292	1	2	2		2	7	12	3	10	17
33 34	Males Females	883 1,409	i i	2	1		1	3	5	5	6	10 7
35	Both parents native. $\left\{egin{array}{ll} \mathbf{F}_{-} \\ \mathbf{F}_{-} \end{array}\right\}$	511 817	1	1	1		1	2	4 4	3	2	3
36	One or both parents foreign $\begin{cases} M \\ F \end{cases}$	239 390 133			1			2	3		2 2	5 4
37	Parentage unknown $\left\{ egin{array}{ll} \mathbf{M} & \cdots & \mathbf{K} \\ \mathbf{F} & \cdots & \mathbf{K} \end{array} \right\}$	202									• • • • • • • • • •	
38	Foreign	1,380					1	1				9
39 40	Males Females.	617 763					····· i	· · · · · · · · · · · · · · · · · · ·				6 3
41	Unknown	21										
42	Males Females	12	·									
43	r emaies	75	,				1	1				
45	Males.	- 21					1	1				
46	Females	54 20						1 1				
48	Negro {F. Kr. M.	53 I										
49	Japanese F Uncludes District of Columbia but excludes North 6	1						ation of 1 0		4040		43

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF								Deaths at un-
25 to 29 years.	30 to 34 years.		40 to 44 years.	45 to 19 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.		100 years and over.	known age.
															1	
		i					 	1								
	1															
13	13	19	25	27	50	64	55	43	43	42	12	5				1
9 4	5	11 8	10 18	11 16	22 28	23 41	18 37	11 32	11 32	11 31	2 10	5				
13	13	18	27	27	49	63	55	43	43	42	12	5			_ ===	1
9 4	5	11 7	10 17	11 16	21 28	22 11	18 37	11 32	11 32	11 31	2 10	5				1
5	5	12	17	15	30	12	39	22	28	31	7	2				
3 2 2	1 3 1	5 3	9 5 5	9 2 4	16 5 9	28 8 18	26 7 14	16 4 8	20 5 16	24 2 21	6	2				
	î	1 3	2 2	3 4	5	9	9 2	1 6 1	1 3 2	2	1					
1 5	8	6	10	1 12	19	1 22	3 16	2 21	ĩ 15	3 11	i 5	3				
4	4 4	5	2 8	5 7	7 12	10	5	5	3	4 7	1 4					
						12	11	16	12			3				
		1	1		1	1										
		1	1		1	1 1										
			1		1											
54	79	133	201	303	366	460	540	533	472	336	163	49	15		,	2
27 27 27	32 47	51 82	95 106	122	140	183 277	231 309	217 316	184 288	131 205	56	20 29	5 10		,	2
52	76	123	196	295	355	452	530	527	464	331	163	48	15	= -= -	=======================================	2
26 26	32 44	49 74	93 103	120 178	138 217	180 272	230 300	215 312	181 283	129 202	56 107	20 28	5 10			2
30	53	81	128	197	217	273	329	297	274	20%	110	32	10			2
14 16 10	22 31 14	28 53 15 27	47 81 24 31	70 127 35	72 145 41	111 162 52	130 199 61	118 179 76	114 160 75	73 135 54		12 20 8	3 7 2			2
10 4 6	17 8 12	23	18 44	71 29 47	72 26 50	94 49 49	117 43 56	98 18 39	108 13 25	84 6 23	6	15	5 1			i
	2	5 3	5 6	9	5 23	10	26 26	24 42	26 27	13 28	9 14	3 2	1			
21 12	10	20	65	100	66	69	197	226 94	190	121	52	16	2			
9	12		21	51		108	99	132	123	67	34		2			
1		1	2	1			2 2			2	1					
2	3	10	.5	5	11	8	10	В	8	5		1	1			
1 1	3	2 8 2	2 3 2	2 3 2	$\begin{array}{ccc} & & 2 \\ 9 \\ 2 \end{array}$	3 5 3	1 9 1	2 4 1	3 5 3	2 3 2		······································	1			
1	2	·	3		9		9	1	5	3		1				

Table 4.—Deaths from cancer and other malignant tumors, classified according to the part of Parent Nativity of

=							DEATHS	S AT AGE O	F			
	SEX, COLOR, AND NATIVITY.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
1	Cancer of the rectum and anus. Total	1,992	1	1			1	3	,	2	2	14
2	Males	982 1,010	. 1					1 2		1	2	6 8
4	Females	1,949	1			=	1	3		2	2	13
5	Males	965 984	1			1		1		1	2	6
7	Female:	1, 252	1				1	3		1	2	12
8	Males	582						1			2	6
9	Females	279						2		1	1	3 3
11	One or both parents foreign $\left\{ egin{array}{ll} M \\ F \end{array} \right\}$	166 199	1	1			1	1 2			1	3 2
12	Parentage unknown $\left\{egin{array}{ll} M & \\ F & \end{array}\right\}$	99			` `							i
13	Foreign	690								1		1
14 15	M rles Females	378 312								1		1
16	Unknown	7										
17 18	Males Femules	5 2					,					
19	Colored	43										1
20 21	Males Females											i
22	Negro $\begin{cases} M \\ F \end{cases}$.	15										· · · · · · · · · · · · · · · · · · ·
23	Indian $\left\{ egin{array}{ll} rac{M}{F} \end{array} ight.$. 1										
24	Japanese	1			,							
25	Total	27										
26 27	Males	7 20										
28	White	25								1		
29 30	Males	7 18										
31	Native	16							1			
32	Males	. 4										
33	Females (M. Both parents native. (F.					· · · · · · · · · · · · · · · · · · ·		1				
35	One or both parents foreign M .	. 1										
36	Foreign	. 8										
37 38	Males Females	3 5										
39	UnknownF.	. 1										
40	Colored -NegroF.	. 2										
	CANCER OF THE FEMALE GENITAL ORGANS			ŀ	1			,			C	26
41	TotalF.		===1	~			1	3	2	5	6	36
43	NativeF.		1			1	1	3	2	4	3	26
44	Both parents rative F	2,823						3	2		1 2	16
45 46	One of both parents foreign F	732										í
47 45	Foreign F. Unknown F.	1,871 47								1	3	7
19	ColoredF.	423										
50 51	NegroF.	. 1										
52 53	Clame c F. Japanese	2										

Include District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	AT AGE OF-	_ = = = =							Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.		80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
27	58	62	107	151	213	251	273	277	282	156	74	29	8	2		1
12 15	25 33	16 46	46 61	68 83	101 112	133 118	149 124	146 131	139 143	78 78	38 36	17 12	3 5	2		1
27	54	56	104	146	213	245	269		279	154	71	29	8	1		1
12 15	23 31	14 42	45 59	65 81	101 112	130 115	147 122	145 127	138 141	77 77	37 34	17 12	3 5	1		1
22	42	41	77	96	138	169	154	169	162	90	49	17	6	1		1
10 12 5 7	18 24 9	8 33 5	32 45 16	38 58 15	61 77 31	88 81 55	75 79 45	83 86 48	78 84 49	44 46 23 27	25 24 16	11 6 7	5	1		1
7 5 4	16 9 7	15 2 13	17 14 25	29 21 24	40 25 31	39 26 30	47 20 18	54 20 19	52 10 17	27 6 5	14 1 2	6	4	1		1
1	1	1 5	2 3	2 5	5 6	7 12	10 14	15 13	19 15	15 14	8	3	1 1			
5	12	15	27	49	75	75	114	102	115	63	22	12	2			
3	5 7	6 9	13 14	26 23	40 35	42 33	71 43	61 41	58 57	33 30	12 10	6	2			
				1		1	1	1	2	1	·					
	4	6	3			1 6	4	5	3	1 2	3			1		
	2 2	2	1 2	3		3 3	2 2	1	1 2	1	1					
	2 2	4 1 4	1 2	3 2		3 2	1 2	4 1 4	1 2	1 1 1	2 1 2			1		
 		1				1	1									
2	1	2		2	2	2	5 2 3	5	2	2						
2 2	1	2		2	2 2	2		5	2	2		====				
	1	2					2 2	, 1	2							
1	1	2		1	2	2 2	2	2	2	2						
1 1	i	1		1	1	2	1 1	2	2	2						
1		1			1	2	1	1	2	2						
	1	1		1	,,,,,,,,	· · · · · · · · · · · · · · · · · · ·		1								
1		1					1	3								
1		1			1		1	2								
i				1			1				,					
114	000	500	6.50	0.0	1 004	000	200	010	440	07.4	204	4 00	1.5			
99	265 237	560	$=\frac{853}{787}$	952	$=\frac{1,084}{1,019}$	933 956	762	616 ===================================	442	274	134	47	15	3		7
78	183	374	563	660	731	703	559	418	283	169	97	36	8			6
43 26 9	103 67 13	205 120 49	314 183 66	353 214 93	365 266 100	388 194 121	340 128 91	273 67 78	194 41 48	111 22 36	70 9 18	28 . 1 7	6			6
21	54	128	215	256	253	248	200	171	142	58	35	9	7	3		
15	28	6 52	9 66	65	5 65	5 43	38	20	3 14	-1 13	1	1				
15	25	51	66	64	61	42	38	20 .		13	1	1				
		1		1	1											· · • · · · · · · · · · · · · · · · · ·

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

=							·					
	NEW COLOR AND MISSION	All deaths					DEATHS	S AT AGE C	F—			
	SEX, COLOR, AND NATIVITY.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL ORGANS—contd.											
	Cancer of the ovary and fallopian tube.											
1	TotalF					=====	1	1		3	3	10
2	WhiteF.	399					1	1		3	3	10
3	NativeF Both parents nativeF	293					1	1		2	2	3
5	One or both parts foreign F. Parentage unknown F.	111								2	2	4
7	ForeignF.	105	l							1	1	3
9	Unknown. F Colored—Negro. F	7						'				
3	Cancer of the uterus.	•										
10	TotalF.	6,629				1		1	2	2	3	25
11	WhiteF	6,220				1		1	2	2	3	23
12	NativeF.	4,463						1	2	2	1	18
13 14 15	Both parents native	2,579 1,202 682				1		1	2	2	1	13
16	ForeignF.	1,713									2	4
17	Unknown F.	44										1
18	Colored F.	409										2
19 20 21	Negro F. Indian F. Chinese F	1 2										
22	Japanese	ĩ	, ,									
23	Cancer of the vagina and vulva. TotalF	170										1
21	WhiteF.	163										1
25	NativeF	117										1
26 27	Both parents nativeF One or both parents foreiguF	72 30			·							
28	Parentage unknownF	15						1				
29 30	Foreign. F. Unknown. F.	41 2						· · · · · · · · · · · · · · · · · · ·				
31	Colored—NegroF	7										
32	Others of this class.	42	1					1 1				
33	WhiteF.	42	- 1	x								
31	NativeF	33	1		1			1				
35	Both parents native	21	- L					1				
35 36 37	One or both parents foreignF Parentage unknownF.	8 4										
35	Foreign	9										
39	CANCER OF THE BREAST. Total	5,052									4	6
40	Males	- 81				~						
11	Females White	4,971 4,897									4	6
13	Males	4,097		-	-					-		
11	Fenedes .	4,816									1	6
15	Native	3,608 52								··· · ·	4	- }
46	Lem de	3,556									4 .	4
45	Consort the country from m. (F.,	2,086 18	,									2
49 50	(M .	996 9									. 3	2
51	Foreign	1,260										2
51	Male	29										
. ;	Feta de	1,231										2
51	UnknownF - Include District of Columbia, last excludes North	Carolina in	which or	ly the mi		ies that he	id a nobil	ation of 1.0	00 or over i	in 1910 are	included in	the regis

Include District of Columbia, Lut excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration item.

							DEATHS A	T AGE OF-		***						Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
															4	
16	13	37	58	46	61	50	53	25	14	10	4	2				
16	13	35	56	45	60	50	52	25	14	10	4			l		
13		29 17	20	32	22	36	36	21	9 8	5	3	1				
5 2	4	10 2	20 4	15 5	19	13	11 ,3	4 2	1	1 2		1				
3	5	5 1	12	13	16	14	16	4	5	5	1	1				
		2	2	1	1		1				1					
97	242	516	783	916	1,007	926	724	564	401	244	117	38	11	3		7
82	216	467	720	852	945	883	688	544	387	231	116	37	11			7
64	167	342	513	612	678	650	504	377	255	153	8.5	28	5			6
36 21 7	94 60 13	187 108 47	290 162 61	334 192 86	340 241 97	363 175 112	301 116 87	246 58 73	176 36 43	101 19 33	60 9 16	21 1 6	5			6
18	49	121	198	239	262	228	181	161	129	74	30	8	6	3		
15	26	49	63	64	5 62	43	36	20	3 14	13	1	1				1
15	26	48	63	63	61	42	36	20	14	13	1	1			,	
		1		1	1	1										
					1						1					
	8	5	9	14	13	18	16	24	21	15 15	13	7	3			
	6	2	5	11	6	12	14	18	16	5	9	7	2			
	3 3	2	4	3 6	3 3	7 4	12 1	10 5	10 3	5 2	7	7	1			
		1	3	3		1 6	1	3 5	3	7	2		1			
		1						1			***************************************					
	2	1	1		2		1									
1	2	2	3	6	3	5	7	3	3	5			1			
1	2 2	2	3	5	3	5 5	5	3 2	3	5 3			1			
1	2	1		4	,	2	5	2		3						
. • · · · · · · · · ·			1	1	3	2			1 2				1			
		1	2	1			. 2	1		2						
44	101	301	460	646	671	658	551	529	435	311	207	93	. 23	6	1	6
1 43	2 99	3 298	4 456	639		8 650		13 516	9 426	305		1 92	22			6
40	94	254	447	624				509	429	307	204	90	23			ti
1 39	2 92	3 281			12 632		12 529	13 496	9 420	6 301	2 202	1 89	1 22	5		
34									323	213				-	•••	1
1 33 1		216 1	333 3		477	482 2	376	339 5	317 4	210 2	157		1 18	3		4
21	37 2	114	189	236	240	262 3	234	227	211	118	102	40				· · · · · · · · · · · · · · · · · · ·
2	30	86			1	170 1 50	2	52 2 60	44 2 62	17		, 7 1 15	1 1			
6					1		1		104	91	1		2	2		Ι,
6	20		108	3 166		2 146	1 6 147	153	3 101	3			2	2		1
		1		2	1	1			2				2			

TABLE 4. DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATHS	S AT AGE O	F -			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year,	1 year.	2 years	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL ORGANS—contd. CANCER OF THE BREAST—continued.	~ ~				*					*	_
1	Colored	155										
2 3	Negro F. Indian F.	152										
	CANCER OF THE SKIN.											
4	Total	1,838	5	1	3	2	- 5	16	3	4	2 	1
6	Males Females	1,177	1 4	1	1 2	1	2 3	10		1		2
7	White	1,816	<u> 4</u>		3		5 2	<u>15</u>	3	3	2	2
9	Males Females	1, 169 647	3	1	1 2	1	3	9	3	1		2
10	Native	1,269	3	1	3	2		- 14	3	3	$\frac{2}{2}$	- 4
12 13	Females. M Both parents native. M E	422 517	2 1	1	2	1 1	3	8 5	3	1 2		2
14	One or both parents foreign M .	252 137 77	2		2	1	2	4	2	1 	2	1
15	Parentage unknown $\begin{cases} M \\ F \end{cases}$.	193 93					1	1				1
16	Foreign	512	1					1			• • • • • • • • • • • • • • • • • • • •	
17 18	MalesFemales	298 214	· · · · · · · · · · · · · · · · · · ·					1				
19	Unknown	35								,		
20 21	MalesFemales	21 11										
22	Colored	22	1					1		1		
23	Negro. $\left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} F \ldots & \left\{egin{array}{ll} F \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} F \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} F \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} F \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} F \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} M \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} M \end{array}\right\} & \left\{egin{array}{ll} M \ldots & \left\{egin{array}{ll} M \end{array}\right\} & \left\{eg$	8 14	i					1		1		
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED.				,					1		
24	Total	7, 244	27	26	44	27	21	145	73	54	107	113
25 26	MalesFemales	4,566 2,678	14 13	13 13	26 18	16 11	12	75 67	41 32	30 24	53 54	78 35
27	White,	7,053	26	25	43	26	20	140	71	50	102	109
25 29	MalesFemales	4,448 2,605	14 12	12 13	25 18	16 10	9	76 64	30	27 23	53 49	75 34
30	Native	4,548	26	21	43	26	20	139	68	46	89	89
31 32	Males	2,780 1,768 1,563	14 12 5	11 13 6	25 18 14	16 10 12	9 11 3	75 64 40	39 29 20	24 22 15	45 41 27	62 27 34
33	Both parents native	1,052 779	5 9	12	10 10	5 4	9	41 34	18 17	13 9	27 17	15 26
35	One or both parents foreign			1	1	5	2	23	10 2 1	8	17	12 2
36	Foreign	2, 433		1				1	2	4	12	1 20
37 38	Males Females	1,616		1				1	1 1	3 1	8 4	13
39	Unknown	72				•			1		1	
40 41	Males Females	52 20							. 1		1	
12	Colored	191	1				1	5	2	4	5	4
13 41	Males Females	118 73	· · · · i	<u>1</u>		· · · · i	1	2 3	2	3		3
45	Negro	111 72 2	1				1	3	. 1	1 1	5	1
46 47	Indian (F) Chinese	1 5	: .						1			
	Cancer of the laryns.											
48	Total	318	1	1				- 3			1	
19 50	Males Females	261 57	1 1	1				3		* * *	1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration are a

					_		DEATHS A	T AGE OF-	_							Deaths
to 29 ears.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.		75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
															1	
4	7	17	13	22	27	18	10	20	6	4	3	3		1		
4	7	. 17	13	22	27	18	10	18 2	6	4	3	2 1		1 1		
5	11	14	30	70	124	127	178	222	274	273	212	158	59	10	5	7
4	6 5	10	14 16	53 17	S4 40	93 34	119 59	160 62	183 91	168 105	139 103	S8 70	31 28	4 6	2 3	(
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	
4	6 5	10 3	13 15	53 16	82 39	91 34	119 57	160 61	182 90	167 105	139 99	69	31 28	4 6	2 3	ŧ 1
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3
3 1 2	3 3 3	8 3 4	8 12 4	41 11 27	59 25 29	70 24 37	91 39 57	108 40 62	131 60 81	114 67 69	100 58 67	68 42 46	25 16 19	2 4	1 3	
1	2	2 4	4	5 12	11 19	16 23	22 18	30 18	40 14	42 11	36 4	23 5	7	2	2	
1	1	1	6	4 2 2	8 11 6	4 10 4	13 16 4	5 28 5	9 36 11	8 34 17	5 29 17	17 15	3 5 6	1 I 1	1	
1	5	2	7	17	37	29	38	69	76	82	78	46	17	4	1	
1	3 2	2	4 3	12 5	23 14	20 9	23 15	49 20	46 30	47 35	38 40	20 26	6 11	2 2	1	
			1			2	8	4	5	9	2	1	1			
			1			1	5	3	5	6 3	1	1	1			
		11	2	1	3	2	2	1	2	1	4	1				
		1	1	1	2	2	2	1	1	1	4	1				
124	167	250	400	506	738	5 38	901	959	855	544	312	121	25	5	1	ŧ
78 46	99 68	143 107	224 176	300 206	430 308	538 300	595 306	643 316	591 264	346 198	202 110	72 49	16 9	3 2	1	
121	159	237	384	486	718	\$20	881	944	834	533	310	118	25	5	1	
76 45	94 65	134 103	217 167	289 197	418 300	526 294	580 301	631 313	574 260	341 192	201 109	71 47	16 9	3 2	1	
57	115	167	259	288	434	522	529	577	511	344	188	71	18_	3		
50 37	69 46 31	97 70 59	141 118 64	157 131 74	236 198 116	325 197 149	348 181 198	371 206 225	353 158 229	207 137 143	123 65 73	43 28 27	10 8	1 2		
27 22 19	31 33	40 29	59 67	71 61	100 94 77	104 126	112 97	131 74	98 42	104 17	43 14	15	5			
12 4 3	14 5 1	24 9 6	50 10 9	48 22 12	26 21	63 50 30	51 53 18	39 72 36	21 52 39	10 47 23	6 36 16	13 8	2 3	· · · · · · · · · · · · · · · · · · ·		
34	41	69	123	194	275	289	344	356	313	182	118	46	7	2	1	
26	22 19	36 33	74 49	130 64	174 101	196 93	225 119	252 104	215 98	130 52	71 44	28 18	6 1	1 1	1	
	3	1	2	4	9	9	8	11	10	7		1				1
• • • • •	3	1	2	2 2	8	5	7	8 3	6i 4	3	4	1				
3		13	16	20	20	18	20	15	21		2	3	-	~		!
2 1 2	5 3 5	9 4 8		11 9 11	12 8 12	12 6 11	15 5 13	12 3 12	17 4 16	5	1	2				i
		4	9	9	8	б		3	4	6		2				
		. 1				1	2									
3	1	10	17	24	45	43	55	51	29	21	8	4	1	1		
-		5	13	19	35		41	44	25	19	7	2 2	1			

Table 4. -DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

									F 2	ARENI	NATIV	
t							DEATHS	AT AGE OF	? -			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED -continued.			_								
1	Cancer of the larynr -Continued. White	308	1	1	1		1	3	1		1	
2	Males	255 53						3	1		1	
4	Native	150	1	1	, 1			3	1		1	
5	Males Females	121 29		1				3	1		1	
7	Both parents native $\left\{ egin{array}{c} M \\ F \end{array} \right.$	55 20		1				2			1	
8	One or both parents foreign $\begin{cases} M \\ F \end{cases}$.	43 4 23	1					1	······i			
9	Parentage unknown $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	5 153							1			
10	Foreign	129										
12 13	Females	24										
14	Colored	10										
15	Negro	6 4										
1	Cancer of the lung and pleura.											
16 17	Total	333					1	1	1	3	6	17
18	Females	146							1	1	2	6
19 20	White	328				`	1	1	<u>2</u>	3	6	17
21	Females	143							i	1	2	6
22 23	Native	91		' · · · · · · · · · · · · · · · · · · ·		1	1	1	1	3 2	2	10
$\frac{24}{25}$	Females. M . Both parents native. M .	83 47 50					• • • • • • • • • • • • • • • • • • • •		1	1 2	$\frac{2}{2}$	4 3
26	One or both parents foreign $\begin{cases} \mathbf{H} \\ \mathbf{F} \end{cases}$	30 24					1	1	1		2	3 3
27 -	Parentage unknown	14 9										
28	Foreign	154		1					1	1	2	7
29 30	Males Females	60							1	1		2
31	Colored	5	1									
32	Negio	3										
33	Cancer of the pancreas. Total	617		1					1	1		2
34 35	Males	325 292										
36	White	599								1		2
37 38	Males Femules	314 285							1	I		1 1
39 ,	Native	784							_ 1			2
40	Males Females Both paraula, to a Mark	188 196 106							1	1		1 1 1
43	Ope or both report foreign (M	116 48							1	1		1
44	Parent co unknown (F.	47 34 33										
15	Foreign	210										
46 17	Mare Ferrage	121 89										
1-	Unknown. M	5										
41	Colored	19	** ***					* * * -				
50	Mare Terrale	11 7 10										
٠, ٠	Comme M	7										
	1. Abide District o Columbia but exclude North (.1		41 41.	. 1	lation of to				

1. daths. Di Pet o, Colombia, but exclude. North Cirolina, in which only the municipalities that had a population of 1,000 or ever in 1910 are included in the registration. According to the contraction of 1,000 or ever in 1910 are included in the registration.

							DEATHS ,	AT AGE OF								Deaths at un-
5 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
3	1	10	14	23	44	43	53	51	27	21	8	3	1	1		
3	1	5	. 12	18	35	40	11	44 7	4	19	1	1		1	,	
1		6	9	7	16	22	28	27	13		4	2	1	1	1	
1		3 3 2	8 1 3	6 1 1	14 2 5	21 1	21 7 10	23	11 2	1 3	3 1 2	1		1		
1		1 1	1 5	1 5	1 7	10	. 6	3 4	2	1		î	- -			
• • • • • • • • • • • • • • • • • • •		2			2	1	3	6	4	3						
2	1	4	5	16	1 27	21	1 24	24	12	, 12	1			1	1	
	!	2 2	4	12	23	19	20	21	10	11	4	1				
•••••	1	2	1	4	1	2	. 1	3	2 2	1						
			3	1	1		2		2			1				
		1	1 1 2	1					2		· - · -					
					1						**** ***	1				
14	11	19	22	33	43	49	47	27	24	9	3	1	1			
8	7 4	9 10	12	21 12	23 20	28 21	27 20	13 14	13 11	2 7	2	1	1			
13	11	18	21	32	42	49	47	27	24	9	3	1	1	1		-
8 5	7 4	9 9	11 10	21 11	22 20	28 21	27 20	13	13 11	2 7	2	1	1			
7	7	12	13	15	21	20	22	16	13	7	2					
3 4	4 3	1 5	6 7	6 9	10	10	15	8 8	8 5	1 6	2					
3	2 2	5 4	3	3 5	5 7	3 7	8 6	6 2	7 3	6	1					
1	1 1	1	5 3	2 4 1	3 4 2	3	5	2 2	1	1	1					
		i	î			2		4	1	********						
6	4	6	8	17	21	29	25		- 11	2	1	1	1			
5	3	2 4	3	15 2	12 9	15	12	5 6	5 6	1	1					
1_		1	1	1	1										1	
i		1	1	·····i	1											
5	11	25	40	53	77	93	97	55	65	44	9	6			1	
4		. 11	26	32	37	50	5×	45		17	2					
¹	9	11 24	- · · · · · · · · · · · · · · · · · · ·	$=\frac{21}{50}$	40 75	43	39 95	40 84	- 36 66	27	9					
1	3	13	25	30	36	45	57	44	30	17	2	3				
1 4	6	11	13 27	20	39 46	43 62	, 38 62	40	36 45	26 29	7	3			i	
3	1	8	18	14	20	31	36	22	23	9						
1 2	1	4 7	9 10	14 6	26 10	31 17	26 21	23 14	22 13	20 7	6	2	, .			
1	1 1	3 2	5 5 4	9 1 2	14 6 11	16 10 10	15 9 7	11 5 7	15 2 1	12 1	4	2				
1		1	3	4 3	1	1 5		3 5	8 6	1 7	. 1					
1	3	7	10	22	25	25	32	38	21	1 1	3	3			1	
1	2	5 2	t ₁	16	15 13	16 12	20 12	21 17	7 1·4	5	2	2				
			1		1	1	1	1	- 1							
	2	1	2	.3	2	2	2	. 1	2	t			* ****		<u>.</u>	
		1	1	2 I	1	2	1	1	2	1						
• • • • • • •	2	1	1 1	2	1	2	1	1	1	1			1.			

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

			1									
	SEN ONLOD AND ALTERNAT	All deaths.					DEATHS	S AT AGE O	7—			
	SEA, COLOR, AND NATIVITY,	An deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the kidneys and suprarenals.							1				
1	Total	239	7	8	13	5	6 3	29	22 15	4	8	
3	MalesFemales	228	4	5 3	7	4	3	21	7	3	4	3
4	White	452	6	8	20	9	6	49	21	4	8	6
5	Males Females	230 222	3 3	5 3	13 7	5 4	3	29 20	15 6	3	4	3 3
7	Native	324	6	7	20	9	6	45	21	4	5	4
8 9	Males. Females.	156 168	3 3	4 3	13 7	5 4	3	28 20	15 6	1 3	3	3 1
10	Both parents native F	86 96	3	3	7 3 6	3 2	3 3	13 14 15	7 3 7	2	1	1
11	One or both parents foreign $\left\{\begin{array}{ll} M & \cdots \\ F & \cdots \\ M & \cdots \end{array}\right\}$	55 50 15			4	2		6	3 1	1	2	î
12	Parentage unknown $\left\{ egin{array}{c} a \\ F \end{array} \right\}$	22			1		1					,
13	Foreign	126		1	-			1			3 2	2
14 15	Males Females	72 54		1							1	2
16	UnknownM	2		1								
17	Colored.	15	1					1	1	1		1
15	Negro	9 6	ii					1	1			
10	Cancer of the prostate.	File					1					
19 20	Total	716										
21	Native	458					1	1				
22	Both parents native	287									·	
23 24	One or both parents foreign M. Parentage unknown M.	86 85										
25 26	Foreign M. Unknown M											
27	ColoredM.	15		1	,							
29 29	Necro. M. Indian M.	14										
do i7	Cancer of the bladder.	1	v			1						
30	Total	915	1		1		1	3			2	1
11 32	Males. Females.	648 267	1		1	1	1	2 1			2	1
33	White	897	- - 1		. 1		1	3			2	_1
31	Males Females.		1					2				1
36	Native		1		1							
37	Males	. 386	1		-1		· · · · · · · · · · · · · · · · · · ·	. 2			2	· —
35 39	Females											
40	One or both parents foreign	. 103	1		. 1					.]		
41	Parentage unknown	70 26									1	
42	Foreign	. 330	,		1				l			1
43 44	Males Females				- 							i i
45	Unknown	. 6			1			1				
46	Males	. 1										
47	Females	2		*****	,							
49	Males	15							1			
70 51	Females (M.	. 3										
52	Chinese	. 3					4 4 4 4 4 4 4 4					

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS .	AT AGE OF	-							Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
											1					
9	14	21	28	36	43	55	38	49	38	28	12	5	Ì			
4 5	5 9	11 10	16	19 17	22 21	31 24	19 19	19 30	19 19	14 14	5 7	2				
8	13	18	27	35	42	54	37	49	37	27	12	5				
3 5	4 9	10 8	15 12	18 17	21 21	30 24	18 19	19 30	19 18	14 13	, <u>5</u> 7	2 3				
6	9	12	18	19	21	38	27	31	28	21		4				
2 4 1	3 6 2	6 6 3	10	10 9 4	12 5	17 21 6	14 13 9	10 21 9	12 16 6	9 12 7	3 5 3	2 2				
<u>2</u>	3 1 2	3 3 3	4 3 4	3 4 4	6 1	11	9 3 4	$\begin{array}{c} 14 \\ 1 \\ 2 \end{array}$	7 4 3	10 2	3	1				
ī .	1			2 2	2 2	3 3	2	5	6	·····i	·····i	2				
2	4	6	9	16	20	15	10	18	9	6	4	1				
1	1 3	2	3 4	8 8	11 9 ,	12 3	6	9	7 2	5	2 2	1				
1	1	3	1	1	1	1	1		1	1						
1	1	1 2	1	1	1	1	1		1	1						
	4	6	10	17	27	74	110	157	149	103	42	12	2		1	1
	4	6	9	17	26	73	107	156	145	100	42	11			1	1
<u> </u>	3	5	6	10	7	43	72	107	56	70	32	6				1
	1 2	1 2 2	3 3	6 3 1	7 9 1	18	43 18 11	65 16 26	63 8 15	56 4 10	15 3 11	5				1
	1	1	3	ï	9 '	29	35	47	57	29	10	5	3		1	
			1		1	1	3	1	4	_		1				
			1		1	1	3	1	4	3		1				
4	12	21	36	51	105	101	120	120	134	97	44	20	4			3
*	8	12	19	27	75	75	139	138	103	65	30	13	2			3
. — :	12	$=\frac{-\frac{1}{9}}{20}$	- 17 - 35	- 24 - 49	27 - 101		- 35 139	36 136	- <u>31</u> 130	29 96	14 - 44	20	4	· · · · · · ·		2
4	4	11 9	19 16	26 23	74 27	74 25	104 35	100 36	99 31	167 29	30 14	13	2 2			2
1	5	16	25	28	00	65	50	88	S4 1	56	24	13	3			2
4	7 1 1	10 6 7	13 12 4	$\frac{12}{16}$.	12 15	47 15	60 20	58 30	66 18	35 15	17 7	5				2
3	1 6 1	1 2	1	4 1	17	17 10 21	32 19	35 18 12	44 13 10	25 11 2	12 5	5 3				
1		2	2 1 2	1 2	5 3	5 9 3	11 9 1	11 5	1 12 4	11 2	5 2	 3 2				
!	4	1	10	21	40	31	57	17	45	39	20 1	7				
	1 3	1 3	(i j)	1 <u>1</u>	31 9	$\frac{27}{7}$	42 15	41	33 12	25) 10	13	5 2				
						· :	2	1	1_	1				-		
				٠	1		. 2	1	1	. 1						
		1	1	2	4	2		· - 2	4	1						1
			1	1		1		2	. 4	1						

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE ()F			
	SEY, COLOR, AND NATIVITY.	All deaths.	Under 1	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.		1					1				•
1	Cancer of the brain. Total	123		1	1			2	3	2	8	5
3	Males Females.	66 57		1				2	2	1	2 6	3 2
4	White	120		1				2	3	2	8	4
6	Males Females	63 57		1				2	2	1	6	2 2
7	Native Males	\1 		1	1			2	3	2		1
9 10	Females. M . Both parents native. M .	40 29		1	1			2	1	1	2 5 2	2 1
11	One or both parents foreign $\begin{cases} F \\ M \end{cases}$	21 12 15	,					[1 1	1 1	3	1
12	Parentage unknown. $\left\{egin{array}{ll} M \\ F \end{array}\right.$	3 4										· · · · · · · · · · · · · · · · · · ·
13	Foreign	36									1	
14 15	Males Females	19 17									1	· · · · · · · · · · · · · · ·
16	Colored—Negro	3					 					1
17	Cancer of the bones (except jaw). Total	448	2	4	2	4	2	14	14	15	27	20
18 19	Males Females	229 219	2	1 3	1	2 2		4	8	8	15	13
20	White	433	2	4	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	4	= = 2	10	6	7	25	7
21 22	Males Females	220 213	2	1 3	I	2 2	2	4 10	× 6	7 7	15 10	13 6
23	Native	311	2	4	2	4	2	14	13	13	24	17
24 25	Males	160 151	2	1 3	1	2 2	2	4 10	7 6	6 7	15	11 6
26	Both parents native $\left\{ egin{array}{ll} M \\ F \\ \end{array} \right\}$	92 93 49	1	$\frac{1}{2}$		1 1	2	6	3 5	5 4	5 5	6 4
27 28	One or both parents foreign $\begin{cases} M \\ F \end{cases}$. Parentage unknown $\begin{cases} M \\ F \end{cases}$.	45 19 }	1	1	î	1		4		2	4	2 1
29	Foreign. (F	13		*****					1	1	1	2
30 31	Males.	56								1].		2
32	Females	60							1		1 '.	
33 34	Males Females	4							1			
35	Colored	15								1	2	1
36	Negro	9 6								1 .	2	1
0.7	Cancer of the testes.	ſ							1			
37	TotalM WhiteM	= = 111					1	2		3	2 2	10
39	Native	84					I		•••••	3	1	9
40 41	Both parents native						1	1 1		2 1 .	1	5 4
42	Parentage unknownM ForeignM										1	
44	Unknown	2									A	
45	Others of this class. Total	3, 196	16	12	15	14	10	70	30	25	53	51
46 47	Males Females	1,784 1,412	10	6 6	9	9 5	4 6	38 32	14 16	13 12	24 29	36 15
44	White	3,104	16	11	17	-=	9	66	29	22	50	50
49 50	Males Females.	1,736 1,368	10 6	5 6	8 9	1	4 5	36 30	14 15	I1 11	24 26	35 (15

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipanties that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	-							Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
8	10	12	10	17	16	13	5	9	3			 				
3 5	7 3	4	7 3	11 6	10 6	7 6	2 3	5 4	3							
=- 9	10	11	10	17	16	12	5	9	3							
3 5	7 3	3	7 3	11 6	10 6	6 6	2 3	5 4	3							
3	5	7 2	9	9		5	2	3	1		<u>-</u> - · · ·			·	ļ: <u></u>	
3 2	2 2	5 2	3	5 3	5 4	5 4	2 2	1 1	1							
3	2 2	3	1 4 1	3	$\frac{2}{1}$	2 1 2	I 1	1 1								
1	1			1		1			1							
2	3	4	1	8	6	2	·	- 6	2	****						
2	2	3	1	1	5 1	1	1	3 3	2	 		'				
		1				1										
19	19	15	34	28	47	41	41	45	40	17	8	1	2			1
10 9	10	9 6	17 17	10 18	22 25	24 17	20 21	27 18	21 19	6 11	3 5	1	2			
19	17	14	33	28	47	40	39	45	38	15	8	1	2			
10 9	9 8	6	16 17	10 18	22 25	23 17	19 20	27 18	19 19	5 10	3 5	1	2			1
15	7	10	22 11	15 5	29 15	27 16	26	27 15	28	11	4	1	2			
7 6	6 3	5 5	11 6	10 2	14 S	11 9	13 8	12 7	13 11	7 2	2 2	1	2	• • • • • • • • • •		
5 2 2	3 2	3	3 4 7	5 1 5	7 6 5	6 4 5	7 5 3	9 5 2	10	7	1		1			
	1		1	2	$\frac{1}{2}$	3	3	3	4 3	2	1		1			
2	3	3	11 5	12	18	11 6	13	18	10	1	4					
$\tilde{2}$	2	1	6	7	11	5	7	6	6	3	3					
	1					1										1
	2	1	1	1		1	2		2	2						
	1 1	1	1			1	1 1		2	1 1						
							•									
<u>10</u>	= 9	13	12	13	5	5	6	7	7	: -4				=		
9	9	11	10	12	3	4		3	3	1						
5 4	5 4	6 5	7 3	7 5	2		2 1	2	2	1	1					
1		2	2	1	1 2	1	3	4	3	3	1			******		
							 I		1							
52	76	108	191	234	330	364	363	391	303	221	183	72	14	4		1
36 16	46 30	60 48	92 99	131 103	162	204 160	205 158	22 4 167	222 141	113 108	108 75	38 34	9 5	3 1	`	 ₁
51	73		185	222	320	354	353	380	357	218	181	71	14			1
35 16	43 30	56 47	91 94	125 97	104 155	199 155	198 155	216 104	219 138	113 105	1 17 74	38 33	9 5	3 1		

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

-/												
-							DEATH	IS AT AGE O)F—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED continued. Others of thes class - Continued.											
1	White—Continued. Native.	2,018	16	11	17	13	9	66	28	20	45	43
2 3 4 5 6	Males Females M	. 926 - 596 - 553 - 323 - 256	10 6 5 1 5 5 5	5 6 1 6 4	8 9 5 6 2 3 1	9 4 8 2 1 2	1 5 3 3 1 2	36 30 22 18 13 12 1	14 14 9 8 5 6	10 10 5 5 5 5 5	21 24 12 17 9 7	30 13 16 8 13 5
7	Foreign		*****			1			1	2	4	7
8 9	Males Females.	100							1	1	3 1	5 2
10	Unknown	40									1	
$\frac{11}{12}$	Males Females	4.0									1	
13	Colored	92		1	1	1	1	4.	1	3	3	1
14 15 16 17 18	Males Females M. Negro	1 44 44 43 1 1		1	1	1		2	1 .	2 1 1 1 1 1	3	1

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	_							Deaths at un-
5 to 29 years.	30 to 34 years.	35 to 39 years.		45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.				100 years and over.	known age.
35	53	71	120	145	211	231	205	230	210	141	107	42	12	2]
21 14 11 6 9 6 1	30 23 15 15 13 2	40 31 24 17 12 10 4 4	52 68 21 34 27 29 4 5	78 67 35 39 33 24 10 4	101 110 50 55 43 43 8 12	131 100 64 52 51 32 16 16	112 93 63 60 29 24 20 9	123 107 73 74 27 18 23 15	129 81 76 48 18 15 35	68 73 42 54 6 6 20 13	63 44 37 29 7 4 19	24 18 14 11 3 27 5	5 5 3	2		1
16	15	31	64	74	104	119	144	143	143	73	71	25	2	2		
14	11 7	15 16	3× 26	45 29	59 45	67 52	83 61	%9 54	89 54	43 30	41 30	14	2	1 1		
	2	1	1	3	5	4	4	7	4	4	3	1				
	2	1	1	2	4 1	1 3	3 1	4 3	1 3	2 2	3	1				
1	3	5	6	12	10	10	10	11	6	3	2	1				
1	3	4	1 5	6	4	5 5	7 3	8 3	3 3	3	1					
1	3	4	1 5	6	4 6	4 5	5 3	S 3	3 3	3	1	1				
• • • • • • • •							,									

35030°--16----14

Table 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of decedent: 1914.

							DE	ATHS AT	Aug OF							Death
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25	25 to 34	35 to 39	10 to 41	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	 85 to 89	90 years	at un-
		years.	years.	years.	years.	yeurs.	years.	years.	years.	Tears.	years.	years.	years.	years.	over.	
SINGLE.																
Total	5,572	736	301		371	544	672	6.03	603	481	421	2\5	132	40	21	
Males Females		402 334	192 169	125 164	150 221	225 316	290 3×2	273 330	305 298	227 254	203 221	104 151	51 81	11 29	8 16	
White	5, 105	707	338	270	361	531	(57	5×6	5×4	470	421	2,2	129	40	22	
Males Females	2, 494 2, 911	289 51 s	150 152	115 155	145 216	221 310	284 373	270 316	288 296	221 210	202 219	104 178	50 79	11 29	7 15	
Native	3,794	637	211	196	260	366	416	410	392	278	264	176	76	32	16	
MalesFemales	1,537 2,257	316 2. 1	125 116	70 126	84 176	125 241	162 284	160 250	165 227	110 108	104 100	49 127	26 50	25	4 12	
Both parents native. $\left\{\begin{matrix} M \dots \\ F \dots \end{matrix}\right\}$	712 1,263	193 167	61 50	29 63	35 79	38 116	5 \ 143	118	78 134		47 116	31	16 31	5 17	3 10	
One or both parents $\begin{cases} M & \text{for eign.} \end{cases}$	5(5 / 830 230)	142 117 11	59 51 6	31 5× 10	42 85	73 109 14	72 126 32	77 115 23	49 78 38	26 29 25	19 28 38	3 19 15	2 7 8	3 2	1 1	
Parentage unknown.	164	7	4	5	9	16	15	17	15	25	16	20	9	5	1	
Foreign	1,505	(7	92	68	97	160	197	166	178	177	147	98	48	4	5	
MalesFemales	615 615	20	35	40 25	58 39	92 68	112	102	114	103 74	93 54	50 45	21 27	3	3 2	
Unknown	106	3	5	() ~ ~	4	<u> </u>	14	10	11	15	10		5	4	1	1
MalesFemales	67 39	1	: 2	1	1	4 1	10	2	5	7	5 5	5 3	3 2	1 3	1	ĺ
Colored	167	29	23	19	10	13	15	17	19	11	3	3	3		2	
Males. Females	76 91	13 16	6. 17	10	į.	7 ti	6	3 14	17 2	6 5	1 2	3	$\frac{1}{2}$		1	
Negro	60 , 89	11 15	17	9	1	6 6	9	14	12 2	6 4	2	3	1 2		1	'
Indian	3 2 9	1				· ·····		1		1					1	
F.	2			. 1			1									
Other colored F.	2	, · · · · i ·		!	·· ··· i											
MARRIED.																
Total	27,711	78	1,010	1,424	2,284	3,017	3,824	4,031	3,839	3,490	2,568	1,373	561	152	29	3
MalesFemales	12,770 14,941	29 58	266 711	352 1,072	643 1,641	1,001 2,016	1,548 2,276	1, 12 2, 189	2,018 1,821	1,995 1,495	1,586 952	921 452	416 145	129 23	22 7	1 2
White	26,917	71	952	1,329	2,186	2,895	3,706	3,938	3,764	3,425	2,535	1,350	557	151	29	2
Males Females	12,503 14,414	19 52	258 694	339 990	620 1,566	970 1,925	1,501 2,205	1,798 2,140	1,988 1,776	1,959 1,466	1,567 968	909 441	413 144	129 22	22 7	1
Native	16,832	āb	674	901	1,434	1,798	2,261	2,499	2, 289	2,068	1,554	809	350	97	21	2
Males	7,078 9,774	17 39	171 503	197 704	347 1,087	485 1,313	789 1,472	1,028 1,471	1,102	1,106 962	930 624	522 2\7	253 97	85 12	17	1
Both parents native ${\mathbf{F}}$	4,050 5,61×	12 24	101 259	110	180 580	242 720	414 758	506 823	63 1 725	705 632	574 409	317 184	155 70	56 5	12	
One or both parents $\left\{\begin{matrix} M \\ P \end{matrix}\right\}$	1,862 2,781	5 12	60 165	71 237	138	189 435	299 515	389 445	287 173 181	197 153	127 99	62 37	29 5	6 2 23	1 1 4	
Parentage un' nown ${M \choose F}$	1,146 1,375	3	10 39	10	29 106	54 158	76 199	133 203	181	204 177	229 116	113 66	69 22	5	2	
Foreign	9,956	14	276	422	737	1,086	1,429	1,419	1,459	1.312	969	535	202	52	8	
Males Females	5,350 4,570	2 12	87 189	140 282	271 466	479 607	701 725	762 657	575 551	847 495	630 339	383 152	156 46	43 9	5 3	
Unknown	129	_ 1	2	ħ	15	11	16	20	. 16	15	12	6	5	2		
Males Females	59 70	1	2	2	2 13	6 5	8 8	8 12	11 5	6 9	5	4 2	4 1	1		
Colore I	794	7	58	62	98	122	118	93	7.5	65	33	23	4	1		
Males	267 527	1 6	8 50	13 82	23 75 22	31 91	47 71	44	30	36 29	19 14	12 i	3 1	1		
Nерто	241 514	1 6	8 18	11 79	22 75	27 89	38 70	41 47	25 44	34 28	19 13	12	0			
Indian	2 6			1				2	1	·· į	1					
$\begin{array}{cccc} \text{Chinese}, & & \begin{cases} M \\ F \end{cases} \\ \text{Japanese}, & & \begin{cases} M \\ M \end{cases} \\ \end{array}$	17 3 7		1	2	. 1	2	5 1 3	3	1	1						
					1	2	+ 2			1						

Unche's 19 thet of Columbia, is developed softh Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION. BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

and the principle							DE	CATHS AT	AGE OF	T						Death
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.		50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at un-
WIDOWED.	13, 893	5	38	123	258	488	896	1,325	1,775	2,242	2,469	2,081	1,398	585	202	
Males Females	3,698 10,195	1 4	4 34	14 109	44 214	85 403	172 724	303 1,022	413	615	738	598	448	189	71	
White	13, 452	5	29	108	235	444	827	1,022	1,362	1,627 2,191	1,731 2,422	2,047	950	396 575	131	
MalesFemales	3,630 9,822	1 4	4 25	12 96	42 193	79 365	164 663	296 982	399 1,306	609 1,582	725 1,697	592 1,455	447 934	188 387	70 128	
Native	8,066	3	23	69	155	256	503	7 782	992	1,239	1,415	1, 251	877	366	131	
	2,026 6,040 1,139 3,609 396 1,269	1 2 1 1	3 20 13 3 4	6 63 4 33 1 27	28 127 11 62 15 48	34 222 14 99 14 93	79 424 37 188 31 173	165 617 65 321 74 204	220 772 109 415 73 212	319 920 170 573 60 172	397 1,018 254 671 48 140	342 909 206 622 39 102	269 608 164 394 28 62 77	119 247 72 161 9 23	43 88 31 53 1 8	
Parentage unknown $. \left\{ F \right\} $	1,162		3	1 3	17 17	6 30	63	26 92	38 145	89 175	95 207	97 185	152	38 63	11 27	
Foreign	5, 266 1, 549	2	5	38	78	185	78	485 126	696	928	992 320	774 244	496 174	206	65	
Females	3,717	2	5	32	65	143	236	359	522	651	672	530	322	138	38	
Unknown	55		1	1	1	3	7	11 5	17	13	15	6	8	1	2	1
Females	65 441		9	1 15	23	44	3 69	6 47	12 70	11 51	7	16 34	4	10	2 4	
Males	68		9	2	2	6	8	7	14	6	13	6	1	1	1	
Negro $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	373 66 366		9	13 2 13	21 2 21	38 6 38	61 8 61	40 7 39	56 13 55	45 6 43	34 13 33	28 6 27	16 1 16	98	3 1 3	
Indian	6								1	2	1	i		1		
Chinese. $\begin{cases} M \\ F \end{cases}$ Japanese $\begin{cases} M \\ M \end{cases}$																
Other colored $\begin{cases} M \dots \\ F \dots \end{cases}$	1							1								
DIVORCED.	403	1	11	23	32	51	62	62	EO	43	91	10	7	2	1	
Males	172		1	4	8	11	30	24	58 35	21 22	19	19	3	2	1	
Females	392	1	10	19	30	49	61	38 62	23	22	29	19	7	2	1	
Males	168		1 9	2	7	11	30	24	35	21	18	13	3	2	1	
Females Native	224 299	1	9	18	23 28	38	31	38 45	23 43	22	11	6	4	2	1	
MalesFemales	113 186	1	1 8	2 17	6 22	7 31	17 27	15 30	23 20	16 17	11	11	1 2	2	1	
Both parents native $\{F,, F\}$	59 114	1	1 5	1 10	4 15	5 17	9 16	8 14	9 15	9 10	6	5 3	2	2		
One or both parents $\{F, \dots, F\}$ Parentage unknown.	22 46 32		2	6	1 4 1	2 9	5 10 3	4 11 3	3 1 11	3 2 4	1 1 4	5	1		······i	
Foreign	26 85		1	1	3	5	1	5	4	5		1				
Males	49			1	1	11 4	10	9	10	5	7	3	2			
Females	36 8		1	1	1	7	3	8	3	4	4	2	2			
Males	6						3		2			1				
Females	2 11		1	3	2	2	1		1	1	2					
MalesFemales	4 7		1	2	1 1	2					1				,	
Negro ${M \choose F}$	4 7		1	2 1	1 1	2	1				1 1					
Indian																
F.																
Japanese	100000000															

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

		T.					-									-
	- 1						DE	ATHS AT	AGE OF	-						Deaths
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	20 years and over.	at un-
UNKNOWN.																
Total	407	1	15	13	24	28	46	43	55	54	53	39	23	7	1	5
MalesFemales	264 143	1	9 6	8 5	15 9	15 13	26 20	31 12	38 17	40 14	37 16	23 16	13 10	4 • 3	1	4 1
White	383	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4
MalesFemales	252 131	1	8 6	7 4	14 7	15 11	25 19	30 11	36 15	38 13	35 16	23 14	13 10	4 3	1	3
Native	201	1	6	6	7	13	24	20	26	25	30	21	17	4		1
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Both parents native.} \cdot \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \\ \text{One or both parents} \right. \left\{ \begin{matrix} \text{M} \\ \text{F} \end{matrix} \right. \end{array}$. 108 93 60 45 8	1	4 2 4 2	3 3	3 4 1 4	5 8 3 5	10 14 1 2 4	14 6 7 4	15 11 10 5	15 10 10 2	19 11 12 6 1	9 12 4 7 2	8 9 5 6	2 2 2		i i
Parentage unknown $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	27 40 21			2 3	2	3 1	9 5 3	2 7	3 5 3	2 5 6	2 6 3	2 2 3 3	1 3 2	1		
Foreign	124		7	4	10	9	13	14	18	16	14	12	4	3		
Males	93 31		3 4	4	8 2	6 3	9 4	12 2	14 4	13 3	9 5	10 2	3	2	,	
Unknown	58		1	1	4	4	7	7	7	10	7	4	2		1	3
Males Females	51 7		1	1	3	4	6	4 3	7	10	7	4	2		1	3
Colored	24		1	2	3	2	2	2	4	3	2	2	,			1
$\begin{array}{ccc} & \text{Males.} & & \\ & & \text{Females.} & & \\ & \text{Negro.} & & \begin{cases} \text{M.} & \\ \text{F.} & \end{cases} \end{array}$	12 12 10 12		1 1	1 1 1 1	1 2 1 2	2	1 1 1 1	1 1 1 1	.2 2 1 2	2 1 1 1	2	2				1
Indian \{\begin{align*} M \\ F \\ M \\ M \end{align*}	2								·····i	1						
Chinese																
$\begin{array}{cccc} \text{Japanese} & & \left\{\begin{matrix} M & & \\ F & & \end{matrix}\right. \\ \text{Other colored} & & \left\{\begin{matrix} M & & \\ F & & \end{matrix}\right. \\ \end{array}$																

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

LIST OF PUBLICATIONS OF THE PERMANENT CENSUS BUREAU—Continued

(Continued from page 2 of cover.)

WEALTH, DEBT, AND TAXATION

The various sections of the report on Wealth, Debt, and Taxation have been issued in bulletin form, there being eight bulletins in the series. The titles of the

Taxation and revenue systems of state and local governments (a digest of constitutional and statutory provisions relating to taxation in the different states in 1912).

Assessed valuation of property and amounts and rates of levy; 1800-1912.

National and state indebtedness and funds and investments; 1870-1913.

County and municipal indebtedness, 1913, 1902, and 1890; and finking lund assets, 1913.

National and state revenues and expanditures, 1913 and 1903, and public properties by states; 1913.

County revenues, expenditures, and public properties:

1913. Municipal revenues, expenditures, and public proper-ties: 1913. Abstract of special bulletins—Wealth, Debt, and Taxaction: 1913.

MISCELLANEOUS PUBLICATIONS

FOREST PRODUCTS (These publications, of octavo size, issued yearly, were compiled in cooperation with the Forest Service; Department of Agriculture. The only publication of this series issued for 1912 was Lumber, lath, and shingles. The compiling of these statistics has been discontinued by the Bureau of the Census, but will be continued by the Forest Service in less comprehensive form. Pulp-wood consumption: *1907, 1908, 1909, 1910, and 1911. Lumber, lath, and shingles: *1907, 1908, 1909, 1910, and 1911. Stack cooperage stock: 1907, *1908, 1909, *1910, and 1911. Tanbark and tsaming extracts: 1907, 1908, and 1909. (This pamphlet was not issued in 1910 and 1911.) Excelsior: 1911. Veneers: 1907, 1908, 1909, *1910, and 1911. Tight cooperage stock: 1907, *1908, 1900, *1910, and 1911.

1911.

Wood distillation: 1907, *1908, 1909, 1910, and 1911.

Cross-fies purchased: 1907, 1908, 1909, 1910, and 1911.

Poles purchased: 1907, 1908, 1909, 1910, and 1911.

Forest products of the United States: *1907, 1908, and 1909. "(This pamphlet not issued for 1910 and 1911.)

HEADS OF FAMILIES-FIRST CENSUS OF THE UNITED STATES: 1790

(These volumes, of quarto size, are for sale only at \$1 for each state; remittance should accompany the request, addressed to the Director of the Census.)

The First Census covered the present states of Con-nectiont Delaware, Georgia, Kentucky, Maine, Mary-land, Massachusetts, New Hampshire, New Jersey, New York, North Carolina, Pennsylvania, Rhode Island, South Carolina, Tennessee, Vermont, and Virginia. The returns for Delaware, Georgia, Ken-tucky, New Jersey, Tennessee, and Virginia were destroyed.

The following volumes have been issued: Connecticut, Maine, Maryland, Massachusetts, New Hampshire, New York, North Carolina, Fennsylvania, Rhode Island, South Carolina, Vermont, and Virginia. The volume for Virginia contains the state enumerations only from 1782 to 1785.

PHILIPPINE ISLANDS, CENSUS OF 1903

(On September 25, 1902, pursuant to act of Congress approved July 1, 1902, the President directed that the census of the Philippine Islands be taken by the Philippine

pine Commission, and that the United States Census Bureau compile and tabulate the returns and print and distribute the completed reports. These reports were issued in English and Spanish; both editions are now exhausted.)

*Volume I—Geography, history, and population.

*Volume II—Mortality, defective classes, education, families and dwellings.

*Volume IV—Agriculture, social and industrial statistics.

(Bulletins, compiled from the reports, English only.)

No. 1—Population of the Philippines, No. 2—Climate of the Philippines. No. 3—Volcances and seismic centers of the Philippine Archipelago.

CUBA, CENSUS OF 1907

(The Cuban Cansus of 1907 was taken by order of the provisional government, and the material was compiled and published, under the direction of the director of the cuban census, by the Buréau of the Census. The report was printed in Spanish. In order to meet the demand in the United States for information regarding Cuba, the provisional governor of the Republic authorized the director of the Cuban census of 1907 to prepare a compendium, printed in English. Both volumes are of octavo size.

*Censo de la Republica de Cuba: 1907 (report).

*Cuba: Population, history, and resources: 1907 (compendium).

pendium). VITAL STATISTICS

*Extension of registration area for births and deaths; a practical example of cooperative census methods as applied to the state of Pennsylvama: 1906.
Federal registration service in the United States; its development, problems, and defects: 1916.
International classification of causes of sickness and death; 1910.

Legal importance of registration of births and deaths:

Legislative requirements for registration of vital sta-

tistics: 1903.

*Manual of international classification of causes of death (adopted by the Census-Office for compilation of mortality statistics): 1902.

Manual of international list of causes of death: 1911.

*Medical education in vital statistics: 1903.

Modes of statement of cause of death and duration of illness upon certificates of death: 1907.

Physicians' pocket reference to the international list of causes of death; 1916.
Practical registration methods; 1903.
Rejectation of outst and deaths: 1903.
Relation of physicians to mortality statistics: 1903.
Statistical treatment of causes of death: 1903.
Tuberculosis in the United States: 1909. (Bulletin 15.)

MISCELLANEOUS

American census taking: 1904.
Census Office and coordination of statistics: 1909.
Collaboration in Federal and state statistical work.
Cooperation and unification in Federal and state statistical work: 1903.
Cotton ginning reports: Issued in card form (4 by 6 inches) at intervals during the cotton ginning season.
Federal population estimates and supervision of local consusses.

History and growth of United States Census: 1790-1890.

History and growth of United States Census; 1790-1890.
Index to occupations, alphabetical and classified
Leaf tobacco: Reports on quantity held by dealers
and manufacturers; April 1 and October 1 of each
year since 1912.
List of publications,
Report of the Director of the Census in the Secretary
of Commerce and Labor concerning the administration of the permanent bureaut 1903.
Reports of the Director of the Census to the Secretary
of Commerce concerning the operations of the burean for each fiscal year "1903-4, 1904-5, to 1915-16.
Special population censuses: Ef Paso, Tex., January
15, 1916; Hantramck, Mich., June 25, 1916; Hastings,
Nebr., December 13, 1915; Highland Park, Mich.,
November 15, 1915; St. Clair Heights, Mich., November 18, 1915; Tulas, Okta., April 15, 1915.
Standard form for reporting the financial statistics of
public schools: 1911.
Story of the Census: 1790-1916.
Statistical atlass of the United States: 1914.
Suggested standard forms for reports of the financial
transactions and physical statistics of parks: 1911.
Summary of State laws relating to the dependent
classes: 1913.
Tentative program 1916-1910.
Uniform accounts as a basis for standard forms for
reporting financial and other statistics of health
departments: 1912.
Uniform accounts for systems of water supply: 1911.
Uniform municipal accounting: *1904, and 1906.

For list of Thirfeenth Consus publications, see following page.

THIRTEENTH CENSUS (1910) PUBLICATIONS.

All of the volumes of the final census reports, giving the results of the Thirteenth Decennial Census of 1910, have been issued. The volumes, numbered 1 to XI (comprising 10,879 pages), constituting the complete reports of the census, which are listed below, were issued in limited editions, intended chiefly for libraries institutions, and special students of statistics. Because of the restricted diswhich will justify the Director of the Census in placing his name upon the mailing list. The following list gives the title or description of each of the reports and bulletins issued in connection with the Thirteenth Census:

FINAL REPORTS OF THE THIBTEENTH CENSUS.

POPULATION:

Vol. 1.—General report and analysis. 13:99 p. (Esch chapter of this volume was printed as a separate. The tilles are listed below.)

Vol. II.—Reports by states, with statistics for counties, cities, and other civil divisions—Alabame to Montana. 1160 p.

Vol. III.—Same—Nebrasia to Wyoming; Alaska, Hawaii, and Porto Rico. 1225 p.

Vol. IV.—General report and analysis. 927 p. (Esch othapter of this volume was printed as a separate. The titles are listed below.)

Vol. VV.—Same—Nebrasia to Wyoming; Alaska, Hawaii, and Porto Rico. 10:37 p.

Vol. VV.—Same—Nebraska to Wyoming; Alaska, Hawaii, and Porto Rico. 10:37 p.

Vol. VV.—Same—Nebraska to Wyoming; Alaska, Hawaii, and Porto Rico. 10:37 p.

Vol. VIII.—General report and analysis. 8:45 p.

Vol. VIII.—General report and analysis. 8:45 p.

Vol. XIII.—General report and inalysis. 8:45 p.

Vol. XIII.—General reports for the industries shown in this volume was printed as a separate bulletin. The titles are given below under the heading. "Manufachires industry bulletins.")

MINING:

Vol. XI.—Mines and quarries. 3:69 p.

MINING: Vol. XI.—Mines and quarries. 369 p.

REPRINTS OF CHAPTRES OF PINAL REPORTS.

Each of the chapters of Volume I of the final reports, which is the general report and analysis of the population statistics, was reprinted as a separate. The titles of the chapters are as follows:

1. Number of inhabitants. 104 p.

11. Color or race, nativity, and parentage. 122 p.

12. Number of inhabitants. 104 p.

13. Sex distribution. 218 p.

14. Sex distribution. 218 p.

15. Marida condition. 182 p.

16. Marida condition. 182 p.

17. Marida condition. 182 p.

18. Vi. Canney of birth. 22 p.

19. Mother tongua. 68 p.

19. Mother tongua. 68 p.

19. Mother tongua. 68 p.

21. Voting and militia ages. 84 p.

21. Voting and militia ages. 84 p.

22. M. Hiliteracy. 80 p.

23. M. Wash of the chapters of volume IV, Occupation statistics, have been reprinted as a separates:

11. Occupations: Chies of 100,000 and over. 57 p.

24. Occupations: Chies of 100,000 and over. 55 p.

25. M. Occupations: Chies of 100,000 and over. 55 p.

26. V. Occupations: Chies of 100,000 and over. 57 p.

27. And IX. Occupation statistics: Alaska, Hawail, and Porto Rico. 19 p.

28. The ritles of the chapters of volume V, the general report and analysis of the statistics of agriculture, each of visit is was reprinted as a separate, are as follows:

28. Farms and farm property. 70 p.

29. Statistics of arrms, classified by race, nativity, and tenure of farmers. 88 p.

29. M. Farm and farm property. 70 p.

20. Live stock on farms and elsewhere. 146 p.

20. M. Jurgation. 50 p.

21. Parmations in the South. 13 p.

22. M. Tigation. 50 p.

23. M. Pisnitations in the South. 13 p.

24. Divestock products and domestic animals sold or slaughtered on farms. 58 p.

29. M. Jurgation. 50 p.

21. Pisnitations in the South. 13 p.

22. M. Tigation. 50 p.

23. M. Pisnitations in the South. 13 p.

24. Live stock on farms and elsewhere. 146 p.

25. M. M. Pisnitations in the South. 13 p.

26. M. M. Pisnitations in the South. 13 p.

27. Live stock on farms and elsewhere. 146 p.

28. M. M. Pisnitations in the South. 13 p.

29

The following section of Volume X, Reports for principal industries, has been reprinted as a separate:

Statistics of manufactures for metropolitan districts, 1903. 77 p.

ABSTRACT OF THE CENSUS WITH STATE SUPPLEMENTS.

ABSTRACT OF THE CENSUS WITH STATE SUPPLEMENTS. The Abstract of the Census; a volume of 559 pages, which is intended for general distribution, is prepared in such a way as to meet the needs etimost persons described in the containing intermediation concerning the results of the containing intermediation concerning the results of the containing intended in the containing as whole and for each state that or incorpal cities, together with a brief text and distrants and maps excitaining the figures and their maining. The Abstract pherefore, is a constantial their maining. The Abstract pherefore is a constantial text, and not merely a compiler experts, both tables and text, and not merely a compiler containing a supplementation of states, as the case of the containing a supplementation of states, and otherwise desirable statistics for sounties, cities, and otherwise desirable statistics for sounties.

As a compact reference work of general and local interest the Abstract is more convenient for most persons than the voluminous final reports.

The following list gives a summary of the chapters:

The following list gives a summary of the chapters:

Interest the Abstract is more convenient for most persons than the voluminous final reports.

The following list gives a summary of the chapters:

Interest and distribution of imbabitants.

2. Color or race, mativity, and parentage, sext population of race, mativity, and parentage, sext population of race, mativity, and parentage, sext militia age.

3. Age and unrital condition.

4. State of birth of native population.

5. Population of foreign birth and foreign parentage, by country of origin.

6. Foreign-born population—Date of immigration.

7. School attendance and diliteracy.

8. Dwellings and families.

Additionally and families.

Additionally and families.

Additionally and family and size of farms.

11. Live stock on farms and elsawhere.

12. Live-stock products, and domestic animals sold or slaughtered on farms.

13. Farm crops—Advance, production, and value.

14. Irrigation and irrigated crops.

MANOVACUBERS:

15. Blatistics for states, cities, and industries.

MINES AND COARBIES:

16. Mines and quarries.

STATE BULLETINS.

The state bulletins, of which a few copies are available for distribution, give, each for a particular state, detailed results of the census for the min branches of population, agriculture, irrigation, and manufactures. These fall into several distinct series, as follows:

tailed results of the census for the main manufactures. population, agriculture, irrigation, and manufactures. These fail into several distinct series, as follows:

First series.—By counties and mimor civil divisions. Gives the population of the state, the desisty of population, and the urban and rural population, with tables showing the population in 1910 and 1900 for each county and for each mimor civil division within the county.

Second series.—Gives composition and characteristics of the population, statistics of color, nativity, parentage, Ser., citizensine, filineracy, echool attendance, and dwellings and families, with tables for all counties, and for cities having 2,560 or more inhabitants.

The contents of these bulletins were printed as Volumes II and III of the final reports.

AGRICULTURE:

First series.—Number of terms, farm property, live stock, principal crops, and farm expenses.

Second series.—Reproduces the material for the first series, and gives additional information in regard to tenure, live-stock products, and minor crops, and presents a complete record for each state and for each county of all the agricultural data gathered at the census of IIIo.

The contents of these bulletins were printed as Volumes VI and VII of the final reports.

Rangamon:

Statistics of irrigation, farms and acroege irrigated, irrigation works, cost of construction, cost of operation and maintenance, and crops irrigated, issued separately for the following states. Arizona, California, Colorado, Idaho, Montana, Newada, New Mexico, Oregon, Urah, Washington, and Texas.

The contents of these bulletins were printed in Volumes VI and VII in connection with the agricultural statistics of the states to which they relate.

MANUFACTURES:

Scatistics for manufactures for the states and for principal cries and industries. The contents of these bulletins were printed in volumes VI and VII in connection with the agricultural statistics of the states, with statistics for principal industries.

Abstract bulletins give the genera

industries.

Abstract bulletins give the general results of the census for the country us a whole by states, and, where applicable, by larver cities. All of the matter contained in them has been reprinted in greater depain in the final reports. The following bulletins were assued:

POPULATION:

Number and distribution of inhabitants. 55 p.
Cobn or race, nativity, parentage, sex, and makes of voting and militia ages. 44 p.
School attendance and illiteracy. 39 p.
Age and marilal condition. 47 p.
Country of birth. 32 p.
Country of birth. 18 p.
Occupation statistics. 107 p.
Age, p. Country of birth. 18 p.
General farm grope. 23 p.
Live stock on bruns and elsewhere. 34 p.
Tenure, martinger indeptedness, color and nativity of lormers, and size of farms. 24 p.
Crops. 33 p.
Live stock preducts. 16 p.
Live stock preducts. 16 p.
Live stock preducts.

MANUFACTURES INDUSTRY BULLETINS.

All of the matter contained in these bulletins was reprinted without change in Volume X. Reports for principal industries, of the final volumes.

Agricultural implement industry. 12 p.
Automobiles, moluding budies and parls. 17 p.
Bloycles, motorcycles, and parls. 6 p.
Biast-turnace, steel-works, and rolling mill, wire, and timplate and terneplate industries. 80 p.
Boots and shoes, including cut-stock and findings. 20 p.
Boutter, chesse, and condensed-milk industry. 23 p.
Caming and presserving. 22 p.
Caming and presserving. 25 p.
Carriage and was an industry. 17 p.
Chemicals. 22 p.
Clay-products industry. 26 p.
Codes and twine and jute and linen goods. 11 p.
Cordes and wines and jute and linen goods. 11 p.
Cordes and twine and jute and linen goods. 11 p.
Cordes and twine and jute and linen goods. 11 p.
Cordes and twine and jute and linen goods. 11 p.
Cordes and twine and jute and linen goods. 11 p.
Cordes and twine and jute and linen goods. 11 p.
Cordes and tractices. 10 p.
Dyong and inishing textiles. 10 p.
Dyong and inishing textiles. 10 p.
Essantist oils. 6 p.
Essantist oils. 6 p.
Essantist oils. 6 p.
Flour-mill and gristmill industry. 24 p.
Fur-felt hat industry. 13 p.
Flour-mill and gristmill industry. 12 p.
Leather industry. 19 p.
Leather industry. 24 p.
Musical instruments and phonographs and graphsphoness. 17 p.
Paint and varnish industry. 13 p.
Paint and varnish industry. 13 p.
Paper and word-pulp industry. 16 p.
Petroleum refining. 10 p.
Printing and publishing industry. 21 p.
Rice cleaning and polishing. 9 p.
Solt. 7 p.
Sulphuric, intric, and mixed acids. 9 p.
Silenthering and meast-packing industry. 22 p.
Sulphuric, intric, and mixed acids. 9 p.
Silenthering and town industry. 18 p.
Woolan, worsted, and felt goods, and wool hats, carpets
and rugs, and shoody. 48 p.

MECELLANEOUS BUILETINS.

Besides abstract and state bulletins, which are de-

MISCELLANEOUS BUILDTINS.

Besides abstract and state bulletins, which are designed for more general distribution, there have been issued the following bulletins containing additional data and decursion regarding selected topics. All of the matter contained in these bulletins appears in the final volumes to which they pertain.

Population of countles and equivalent subdivisions, 36 b.

inal rollimes to which they pertain.

Population of counties and equivalent subdivisions.

30 p.

Total population and area of the United States, by states and terrinories. 16 p.

Population of cities of 2,500 inhabilitants and over 46 p.
Center of population and median lines, continental United States. 8 p.

Population of counties and median lines, continental United States. 8 p.

Population of counties and median lines, continental United States. 8 p.

Population of counties and median lines, continental United States. 8 p.

Population of counties and median lines, continental United States. 8 p.

Population of counties and median lines, continental training and their subprise. 6 p.

Population of incorporated places. 111 p.

Occupation statistics. 107 p. This bulletin contains the principal statistics for occupations, with explanation and sanalytical textshown in Volume IV frigation for rice growing—Louislans, Texas, and Afkanss. 14 p.

Irrigation in Konsas, Nebrasks, North Dakota, Ohishoms, South Dakota, and Texas (actuative of irrigation for rice). 22 p.

Chemicals and allied products, 1909. 90 p. This bulleting for general chemicals; bone earbon, and lampblack; dyestiffs and extracts; explosives, lertilines; essential, ods; paint and varnish; sulphuric, intric, and mixed addis, and wood distillation.

Pexiles, 1909. 175 p. This bulletin is a combination of indeeparately issued bulletins covering the textile industries. Cotton manniatures; hosery and Infinity goods; woolan, worsted, and felt goods, and wool late; corpets and rigs; choody; wool sulling, wool stouring; intriet hats; sik manniactures for the following mecropolitin districts. New York City, Chicago, Philadelpias, Philadelpias, Philadelpias, Chrimati, Baitimore, Minneapolissa, and pointing of textiles.

Metropolitin districts, 1809. 77 p. This bulletin incorpoliting districts. New York City, Chicago, Philadelpias, Philadelpias, Chrimati, Baitimore, Minneapolissa, and propoliting districts. New York City, Chicago, Philadelpias, Philadelpias, Pri

SPECIAL BULLETINS.

The four bulletins named below contain statistical ampilitions not found in the final reports of the